GL
557
.S7J35
1917
ENT

CHECK-LIST

OF THE

SOUTH AFRICAN

LEPIDOPTERA HETEROCERA

BY

A. J. T. JANSE.

Issued by the Transvaal Museum.

249270

PRETORIA:
BUCKLEY & VAN DUYN, PRINTERS.
1917.

H. Schaus

QL
557
S735
1917
ENT

TRANSVAAL MUSEUM.

CHECK-LIST

— OF —

The South African

LEPIDOPTERA HETEROCERA.

By A. J. T. JANSE.

The first attempt to catalogue the South African moths was made by Sir George F. Hampson in the Annals of the South African Museum, but unfortunately this work was not completed and is now about fifteen years old.

Since then many additions have been made to the families treated in the above mentioned work; most species have been described in the various journals, annals and periodicals and in the "Catalogue of the Lepidoptera Phalaena in the British Museum."

It was therefore thought that a list of our moths would be welcome to the workers on South African Heterocera, especially for help in the arranging of collections and as a reference to the principal literature on the subject.

Only the original descriptions have been quoted, as fuller information would have extended the work far beyond the limits of a check-list. For the same reason only such species have been included as have been actually recorded from South Africa or have been found by myself to belong to this fauna.

My observation on the localities was not only based on my own extensive collection, but I had free access to the collections of several South African Museums and to those of many private collectors.

The South African Heterocerous fauna is not sharply defined, and I have no doubt that many Central African species will be recorded from South Africa when the Western and Northern parts of our sub-continent have been better explored.

As boundary of South Africa I have taken the usual line, i.e., the southern bank of the River Zambesi and the southern boundary of Angola. This line is perhaps more convenient than natural, but our insect-fauna is at present too little known to enable us to define this line in a more satisfactory way—if indeed a definite boundary exist at all.

The majority of species enumerated in this list are from the Cape Colony, Natal, Orange River Colony, and the Transvaal. Comparatively few species are as yet known from South West Africa and from Southern Rhodesia, although the richness and peculiarity of the latter country leads one to expect many future additions.

Every precaution has been taken to make this work as much up to date as possible and in some cases the kind assistance has been secured from workers in Europe and South Africa. Especially, L. B. Prout, Esq., and E. Meyrick, M.A., allowed me to draw freely on their extensive store of knowledge of groups in which they have specialised.

I shall be grateful to have pointed out to me any errors and omissions, as I hope to make use of any such information when supplements to this list are issued. It is my intention to do this when a sufficient number of species new to South Africa has been discovered.

A special label list, printed on one side of the paper only, which can also be used as an exchange list, can be obtained at the office of the Transvaal Museum.

The order in which the genera and species are given is in many instances far from Phylogenetic, but whenever possible such an arrangement has been given.

My special thanks are due to the Authorities and the Entomologist Mr. C. J. Swierstra, of the Transvaal Museum, for the facilities and assistance given me in compiling and publishing this check-list.

FAMILY AMATIDÆ

(*Syntomidæ*).

PSICHOTOË Boisd.
Mon. Zyg, p. 129 (1829).
1 Ps. gnatula Boisd.
Voy. Delegorgue II. p. 596 (1847).

EUTOMIS Hübn.
Verz. p. 122 (1827).
2 E. minceus Stoll.
Pap. Exot. IV. pl. 347 f. A. (1782).

CERYX Wllgrn.
Wien. Ent. Mon. VII. p. 140 (1863).
3 C. nacliodes Hmpsn.
Cat. Lep. Phal. Suppl. I. p. 3 pl. I. fig. 1 (1914).
4 C. anthraciformis Wllgrn.
Wien. Ent. Mon. IV. p. 40 (1860).
5 C. resecta H.-S.
Aussereur. Schmett, fig. 269 (1855).
6 C. toxotes Hmpsn.
Cat. Lep. Phal. I. p. 45, pl.I.f. 19 (1898).
7 C. longipes H.-S.
Aussereur. Schmett. f.273 (1855).

TRICHÆTA Swinh.
Cat. Het. Mus. Oxon. p. 52 (1892).
8 Tr. pterophorina Mab.
Bull. Soc. Ent. Fr. p. 139 (1892).
9 Tr. fulvenscens Wlk. Cat. 1, p. 132 (1854).

AMATA Fabr. (*Syntomis*)
Ilig. Mag. VI. p. 289 (1808).
10 A. atricornis Wllgrn.
Wien. ent. Mon. VII. p. 159 (1863).
11 A. kuhlweini Lefb.
Mag. Zool. Ins. pl. 23 (1831).
12 A. miozona Hmpsn.
P.Z.S. p. 389 pl. XXXVI. f. 2 (1910).
13 A. cerbera L.
Muss. Ulr. p. 363 (1764).
14 A. alicia Butl.
Journ. Linn. Soc. Zool. XII. p. 348 (1876).
15 A. endocrocis Hmpsn.
A.M.N.H. (7) XI. p. 338 (1903).
16 A. johanna Butl.
Journ. Linn. Soc. Zool. XII. p. 348 (1876).
17 A. simplex Wlk.
Cat. I. p. 129 (1854).
18 A. rendalli Dist.
A.M.N.H. (6) XX. p. 16 (1897)
18a A. damarensis Grünb.
Denkschr. med. Ges. Jena 16 p. 122 (1910).

EPITOXIS Wllgrn.
Wien. Ent. Mon. VII. p. 138 (1863).
19 E. amazoula Boisd.
Voy. Del. II. p. 597 (1847).
20 E. nigra Hmpsn.
A.M.N.H. (7) XI. p. 339 (1903).

PSEUDONACLIA Butl.
Journ. Linn. Soc. Zool. XII. p. 351 (1865).
21 Ps. puella Boisd.
Voy. Del. II. p. 596 no. 120 (1847).

THYRETES Boisd.
Voy. Del. II. p. 596 (1847.)
22 Th. hippotes Cram.
Pap. Exot. III. pl. 286 (1780).
23 Th. montana Boisd.
Voy. Del. II. p. 597 (1847).
24. Th. caffra Wllrgn.
Wien. ent. Mon. VII. p. 138 (1863).

APISA Wlk.
Cat. IV. p. 916 (1856).
25 A. canescens Wlk.
Cat. IV. p. 917 (1855).

METARCTIA Wlk.
Cat. III. p. 769 (1855).
26 M. lateritia H. S. Aussereur.
Schmett. f. 274 (1855).
Ab. l. with no fuscous on fore wing.
27 M. burra Schaus. Lep.
S. Leone. p. 23 pl. I. f. 6 (1893).
28 M. rubripuncta Hmpsn.
Cat. Lep. Phal. I. p. 147 pl. V. f. 21 (1898)
29 M. rufescens Wlk.
Cat. III. p. 769 (1855).
30 M. benitensis Holl.
Psyche. VI. p. 395 (1893).
31 M. flavivena Hmpsn.
A.M.N.H. (7) VIII. p. 169 (1901).
32 M. meteus Stoll.
Pap. Exot. IV. pl. 347 f. B. (1782).
33 M. bicolora Wlk.
Cat. VII. p. 1718 (1856).
34 M. crassa Feld.
Reise. Nov. IV. pl. 99 f. 16 (1874).

BALACRA Wlk.
Cat. VII. p. 1721 (1856).
35 B. vitreata Roths.
Nov. Zool. XVII. p. 445 (1910).

EUCHROMIA Hübn.
Verz. p. 121 (1827).
36 Eu. amœna Möschl.
Stett. Ent. Zeit. XXXIII. p. 350 (1872).

37 Eu. formosa Guer.
Icon. R. Anim. Ins. p. 501 pl. 84 bis. f.10 (1829)

ARCTIADÆ.

NOLINÆ.

CELAMA Wlk.
Cat. XXXII. p. 500 (1864).

38 C. niphostena Hmpsn.
Ann. S.A. Mus. II. p. 312 (1902).

39 C. melanoscelis Hmpsn.
Cat. Lep. Phal. Suppl. I. p. 396 pl. XXII. f. 22 (1914).

40 C. internella Wlk.
Cat. XXXI. p. 245 (1864).

41 C. meridionalis Wllgrn.
Oefv V. A. Förh. XXXII. (1) p. 99 (1876).

42 C. tineoides Wlk.
Cat. XII. p. 824 (1857).

NOLA Leach.
Edinb. Encycl. IX. p. 135 (1815).

43 N. mesoscota Hmpsn.
A.M.N.H. (8) IV. p. 1351 (1909).

44 N. præfica Saalm.
Lep. Madag. I. p. 174 pl. 5 f. 57 (1884).

45 N. argyrolepis Hmpsn.
A.M.N.H. (7) XIX. p. 228 (1907).

46 N. bicincta Hmpsn.
A.M.N.H. (7) XV. p. 482 (1905).

47 N. poliotis Hmpsn.
A.M.N.H. (7) XIX. p. 228 (1907).

48 N. leucalea Hmpsn.
A.M.N.H. (7) XIX. p. 229 (1907).

RŒSELIA Hubn.
Verz. p. 397 (1827).

49 R. infuscata Hmpsn.
A.M.N.H. (7) XI. p. 342 (1903).

LITHOSIANÆ.

LEPISTA Wllgrn.
Wien. Ent. Mon. VII. p. 146 (1863).

50 L. pandula Boisd.
Del. Voy. Afr. Austr. II. p. 597 (1847).

51 L. semiochracea Feld.
Reise Nov. pl. 106 f. 31 (1874).

TIGRIOIDES Butl.
Trans. Ent. Soc. Lond. 1877 p. 359.

52 T. quadrinotata Wlk.
Cat. XXXI. p. 237 (1864).

PUSIOLA Wllgrn.
Wien. Ent. Mon. VII. p. 146 (1863).

53 P. flavicosta Wllgrn.
Wien. Ent. Mon. IV. p. 45 (1860).

PHRYGANOPSIS Feld.
Reise Nov. p. 8 (1874).

54 Ph. asperatella Wlk.
Cat. XXXI. p. 231 (1864).

55 Ph. cinerella Wllgrn.
Wien. Ent. Mon. IV. p. 45 (1860).

56 Ph. atrescens Hmpsn.
A.M.N.H. (7) XI. p. 343 (1903).

57 Ph. interstiteola Hmpsn.
Cat. Lep. Phal. suppl. I. p. 474 pl. XXVI. f. 12 (1914).

57a Ph. subasperatella Strand.
Arch. naturg. 78 A. 9 p. 173 (1912).

SOZUSA Wllgrn.
Wien Ent. Mon. VII. p. 146 (1863).

58 S. scutellata Wllgrn.
Wien. Ent. Mon. IV. p. 45 (1860).

MACROSIA Hmpsn.
Cat. Lep. Phal. II. p. 129 (1900).

59 M. fumeola Wlk.
Cat. II. p. 508 (1854).

60 M. chalybeata Hmpsn.
A.M.N.H. (7) VIII. p. 179 (1901).

LOPHILEMA Auriv.
Sjöst. Kilimanjaro-Meru Exp. II. 9, p. 26.

61 L. brunneotincta Roths.
Nov. Zool. XIX. p. 222 (1912).

CTENOSIA Hmpsn.
Cat. Lep. Phal. II. p. 130 (1900).

62 C. psectriphora Dist.
A.M.N.H. (7) III. p. 462 (1899).

ILEMA Hübn.
Verz. p. 165 (1827).

63 I. bifasciata Hmpsn.
Cat. Lep. Phal. II. p. 131 f. 78 (1900).

64 I. phaeopera Hmpsn.
Cat. Lep. Phal. II. p. 131 f. 79 (1900).

65 I. goniophora Hmpsn.
Cat. Lep. Phal. II. p. 154 pl. XXII. f.4 (1900)

66 I. bipuncta Hübn.
Eur. Schmett II. ff. 286, 287 (1827).

67 I. elegans Butl.
Trans. Ent. Soc. Lond. p. 347 (1877).

68 I. simulans Mab.
Bull. Soc. Zool. Fr. III. p. 87 (1878).

69 I. sanguicosta Hmpsn.
A.M.N.H. (7) VIII. p. 181 (1901).
70 I. leia Hmpsn.
A.M.N.H. (7) VIII. p. 182 (1901).
71 I. similipuncta Hmpsn.
Cat. Lep. Phal. suppl. p. 496 pl. XXVII. f. 10 (1914).
72 I. sarceola Hmpsn.
Cat. Lep. Phal. II. p. 162 pl. XXII. f. 23 (1900).
73 I. arculifera Feld.
Reise Nov. pl. 106 f. 33 (1874).
74 I. vicaria Wlk.
Cat. II. p. 505 (1854).
75 I. gracilipennis Wllgrn.
Wien. Ent. Mon. IV. p. 45 (1860).
76 I. monochroma Holl.
Psyche VI. p. 411 (1893).
77 I. discifera Hmpsn.
Cat. Lep. Phal. II. p. 171 pl XXIII. f.4 (1900).
78 I. virgineola Hmpsn.
Cat. Lep. Phal. II. p. 178 pl. XXIII. f. 22 (1900).
78a I. verulana Strand.
Arch. Naturges. 78 A. 9 p. 178 (1912).
78b I. caffrana Strand.
l.c. p 178 (1912).

HYPAGOPTERA Hmpsn.
Cat. Lep. Phal. II. p. 179 (1900).
79 H. rufeola Hmpsn.
Cat. Lep. Phal. II. p. 179 f. 95 (1900).

LAMPROSIA Hmpsn.
Cat. Lep. Phal. II. p. 217 (1900).
80 L. eborella Boisd.
Del. Voy. Afr. Austr. II. p. 597 (1847).

PASTEOSIA Hmpsn.
Cat .Lep. Phal. II. p. 217 (1900).
81 P. irrorata Hmpsn.
Cat. Lep. Phal. II. p. 218 f. 135 (1900).
82 P. plumbea Hmpsn.
Cat. Lep. Phal. II. p. 218 f. 126 (1900).

LYSCEIA Wlk.
Cat. II. p. 541 (1854)
83 L. bigutta Wlk.
Cat. II. p. 541 (1854).

PARAONA Moore.
P.Z.S.L. p. 8 (1878).
83a P. interjecta Strand.
Arch. Naturges. 78 A. p. 188 (1912).

AGLOSSOSIA Hmpsn.
Cat. Lep. Phal. II. p. 247 (1900).
84 A. flavimarginata Hmpsn.
Cat. Lep. Phal. II. p. 247 f. 161 (1900).

CARIPODIA Hmpsn.
Cat. Lep. Phal. II. p. 249 (1900).
85 C. chrysargyria Hmpsn.
Cat. Lep. Phal. II. p. 248 f. 162 (1900).

DIPLONYX Hmpsn.
Cat. Lep. Phal. II. p. 249 (1900).
86 D. infumata Hmpsn.
Cat. Lep. Phal. II. p. 249 f. 163 (1900).

CARCINOPODIA Hmpsn.
Cat. Lep. Phal. II. p. 249 (1900).
87 C. argentata Dist.
A.M.N.H. (6) XX. p. 199 (1897).

MICRILEMA Hmpsn.
A.M.N.H. (7) XI. p. 343 (1903).
88 M. craushayi Hmpsn.
A.M.N.H. (7) XI. p. 343 (1903).

ANAPHOSIA Hmpsn.
A.M.N.H. (7) XI. p. 344 (1903).
89 A. cyanogramma Hmpsn.
A.M.N.H. (7) XI. p. 344 (1903).
90 A. aurantiaca Hmpsn.
A.M.N.H. (8) IV. p. 354 (1909).
91 A. astrigata Hmpsn.
P.Z.S.L. p. 393 pl. XXXVI. f. 30 (1910).

CHIONÆMA Herr.-Schäff.
Aussereur. Schmett. p. 20 (1850).
92 Ch. pretoriæ Dist.
A.M.N.H. (6) XX. p. 198 (1897).
93 Ch. marshalli Hmpsn.
Cat. Lep. Phal. II. p. 325 pl. XXVII. f. 26 (1900).
94 Ch. rhodostriata Hmpsn.
Cat. Lep. Phal. suppl. I. p. 634 pl. XXXIII. f. 31 (1914).
95 Ch. capensis Hmpsn.
A.M.N.H. (7) XI. p. 347 (1903).
96 Ch. rejecta Wlk.
Cat. II. p. 521 (1854).

EUROSIA Hmpsn.
Cat. Lep. Phal. II. p. 330 (1900).
97 Eu. lineata Hmpsn.
Cat. Lep. Phal. II. p. 331 pl. XXVII. f. 19 (1900).
98 Eu. fuliginea Hmpsn.
A.M.N.H. (7) XI. p. 347 (1903).

CHRYSOCYMA Hmpsn.
A.M.N.H. (7) XV. p. 435 (1905).

99 Chr. mesopotamia Hmpsn.
A.M.N.H. (7) XV. p. 435 (1905).

SICCIA Wlk.
Cat. II. p. 539 (1854).

100 S. caffra Wlk.
Cat. II. p. 539 (1854).

101 S. puntipennis Wllgrn.
Wien. ent. Mon. IV. p. 46 (1860).

XANTHETIS Hmpsn.
Cat. Lep. Phal. II. p. 414 (1900).

102 X. ichorina Butl.
Trans. Ent. Soc. Lond. p. 345 (1877).

THUMATHA Wlk.
Cat. XXXV. p. 1900 (1866).

103 Th. inconstans Butl.
P.Z.S.L. p. 846 pl. XLII. f. 5 (1896).

OPSAROA Hmpsn.
A.M.N.H. (7) XV. p. 437 (1905).

104 O. fulvinota Hmpsn.
A.M.N.H. (7) XV. p. 437 (1905).

ASURA Wlk.
Cat. II. p. 484 (1854).

105 A. fulvia Hmpsn.
Cat. Lep. Phal. II. p. 439 pl. XXX. f. 25 (1900)

105a A. thumathæformis Strand.
Arch. Naturges 78 A. 7 p. 192 (1912).

106 A. sagenaria Wllgrn.
Wien. Ent. Mon. IV. p. 46 (1860).

MILTOCHRISTA Hübn.
Verz. p. 166 (1827).

107 M. rivulosa Wlk.
Cat. II. p. 510 (1854).

PHILENORA Rosenst.
A.M.N.H. (5) XVI. p. 382 (1885).

108 Ph. bipuncta Hmpsn.
Cat. Lep. Phal II. p. 508 pl. XXXIII. f. 21 (1900).

109 Ph. unicolor Hopff.
Monatsber. Akad. Berl. p. 422 (1857).

PAUROPHLEPS Hmpsn.
Cat. Lep. Phal. II. p. 531 (1900).

110 P. minuta Hmpsn.
Cat. Lep. Phal. II. p. 531 f. 385 (1900).

EUGOA Wlk.
Cat. XII. p. 768 (1857).
111 Eu. africana Hmpsn.
Cat. Lep. Phal.II. p. 545 pl. XXXIV. f. 2 (1900).

MENECLIA Grünb. Denksehr.
Med. Ges. Jena 16 p. 122 (1910).
111a M. pallidula Grünb.
l.c. 16. p. 123 (1910).

ARCTIANÆ.

PHRAGMATOBIA Steph.
Ill. Brit. Ent. Haust. II. p. 73 (1828).
112 Ph. parvula Feld.
Reise. Nov. pl. 100 f. 24 (1874).

MÆNAS Hübn.
Verz. p. 167 (1827).
113 M. vocula Stoll.
Suppl. Cram pl. 31 f. 5 (1790).
114 M. arborifera Butl.
Cist. Ent. II. p. 26 (1875).
114a M. jeskei Grünb.
Stettin ent. zeit. 75 p. 380 (1911).

ILEMODES Hmpsn.
Ann. S.A. Mus. 1900 p. 53.
115 I. heterogyna Hmpsn.
Ann. S.A. Museum p. 53 (1900).

DIACRISIA Hübn.
Verz. p. 169 (1827).
116 D. punctulata Wllgrn.
Wien. ent. Mon. IV. p. 161 (1860).
116a D. euproetina.
Aur. Ent. Tidskr. p. 240 (1899).
117 D. chionea Hmpsn.
Ann. S.A. Mus. II. p. 56 (1900).
118 D. scortilla Wllgrn.
Oefv. Vet. Akad. Förh. XXXII. (1) p. 101 (1876).
118a D. latiradiata Hmpsn.
Cat. Lep. Phal. III. p. 296 pl. XLV. f. 11 (1901).
119 D. maculosa Stoll.
Pap. Exot. IV. pl. 370 f. B. (1781).
120 D. testacea Wlk.
Cat. III. p. 670 (1855).
121 D. scioana Oberth.
Ann. Mus. Genov. XV. p. 176 pl. 1 f. 8 (1880).
121a D. leighi Roths.
Nov. Zool. XVII. p. 141 (1910).
122 D. diplostieta Hmpsn.
Ann. S.A. Mus. II. p. 57 (1900).

123 D. lucida Druce.
A.M.N.H. (7) I. p. 212 (1898).
123a D. euproctina Aur.

124 D. flava Wllgrn.
Wien. ent. Mon. IV. p. 162 (1860).
125 D. lutescens Wlk.
Cat. III. p. 672 (1855).
126 D. rhodesiana Hmpsn.
Ann. S.A. Mus. II. p. 57 (1900).
127 D. scita Wlk.
Cat. XXXI. p. 298 (1864).
128 D. lineata Wlk.
Cat. III. p. 672 (1855).
129 D. eugraphica Wlk.
Cat. XXXI. p. 292 (1864).
130 D. euryphlebia Hmpsn.
A.M.N.H. (7) XI. p. 351 (1903).
130a D. butti Roths.
Nov. Zool. XVII. p. 126 (1910).

ACANTHARCTIA Aur.
Ent. Tidskr. p. 241 (1899).
131 A. vittata Aur.
Ent. Tidskr. p. 242 (1899).
132 A. flavicosta Hmpsn.
Ann. S.A. Mus. II. p. 53 (1900).

AMSACTA Wlk.
Cat. IV. p. 804 (1855).
133 A. grammiphlebia Hmpsn.
Cat. Lep. Phal. III. p. 323 pl. XLVI. f. 4 (1901).
133a A. unistriga Grünb.
Denkschr. med. Ges. Jena. 16 p. 124 (1910).

CREATONOTUS Hübn.
Verz. p. 169 (1827).
134 C. punctivitta Wlk.
Cat. III. p. 673 (1855).
134a C. spilleri Beth.-Baker.
A.M.N.H. 2 p. 262 (1908).

HYPHANTRIA Harr.
Ins. Mass. p. 255 (1841).
135 H. strigulosa Hmpsn.
A. M. N. H. (7) VIII. p. 185 (1901).

ESTIGMENE Hübn.
Verz. p. 184 (1827).
136 E. dissimilis Dist.
A.M.N.H. (6) XX. p. 198 (1897).
137 E. tenuistrigata Hmpsn.
Ann. S.A. Mus. II. p. 54 (1900).
138 E. lemniscata Dist.
A.M.N.H. (7) I. p. 116 (1898).

139 E. linea Wlk.
Cat. III. p. 671 (1855).
140 E. trivitta Wlk.
Cat. III. p. 673 (1855).
141 E. gynephæa Hmpsn.
A.M.N.H. (7) VIII. p. 185 (1901).
142 E. internigralis Hmpsn.
A.M.N.H. (7) XV. p. 447 (1905).
143 E. atropunctata Fawc.
Tr. Zool. Soc. Lond. p. 179 pl VII. ff. 23, 24, 25, 26 (1903).

SEIRARCTIA Pack.
Proc. Ent. Soc. Phil. IV. p. 108 (1864).
143a S. metaxantha Hmpsn.
A.M.N.H. 4 p.363 (1909).

DIONYCHOPUS Herr.-Schäff.
Aussereur. Schmett. p. 14 (1850).
144 D. amasis Cram.
Pap. Exot. III. pl. 206 f. B. (1780).

ANTARCTIA Hübn.
Verz. p. 191 (1827).
145 A. angustipennis Wlk.
Cat. III. p. 767 (1855).

PROSCHALIPHORA Hmps.
Cat. Lep. Phal. III. p. 454 (1901).
145a P. albida Hmpsn.
A.M.N.H. 4 p. 364 (1909).
145b P. traiecta Grünb.
Denkschr. med. Ges. Jena 16 p. 124 (1910).
145c P. bulti Roths.
Nov. Zool. 17 p. 180 (1910).

PROCANTHIA Hmpsn.
Cat. Lep. Phal. III. p. 454 (1901).
146 P. argentea Hmpsn.
Ann. S.A. Mus. III. p. 59 (1901).
147 P. distanti Dew.
Verh. L.C. Acad. XLII. p. 68 pl. 3 f. 7 (1881).
147a P. nivea Roths.
Nov. Zool. XVII. p. 180 (1910).

GRAMMARCTIA Auriv.
Ent. Tidskr. p. 243 (1899).
148 G. bilinea Wlk.
Cat. XXXI. p. 237 (1864).

TERACOTONA Butl.
P.Z.S. 1878 p. 382.
149 T. rhodophæa Wlk.
Cat. XXXI. p. 302 (1864).
150 T. euprepia Hmpsn.
Ann. S.A. Mus. II. p. 58 (1900).

151 T. submacula Wlk.
Cat. II. p. 472 (1855).

UTETHEISA Hübn.
Verz. p. 168 (1827).

152 U. pulchella L.
Syst. Nat. I. p. 534 (1758).

SECUSIO Wlk.
Cat. II. p. 558 (1854).

153 S. pustularia Wlk.
Cat. XXVI. p. 1661 (1862).

154 S. pulverata Hmpsn.
Ann. S.A. Mus. II. p. 62 (1900).

155 S. purata Wlk.
Cat. XXVI. p. 1688 (1862).

156 S. mania Druce.
P.Z.S. 1887 p. 672 (1888).

157 S. strigata Wlk.
Cat. II. p. 559 (1854).

RHODOGASTRIA Hübn.
Verz. p. 172 (1827).

158 R. lupia Druce.
P.Z.S. 1887 p. 669 (1888).

159 R. vitripennis Blanch.
d'Orbigny's Dict. Hist. Nat. Atlas Zool. II. Ins. Lep. pl. 13 f. 3 (1849).

160 R. astreas Drury.
Ill. Exot. Ent. II. p. 28 f. 4 (1773).

AGARISTIDÆ.

XANTHOSPILOPTERYX Wllgrn.
Œfv. Vet. Akad. Förh. XV. p. 83 (1858).

161 X. perdix Druce.
P.Z.S. 1887 p. 668 (1888).

162 X. africana Butl.
A.M.N.H. (4) XV. p. 142 (1875).

163 X. superba Butl.
A.M.N.H. (4) XV. p. 141 pl. 13 f. 3 (1875).

164 X. æmulatrix Westw.
Oates Matabeleland Ed. I. p. 355 pl. G. f. 1 pl. H. f. 3, 3a, 3b (1881).

165 X. geryon Fabr.
Spec. Ins. II. p. 216 (1781).

166 X. indecisa Butl.
A.M.N.H. (6) VII. p. 50 (1891).

ROTHIA Westw.
Trans. Lin. Soc. Zool. (2) I. p. 204 (1877).

167 R. butleri Wlk.
Char. Lep. Het. p. 111 (1869).

168 R. penetelia Druce.
P.Z.S. (1887) p. 668 (1888).

CHARILINA Wlk.
Cat. II. p. 560 (1854).
169 Ch. amabilis Drury.
Ill. Ex. Ent. II. pl. 13 f. 3 (1773).

PAIDA Jord.
Nov. Zool. III. p. 47 (1896).
170 P. pulchra Trim.
Trans. Ent. Soc. (3) I. p. 524 (1863).

PAIS Hübn.
Verz. p. 279 (1827).
171 P. decora Lin.
Mus. Ulr. p. 382 (1764).
171a P. festiva Jord.
Seitz. Lep. XV. p. 14 ( ).

ÆGOCERA Latr.
Gen. Crust. & Ins. IV. p. 211 (1809).
172 Æ. fervida Wlk.
Cat. I. p. 57 (1854).
173 Æ. latreilli Herr-Schäff.
Aussereur. Schmett. f. 19 (1853).
174 Æ. leighi Jord.
Nov. Zool. XIII. p. 161 (1906).

TUERTA Wlk.
Proc. N. H. Soc. Glasg. I. p. 346 (1869).
175 T. trimenii Feld.
Reise Nov. pl. 107 f. 15 (1874).
176 Ab. tricolor Druce.
Ent. Month. Mag. XX. p. 155 (1883).

OMPHALOCEPS Hmpsn.
Cat. Lep. Phal. III. p. 628 (1901).
177 O. daria Druce.
A.M.N.H. (6) XV. p. 42 (1895).

HESPAGARISTA Wlk.
Cat. I. p. 13 (1854).
178 H. echione Boisd.
Voy. Deleg. II. p. 595 (1847).

SYFANOIDEA Bartel.
Verh. Ges. Wien. LIII. p. 125 (1903).
179 S. schencki Bartel.
l.c. p. 126 (1903).

NOCTUIDÆ.

AGROTINÆ.

RAGHUVA Moore.
Proc. Zool. Soc. 1881 p. 362 (1881).
180 R. stigmatia Hmpsn.
Cat. Lep. Phal. IV. p. 29 f. 13 (1903).

181 R. multiradiata Hmpsn.
Ann. S.A. Mus. II. p. 257 (1902).

CHLORIDEA Westw.
Jardine's Nat. Libr. XXXII. p. 198 (1841).

182 Ch. scutuligera Guen.
Noct. II. p. 180 (1852).

183 Chl. armigera Hübn.
Samml. Eur. Schmett. Noct. f. 370 (1827).

184 Chl. xanthiata Wlk.
Cat. XXXIII. p. 770 (1865).

185 Chl. peltigera Schiff.
Wien. Verz. p. 89 (1776).

185b Chl. conifera Hmpsn.
A.M.N.H. 12 p. 580 (1913).

TIMORA Wlk.
Cat. IX. p. 132 (1856).

186 T. disticta Hmpsn.
Ann. S.A. Mus. II. p. 441 (1902).

187 T. lanceolata Wlk.
Cat. XXXIII. p. 767 (1865).

188 T. transvalica Dist.
Entom. p. 212 (1903).

189 T. leucosticta Hmpsn.
Ann. S.A. Mus. II. p. 256 (1902).

ADISURA Moore.
P.Z.S. p. 367 (1881).

190 A. straminea Hmpsn.
Ann. S.A. Mus. II. p. 258 (1902).

191 A. ærugo Feld.
Reise Nov. pl. 108 f. 45 (1874).

POROSAGROTIS Smith.
Bull. U.S. Mus. 38 p. 123 (1890).

192 P. caffra Hmpsn.
Cat. Lep. Phal. IV. p. 658 pl. LXXVII f. 29 (1903).

MICRAGROTIS Hmpsn.
Cat. Lep. Phal. IV. p. 148 (1903).

193 M. exusta Hmpsn.
Cat. Lep. Phal. IV. p. 149 pl. LX. f. 1 (1903).

194 M. interstriata Hmpsn.
Ann. S.A. Mus. II. p. 264 (1902).

195 M. strigibasis Hmpsn.
Ann. S.A. Mus. II. p. 264 (1902).

196 M. puncticostata Hmpsn.
Ann. S.A. Mus. II. p. 263 (1902).

197 M. rufescens Hmpsn.
Cat. Lep. Phal. IV. p. 152 pl. LX. f. 2 (1903).

198 M. microstigma Hmpsn.
Cat. Lep. Phal. IV. p. 659 pl. LXXVIII. f. 10 (1903).

199 M. prosarca Hmpsn.
Cat. Lep. Phal. IV. p. 659 pl. LXXVIII. f. 11 (1903).

EUXOA Hübn.
Verz. p. 209 (1827).

200 E. longidentifera Hmpsn.
Cat. Lep. Phal. IV. p. 166 pl. LX. f. 10 (1903).

201 E. segetis Schiff.
Wien. Verz. pp. 81, 252 ff. 3a, b. (1776).

202 E. subalba Wlk.
Cat. X. p. 339 (1856).

203 E. crassilinea Wllgrn.
Wien. Ent. Mon. IV. p. 168 (1860).

204 E. spinifera Hübn.
Samml. Eur. Schmett Noct. f. 389 (1827).

205 E. fumicolor Hmpsn.
Ann. S.A. Mus. II. p. 74 (1902).

206 E. rufomixta Hmpsn.
Cat. Lep. Phal. IV. p. 661 pl. LXXVIII. f. 14 (1903).

207 E. ruficeps Hmpsn.
Cat. Lep. Phal. IV. p. 661 pl. LXXVIII. f. 12 (1903).

208 E. pronyeta Hmpsn.
Cat. Lep. Phal. IV. p. 324 pl. LXVII. f. 14 (1903).

209 E. indigna Herr-Schäff.
Ausser. Eur. Schmett. f. 130 (1850).

210 E. epipyria Hmpsn.
Cat. Lep. Phal. IV. p. 325 pl. LXVII. f. 17 (1903).

211 E. contingens Warr.
Ann. S.A. Mus. X. p. 468 pl. XL. f. 3 (1914).

212 E. sordida Warr.
Ann. S.A. Mus. X. p. 469 pl. XL. f. 1 (1914).

AGROTIS Ochs.
Schmett. Eur. IV. p. 66 (1816).

213 A. ypsilon Rott.
Naturf. IX. p. 141 (1776).

214 A. atriregulata Hmpsn.
Ann. S.A. Mus. II. p. 261 (1902).

*215 A. plecta Lin.
Faun. Suec. p. 321 (1761).

---

*I am not quite sure if this species is found in South Africa. It is based upon a single male which I have not seen and which, as far as I know, has not been found in South Africa again. I have, however, a specimen in my collection which is certainly from South Africa and which is certainly not a **plecta** but **Agrotis leucogaster.** As these two species are very closely allied, there is a possibility that the specimen from the Cape Colony was wrongly identified as **plecta.** But it is not probable that Sir G. F. Hampson would have made this mistake, so I leave this species in the South African fauna.

216 A. leucogaster Frr.
Neu. Beitr. Schmett. I. p. 38 pl. 21 (1831).

217 A. annularis Saalm.
Lep. Madag. p. 265 (1891).

218 A. sicca Gueu.
Noct. p. 135 (1852).

219 A. effracta Dist.
A.M.N.H. (7) I. p. 220 (1898).

220 A. cestrigata Hmpsn.
Cat. Lep. Phal. IV. p. 662 pl. LXXVIII. f. 13 (1903).

221 A. cinctithorax Wlk.
Cat. XI. p. 591 (1857).

221a A. mesosema Hmpsn.
A. M. N. H. 8 p. 417 (1911).

LYCOPHOTIA Hübn.

Verz. p. 215 (1827).

222 L. muscosa Geyer.
Samml. Exot. Schmett. p.p. 10, 414 ff. 827, 828 (1837).

223 L. bitriangula Hmpsn.
Ann. S.A. Mus. II. p. 261 (1902).

224 L. isopleura Hmpsn.
Ann. S.A. Mus. II. p. 261 (1902).

225 L. ecvinacea Hmpsn.
Cat. Lep. Phal. IV. p. 663 pl. LXXVIII. f. 15 (1903).

226 L. perirrorata Hmpsn.
Ann. S.A. Mus. II. p. 262 (1902).

227 L. postventa Geyer.
Samml. Exot. Schmett III. ff. 865, 866 (1837).

228 L. oliveata Hmpsn.
Ann. S.A. Mus. II. p. 262 (1902).

228a L. atrisigna Hmpsn.
A. M. N. H. 8 p. 418 (1911).

HADENINÆ.

CRATERESTRA Hmpsn.

Cat. Lep. Phal. V. p. 17 (1905)

229 C. media Wlk.
Cat. XI. p. 756 (1857).

230 C. definiens Wlk.
Cat. XI. p. 689 (1857).

POLIA Ochs.

Schmett. Eur. IV. p. 73 (1816).

231 P. consanguis Guen.
Noct. II. p. 97 (1852).

232 P. fuscirufa Hmpsn.
Cat. Lep. Phal. V. p. 103 pl. LXXXI. f. 4 (1905).

233 P. dipterigidia Hmpsn.
Ann. S.A. Mus. II. p. 267 (1902).

234 P. mesoglauca Hmpsn.
Ann. S.A. Mus. II. p. 267 (1902).

235 P. speyeri Feld.
Reise Nov. pl. 110 f. 15 (1871).

236 P. cuprescens Hmpsn.
Cat. Lep. Phal. V. p. 163 pl. LXXXII. f. 32 (1905).

237 P. mesomelana Hmpsn.
Ann. S.A. Mus. II. p. 263 (1902).

238 P. furvilinea Hmpsn.
Ann. S.A. Mus. II. p. 268 (1902).

239 P. poliastis Hmpsn.
Ann. S.A. Mus. II. p. 268 (1902).
subspec. Cat. Lep. Phal. V. p. 181 (1905).

241 P. renisigna Wlk.
Cat. X. p. 267 (1856).

ODONTESTRA Hmpsn.

Cat. Lep. Phal. V. p. 265 (1905).

242 O. vittigera Hmpsn.
Ann. S.A. Mus. II. p. 266 (1902).

HADENA Schrank.

Faun. Boica. II. p. 158 (1802).

243 H. bulgeri Feld.
Reise Nov. pl. 110 f. 18 (1874).

244 H. ruptilinea Wlk.
Cat. XI. p. 507 (1857).

XYLOMANIA Hmpsn.

Cat. Lep. Phal. V. p. 389 (1905).

245 X. natalensis Butl.
A. M. N. H. (4) XVI. p. 103 (1875).

BRITHYS Hübn.

Verz. p. 226 (1827).

246 B. panceratii Cyr.
Ent. Nap. pl. 12 f. 1 (1878).

ASPIDIFRONTIA Hmpsn.
Ann. S.A. Mus. II. p. 269 (1902).
247 A. semipallida Hmpsn.
Ann. S.A. Mus. II. p. 269 (1902).
248 A. glaucescens Hmpsn.
Cat. Lep. Phal. V. p. 451 pl. XCI. f. 5 (1905).
249 A. rufescens Hmpsn.
Ann. S.A. Mus. II. p. 270 (1902).

DIAPHONE Hübn.
Verz. p. 188 (1827).
250 D. eumela Stoll.
Pap. Exot. IV. pl. 347 f. G. (1781).

GRAPHANIA Hmpsn.
Cat. Lep. Phal. V. p. 468 (1905).
251 G. atavistis Hmpsn.
Ann. S.A. Mus. II. p. 441 (1902).

CIRPHIS Wlk.
Cat. XXXII. p. 622 (1865).
252 C. prominens Wlk.
Cat. IX. p. 102 (1856).
253 C. loreyi Dup.
Lep. Fr. VII. p. 81 pl. 105 f. 7 (1827).
254 C. nebulosa Hmpsn.
Ann. S.A. Mus. II. p. 274 (1902).
255 C. usta Hmpsn.
Ann. S.A. Mus. II. p. 274 (1902).
256 C. polyrabda Hmpsn.
Ann. S.A. Mus. II. p. 273 (1902) nec. Moore.
257 C. atrinota Hmpsn.
Cat. Lep. Phal. V. p. 523 pl. XCII. f. 25 (1905)
258 C. insulicola Guen.
Noct. I. p. 82 (1852).
259 C. phæa Hmpsn.
Ann. S.A. Mus. II. p. 275 (1902).
260 C. leucosticha Hmpsn.
Cat. Lep. Phal. V. p. 541 (1905).
261 C. atrimacula Hmpsn.
Ann. S.A. Mus. II. p. 275 (1902).
262 C. unipuncta Haw.
Lep. Brit. p. 174 (1809).

BOROLIA Moore.
P.Z.S. 1881 p. 334 (1881).
263 B. interciliata Hmpsn.
Ann. S.A. Mus. II. p. 272 (1902).
264 B. apparata Wllgrn.
Öfv. Vet. Akad. Forh. (1875) p. 105.
265 B. amens Guen.
Noct. I. p. 88 (1852).
266 B. rhabdophora Hmpsn.
Ann. S.A. Mus. II. p. 273 (1902).
267 B. melianoides Möschl.
Verh. z.-b. Wien. XXXIII. p. 291 pl. XVI. f. 4 (1884).

268 B. tacuna Feld.
Reise Nov. pl. 110 f. 22 (1874).
269 B. rubrescens Hmpsn.
Cat. Lep. Phal. V. p. 563 pl. XCIV. f. 25 (1905).
270 B. melanostrota Hmpsn.
Cat. Lep. Phal. V. p. 564 pl. XCIV. f. 28 (1905).
271 B. torrentium Guen.
Noct. I. p. 88 (1852).
272 B. tincta Wlk.
Cat. XV. p. 1660 (1858).
273 B. nigrisparsa Hmpsn.
Ann. S.A. Mus. II. p. 274 (1902).
273a B. phæochroa Hmpsn.
Cat. Lep. Phal. V. p. 572 pl. XCV. f. 9 (1905).
274 B. persecta Hmpsn.
Cat. Lep. Phal. V. p. 574 pl. XCV. f. 12 (1905).
275 B. micropis Hmpsn.
Cat. Lep. Phal. V. p. 574 pl. XCV. f. 14 (1905).
275a B. cupreata Hmpsn.
Cat. Lep Phal. V. p. 575 pl. 95 f. 15 (1905).

MELIANA Curt.
Brit. Ent. VI. p. 201 (1829).
276 M. sarca Hmpsn.
Ann. S.A. Mus. II. p. 272 (1902).

CUCULLIANÆ.

CUCULLIA Schrank.
Faun. Boica. II. (2) p. 157 (1802).
277 C. leucopis Hmpsn.
Cat. VI. p. 28 pl. XCVI. f. 26 (1906).
278 C. consimilis Feld.
Reise Nov. pl. 108 f. 52 (1874).
279 C. brunnea Hmpsn.
Ann. S.A. Mus. II. p. 277 (1902).
280 C. clausa Wlk.
Cat. XI. p. 657 (1857).
281 C. perstriata Hmpsn.
Cat. Lep. Phal. VI. p. 42 pl. XCVII. f. 5 (1903).
282 C. extricata Wlk.
Cat. XI. p. 630 (1857).
283 C. terrensis Feld.
Reise Nov. pl. 108 f. 59 (1874).
284 C. minuta Möschl.
Verh. z.-b. Ges. Wien XXXIII. p. 295 pl. XVI. f. 9 (1884).

EMPUSADA Hübn.
Verz. p. 247 (1827) nec. Ill. Orth. (1798).
285 E. hutchinsoni Hmpsn.
Ann. S.A. Mus. II. p. 276 (1902).

286 E. argentivitta Hmpsn.
Cat. Lep. Phal. VI. p. 87 pl. XCVIII. f. 14 (1906).
287 E. pyrostrota Hmpsn.
Cat. Lep. Phal. VI. p. 88 pl. XCVIII. f. 15 (1906).
288 E. chrysota Hmpsn.
Ann. S.A. Mus. II. p. 277 (1902).
289 E. pallidistria Feld.
Reise Nov. pl. 108 f. 54 (1874).

RHODOCHLÆNA Hmpsn.
Cat. Lep. Phal. VI. p. 131 (1906).
290 Rh. botonga Feld.
Reise Nov. pl. 109 f. 28 (1874).

LEUCOCHLÆNA Hmpsn.
Cat. Lep Phal. VI. p. 132 (1906).
291 L. leucogonia Hmpsn.
Ann. S.A. Mus. III. p. 426 (1905).

CLOCHLÆNA Led.
Noct. Eur. p. 96 (1857).
292 C. fumea Hmpsn.
Ann S.A. Mus. II. p. 280 (1902).

CHARIDEA Guen.
Noct. II. p. 60 (1852).
293 Ch. elegantissima Guen.
Noct. II. p. 61 pl. 8 f. 12 (1852).

ECTOCHELA Hmpsn.
Ann. S.A. Mus. II. p. 279 (1902).
294 E. canina Feld.
Reise Nov. pl. 100 f. 10 (1874).

CAFFRISTIS Hmpsn.
Cat. Lep. Phal. VI. p. 227 (1906).
295 C. ferrogrisea Hmpsn.
Ann. S.A. Mus. II. p. 442 (1902).

HYPOTYPE Hmpsn.
Verz. p. 211 (1827).
296 Eu. rubrimixta Hmpsn.
Cat. Lep. Phal. V. p. 347 pl. CIV. f. 18 (1906).

RHIZOTYPE Hmpsn.
Cat. Lep. Phal. VI. p. 373 (1906).
297 Rh. palliata Warr.
Ann. S.A. Mus. X. p. 469 pl. XL. f. 2 (1914).

HYPOTYPE Hmpsn.
Cat. Lep. Phal. VI. p. 384 (1906).
298 H. nigridentata Hmpsn.
Ann. S.A. Mus. II. p. 278 (1902).
299 H. scotomista Hmpsn.
Ann. S.A. Mus. II. p. 278 (1902).

DASYPOLIA Guen.
Noct. II. p. 44 (1852).
300 D. informis Wlk.
Cat. X. p. 402 (1856).

GRAMMOSCELIS Hmpsn.
Cat. Lep. Phal. VI. p. 468 (1906).
301 G. leuconeura Hmpsn.
Cat. Lep. Phal. VI. p. 468 f. 160 (1906)

ACRONYCTINÆ.

MAGUSA Wlk.
Cat. XI. p. 762 (1857).
302 M. versicolora Saalm.
Lep. Madag. p. 324 f 164 (1891)

STENOPTERYGIA Hmpsn.
Cat. Lep. Phal. VII. p. 61 (1908).
303 St. subcurva Wlk.
Cat. XI. p. 592 (1857).

TRACHEA Ochs.
Schmett. Eur. IV. p. 75 (1816).
304 Tr. melanoleuca Hmpsn.
Ann. S.A. Mus. II. p. 284 (1902).
305 Tr. melanodonta Hmpsn.
Ann. S.A. Mus. II. p. 290 (1902).
306 Tr. melanobasis Hmpsn.
Ann. S.A. Mus. II. p. 295 (1902).
307 Tr. nigribarbata Hmpsn.
Cat. Lep. Phal. VII. p. 129 f. 28 (1908).
307a Tr. normalis Hmpsn.
A.M.N.H. XIII. p. 149 (1914).
308 Tr. breviuscula Wlk.
Cat. XV. p. 1725 (1858).
308a Tr. phœnicolopha Hmpsn.
A.M.N.H. XIII. p. 150 (1914).
309 Tr. lucia Feld.
Reise Nov. pl. 109 f. 16 (1874).
310 Tr. consummata Wlk.
Cat. XI. p. 591 (1857).
311 Tr. connivens Feld.
Reise Nov. pl. 109 f. 27 (1874).

EUPLEXIA Steph.
Ill. Brit. Ent. Haust. III. p. 3 (1829).
312 Eu. catephiodes Hmpsn.
Cat. Lep. Phal. VII. p. 219 f. 33 (1908).
313 Eu. amaranta Feld.
Reise Nov.. pl. 110 f. 8 (1874).
314 Eu. saldanha Feld.
Reise Nov. pl. 110 f. 6 (1874).
315 Eu. augens Feld.
Reise Nov. pl. 110 f. 5 (1874).
316 Eu. prolifera Wlk.
Cat. IX. p. 238 (1856).

PERIGEA Guen.
Noct. I. p. 225 (1852).
317 P. quadrimacula Mab.
Ann. Soc. Ent. Fr. p. 729 (1888).
318 P. grandirena Hmpsn.
Ann. S.A. Mus. II. p. 397 (1902).
319 P. africana Schaus.
Lep. Sierra Leone p. 33 pl. 2 f. 10 (1893).
320 P. capensis Guen.
Noct. I. p. 213 (1852).

OLIGIA Hübn.
Verz. p. 213 (1827).
321 O. instructa Wlk.
Cat. XXXIII. p. 733 (1865).
322 O. ambigua Wlk.
Cat. XV. p. 1727 (1858).

HYPOPLEXIA Hmpsn.
Cat. Lep. Phal. VII. p. 426 (1908).
323 H. conjuncta Hmpsn.
Cat. Lep. Phal. VII. p. 426 f. 72 (1908).
324 H. algoa Feld.
Reise Nov. pl. 109 f. 24 (1874)
325 H. externa Wlk.
Cat. XI. p. 756 (1857).
325a H. melanica Hmpsn.
A.M.N.H. 8 p. 432 (1911).

SIDEMIA Staud.
Rom. Mem. VI. p. 459 (1892).
326 S. spodopterodes Hmpsn.
Cat. Lep. Phal. VII. p. 437 f. 81 (1908).

CONSERVULA Grote.
Bull. Buff. Soc. Nat. Sci. II. p. 17 (1874).
327 C. minor Holl.
Pr. U.S. Mus. XVIII. p. 253 pl. 8 f. 1 (1896)
328 C. cinisigna de Joan.,
Ann. Soc. Ent. Fr. 1906 p. 170 pl. 9 f. 2.

CALPIFORMIS Hmpsn.
Cat. Lep. Phal. VII. p. 504 (1908).
329 C. cranshayi Hmpsn.
Ann. S.A. Mus. III. p. 427 (1905).

DIPAROPSIS Hmpsn.
Ann. S.A. Mus. II. p. 294 (1902).
330 D. castanea Hmpsn.
Ann. S.A. Mus. II. p. 294 (1902).

ERIOPUS Treit.
Schmett. Eur. V. (1) p. 365 (1825).
331 E. maillardi Guen.
Maillard's Reunion, Lep. p. 39 pl. 22 f. 8 (1862).

332 E. natalensis Hmpsn.
Cat. Lep. Phal. VII. p. 567 f. 135 (1908).
333 E. latreillei Dup.
Lep. Fr. VII. p. 327 pl. 120 f. 2 (1827).

CHYTONIX Grote.
Bull. Buff. Soc. Nat. Sci. II. p. 66 (1874).
334 Ch. melanochlora Hmpsn.
Ann. S.A. Mus. II. p. 289 (1902).

MIONIDES Hmpsn.
Ann. S.A. Mus. II. p. 281 (1902).
335 M. lichinea Hmpsn.
Ann. S.A. Mus. II. p. 281 (1902).

IAMBIA Wlk.
Cat. XXVII. p. 109 1863).
336 I. transversa Moore.
Lep. Atk. p. 35 pl. 1 f. 5 (1882).
337 I. inferalis Wlk.
Cat. XXVII. p. 109 (1863).
338 I. brunnea Warr.
Ann. S.A. Mus. X. p. 474 pl. XL. f. 7 (1914).

ARÆA Hmpsn.
Cat. Lep. Phal. VII. p. 688 (1908).
339 A. indecora Feld.
Reise Nov. pl. 110 f. 1. (1874).

DASEOCHÆTA Warr.
Seitz. Macrolepidoptera, prt. 9 p. 11 (1907).
340 D. verbenata Dist.
A. M. N. H. (7) I. p. 222 (1898).

THALATHA Wlk.
Journ. Linn. Soc. Zool. VI. p. 187 (1862).
341 Th. varicolor Warr.
Ann. S.A. Mus. X. p. 467 pl. XL. f. 12 (1914).

CRANIOPHORA Snell.
Vlind. van Ned. p. 262 (1872).
342 Cr. paragrapha Feld.
Reise Nov. pl. 100 f. 8 (1874).

ACRONYCTA Ochs.
Schmett. Eur. IV. p. 62 (1815).
342a A. transvalica Hmpsn.
A. M. N. H. 8 p. 436 (1911).

CETOLA Wlk.
Cat. V. p. 1015 (1855).
343 C. radiata Hmpsn.
Cat. Lep. Phal. VIII. p. 184 f. 32 (1909).

MATOPO Dist.
A.M.N.H. (7) I. p. 227 (1898).
344 M. nigrivittata Hmpsn.
Ann. S.A. Mus. II. p. 294 (1902).

345 M. inangulata Hmpsn.
Cat. Lep. Phal. VIII. p. 186 pl. CXXVII. f. 19 (1909).
346 M. typica Dist.
A. M. N. H. (7) I. p. 227 (1898).

DELTA Saalm.
Lep. Madag. p. 263 (1891).
347 D. intermedia Brem.
Lep. Ost-Sib. p. 53 pl. V. f. 13 (1864).
348 D. phoenicraspis Hmpsn.
C. L. Ph. IX. p. 521 pl. CXLVIII. f. 1. (1910).

STOMAFRONTIA Hmpsn.
Ann. S.A. Mus. III. p. 136 (1905).
349 St. albifasciata Hmpsn.
Ann. S.A. Mus. III. p. 137 (1905).

HADENELLA Grote.
Papilio. III. p. 123 (1883).
350 H. rectiradiata Hmpsn.
Ann. S.A. Mus. II. p. 391 (1902).

PRODENIA Guen.
Noct. I. p. 159 (1852).
351 Pr. litura Fabr.
Syst. Ent. p. 601 (1775).

SPODOPTERA Guen.
Noct. I. p. 153 (1852).
352 Sp. abyssinia Guen.
Noct. I. p. 154 (1852).
353 Sp. mauritia Boisd.
Faun. Ent. Madag. Lep. p. 92 pl. 13 f. 9 (1833).

LAPHYGMA Guen.
Noct. I. p. 156 (1852).
354 L. leucophlebia Hmpsn.
Ann. S.A. Mus. II. p. 288 (1902).
355 L. exempta Wlk.
Cat. X. p. 355 (1856).
356 L. exigua Hübn.
Eur. Schmett. Noct. f. 362 (1808).

LOPHOTARSIA Hmpsn.
Ann. S.A. Mus. II. p. 299 (1902).
357 L. ochroprocta Hmpsn.
Ann. S.A. Mus. II. p. 299 (1902).

PARACRORIA Hmpsn.
Cat. Lep. Phal. VIII. p. 281 (1909).
358 P. griseocincta Hmpsn.
Ann. S.A. Mus. II. p. 396 (1902).

CENTRARTHRA Hmpsn.
Cat. Lep. Phal. VIII. p. 284 (1909).
359 C. furcivitta Hmpsn.
Cat. Lep. Phal. VIII. p. 284 f. 80 (1909).

360 C. argentea Warr.
Ann. S.A. Mus. X. p. 476 pl. XL. f. 5 (1914).
361 C. fulvinotata Warr.
Ann. S.A. Mus. X. p. 475 pl. XL. f. 4 (1914).
362 C. albiapicata Warr.
Ann. S.A. Mus. X. p. 475 pl. XL. f. 6 (1914).
363 C. brunnea Warr.
Ann. S.A. Mus. X. p. 474 pl. XL. f. 7 (1914)
364 C. pallescens Warr.
Ann. S.A. Mus. X. p. 474 pl. XL. f. 8 (1914).
365 C. cretacea Warr.
Ann. S.A. Mus. X. p. 473 pl. XL. f. 11 (1914).
366 C. fulvitincta Warr.
Ann. S.A. Mus. X. p. 472 pl. XL. f. 9 (1914).
367 C. ossicolor Warr.
Ann. S.A. Mus. X. p. 271 pl. XL. f. 10 (1914).

MIMLEUCANIA Hmpsn.
Cat. Lep Phal. VIII. p. 285 (1909).
368 M. leucosoma Feld.
Reise Nov. pl. 109 f. 31 (1874).
369 M. perstriata Hmpsn.
Cat. Lep. Phal. VIII. p. 286 t.f. 82 (1909).

AMPHIDRINA Staud.
Iris, IV. p. 283 (1892).
370 A. pexicera Hmpsn.
Cat. Lep Phal. VIII. p. 295 f. 89 (1909).
370a A. melanosema Hmpsn.
A. M. N. H. XIII. p. 157 (1914).
371 A. glaucistis Hmpsn.
Ann. S.A. Mus. II. p. 443 (1902).

ATHETIS Hübn.
Verz p. 209 (1827).
372 A. chionopis Hmpsn.
Cat. Lep. Phal. VIII. p. 299 t.f. 91 (1909).
373 A. albipuncta Hmpsn.
Ann. S.A. Mus. II. p. 297 (1902).
374 A. cæca Hmpsn.
Ann. S.A. Mus. II. p. 442 (1902).
375 A. melanopis Hmpsn.
Cat. Lep. Phal. VIII. p. 301 pl. CXXIX. f. 10 (1909).
376 A. leucopis Hmpsn.
Ann. S.A. Mus. II. p. 293 (1902).
377 A. nephrosticta Hmpsn.
Cat. Lep. Phal. VIII. p. 303 pl. CXXIX. f. 11 (1909).
378 A. capicola Herr.-Schäff.
Aussereur. Schmett. f. 131 (1850).
379 A. rufipuncta Hmpsn.
Ann. S.A. Mus. II. p. 300 (1902).
380 A. poliostrota Hmpsn.
Cat. Lep. Phal. VIII. p. 304 pl. CXXIX. f. 13 (1909).

381 A. microtera Hmpsn.
Ann. S.A. Mus. II. p. 301 (1902).
382 A. tenebrata Hmpsn.
Ann. S.A. Mus. II. p. 301 (1902).
383 A. foveata Hmpsn.
Cat. Lep. Phal. VIII. p. 307 f. 94 (1909).
384 A. atriluna Guen.
Noct. I. p. 252 (1852).
385 A. gonionephra Hmpsn.
Cat. Lep. Phal. VIII. p. 315 pl. CXXIX. f. 22 (1909).
386 A. satellitia Hmpsn.
Ann. S.A. Mus. II. p. 302 (1902).
387 A. clavipalpis Scop.
Ent. Carn. p. 213 (1763).
388 A. melanosticta Hmpsn.
Cat. Lep. Phal. VIII. p. 342 pl. CXXX. f. 10 (1909).
389 A. flavipuncta Hmpsn.
Cat. Lep. Phal. VIII. p. 343 pl. CXXX. f. 11 (1909).
390 A. croceipuncta Hmpsn.
Cat. Lep. Phal. VIII. p. 343 pl. CXXX. f. 12 (1909).
391 A. ignava Guen.
Noct. I. p. 247 (1852).
392 A. pigra Guen.
Noct. I. p. 248 (1852).
393 A. singula Möschl.
Verh. zool.-bot. Ges. Wien XXXIII. p. 292 pl. XVI. f. 6 (1883).
394 A. heliastis Hmpsn.
Cat. Lep. Phal. VIII. p. 348 pl. CXXX. f. 18 (1909).
395 A. albirena Hmpsn.
Ann. S.A. Mus. II. p. 302 (1902).
396 A. leuconephra Hmpsn.
Cat. Lep. Phal. VIII. p. 350 pl. CXXX. f. 21 (1909).
397 A. melanopis Hmpsn.
Cat. Lep. Phal. VIII. p. 351 pl. CXXX. f. 23 (1909).
398 A. glauca Hmpsn.
Ann. S.A. Mus. II. p. 304 (1902).
399 A. melanephra Hmpsn.
Cat. Lep. Phal. VIII. p. 352 pl. CXXX. f. 25 (1909).
400 A. atrirena Hmpsn.
Ann. S.A. Mus. II. p. 304 (1902).
401 A. absorbens Wlk.
Cat. X. p. 403 (1856).
402 A. pallicornis Feld.
Reise Nov. pl. 109 f. 20 (1874).
403 A. æschria Hmpsn.
Cat. Lep. Phal. VIII. p. 358 pl. CXXX. f. 31 (1909).

404 A. sminutha Hmpsn.
Ann. S.A. Mus. II. p. 305 (1902).

ARIATHISA Wlk.
Cat. XXXIII. p. 747 (1865).

405 A. excisa Herr.-Schäff.
Aussereur. Schmett. f. 129 (1850).

ETHIOPICA Hmpsn.
Cat. Lep. Phal. VIII. p. 418 (1909).

406 E. vinosa Hmpsn.
Ann. S.A. Mus. II. p. 292 (1902).

407 E. cupricolora Hmpsn.
Ann. S.A. Mus. II. p. 299 (1902).

408 E. polyastra Hmpsn.
Cat. Lep. Phal. VIII. p. 419 pl. CXXXIFl. f. 6 (1909).

409 E. micra Hmpsn.
Ann. S.A. Mus. II. p. 300 (1902).

PAROMPHALE Hmpsn.
Cat. Lep. Phal. VIII. p. 421 (1909).

409a P. chionephra Hmpsn.
A. M. N. H. 8 p. 439 (1911).

DYSMILICHIA Speiser.
Berl. Ent. Zeit. XLVII. p. 140 (1902).

410 D. purpurascens Hampsn.
Cat. Lep. Phal. IX. p. 522 pl. CXLIII. f. 3 (1910).

PROXENUS Herr.-Schäff.
Eur. Schmett. II. p. 240 (1845).

411 P. xantholopha Hmpsn.
Ann. S.A. Mus. II. p. 305 (1902).

412 P. xanthopis Hmpsn.
Cat. Lep. Phal. VIII. p. 432 pl. CXXXIII. f. 16 (1909).

413 P. camptogramma Hmpsn.
Cat. Lep. Phal. IX. p. 523 pl. CXLVIII. f. 13 (1910).

HADJINA Staud.
Iris. p. 286 (1891).

414 H. carcaroda Dist.
Entom. 1901 p. 284 (1901).

PROCRATERIA Hmpsn.
Ann. S.A. Mus. III. p. 426 (1905).

415 P. pterota Hmpsn.
Cat. Lep. Phal. VIII. p. 533 pl. CXXXVI. f. 23 (1909).

416 P. noloides Hmpsn.
Ann. S.A. Mus. III. p. 426 (1905).

CATAMECIA Staud.
Iris. X. p. 288 (1897).

417 C. connectens Hmpsn.
Ann. S.A. Mus. II. p. 392 (1902).

NAMANGANA Staud.
Stett. Ent. Zeit. p. 28 (1888).

418 N. adela Hmpsn.
Ann. S.A. Mus. II. p. 287 (1902).

419 N. atripars Hmpsn.
Cat. Lep. Phal. VIII. p. 552 pl. CXXXVII. f. 3 (1909).

TUMIDIFRONTIA Hmpsn.
Ann. S.A. Mus. II. p. 282 (1902).

420 T. castaneotincta Hmpsn.
Ann. S.A. Mus. II. p. 283 (1902).

COPIFRONTIA Hmpsn.
Ann. S.A. Mus. III. p. 433 (1905).

421 C. xantherythra Hmpsn.
Ann. S.A. Mus. III. p. 433 (1905).

EULYMNIA Hmpsn.
Ann. S.A. Mus. IX. p. 111 (1910).

422 Eu. pulcherrima Hmpsn.
Ann. S.A. Mus. II. p. 295 (1902).

ETHIOTERIA Hmpsn.
Cat. Lep. Phal. IX. p. 112 (1910).

423 E. neavi Hmpsn.
Cat. Lep. Phal. IX. p. 112 f. 31 (1910).

ANDROLYMNIA Hmpsn.
Cat. Lep. Phal. IX. p. 179 (1910).

424 A. torsivena Hmpsn.
Ann. S.A. Mus. II. p. 376 (1902).

CIRRODES Hmpsn.
Cat. Lep. Phal. IX. p. 210 (1910).

425 C. phœnicea Hmpsn.
Cat. Lep. Phal. IX. p. 210 f. 75 (1910).

ECTOLOPHA Hmpsn.
Ann. S.A. Mus. II. p. 382 (1902).

426 E. virideseens Hmpsn.
Ann. S.A. Mus. II. p. 383 (1902).

CENTROGONE Hmpsn.
Cat. Lep. Phal. IX. p. 223 (1910).

427 C. chlorochrysa Hmpsn.
Cat. Lep. Phal. IX. p. 223 t.f. 85 (1910).

OCHROCALAMA Hmpsn.
Cat. Lep. Phal. IX. p. 226 (1910).

428 O. xanthia Hmpsn.
Ann. S.A. Mus. III. p. 434 (1905).

SYNCALAMA Hmpsn.
Cat. Lep. Phal. IX. p. 228 (1910).

429 S. mimica Hmpsn.
Cat. Lep. Phal. IX. p. 228 t.f. 89 (1910).

PHALERODES Hmpsn.
Cat. Lep. Phal. IX. p. 263 (1910).

430 Ph. cauta Hmpsn.
Ann. S.A. Mus. II. p. 293 (1902).

RAMESODES Hmpsn.
Cat. Lep. Phal. IX. p. 264 (1910).

431 R. divisa Hmpsn.
Ann. S.A. Mus. II. p. 292 (1902).

432 R. micropis Hmpsn.
Cat. Lep. Phal. IX. p. 265 t.f. 110 (1910).

PHRAGMATIPHILA Hübn.
Verz. p. 241 (1827) nec. Treit. 1825.

433 Ph. bipartita Hmpsn.
Cat. Lep. Phal. IX. p. 272 f. 115 (1910).

CALAMISTIS Hmpsn.
Cat. Lep. Phal. IX. p. 273 (1910).

434 C. pallidicosta Hmpsn.
Ann. S.A. Mus. II. p. 403 (1902).

435 C. fusca Hmpsn.
Ann. S.A. Mus. II. p. 296 (1902).

436 C. obliquifascia Hmpsn.
Trans. Zool. Soc. XIX. p. 108 pl. IV. f. 15 (1909).

437 C. stygiata Hmpsn.
Cat. Lep. Phal. IX. p. 278 pl. CXLIII. f. 11 (1910).

ARENOSTOLA Hmpsn.
Cat. Lep. Phal. IX. p. 281 (1910).

438 A. interlata Wlk.
Cat. XI. p. 713 (1857).

ACRAPEX Hmpsn.
Moths. Ind. II. p. 286 (1894).

439 A. curvata Hmpsn.
Ann. S.A. Mus. II. p. 306 (1902).

440 A. metaphæa Hmpsn.
Cat. Lep. Phal. IX. p. 317 pl. CXLIV. f. 9 (1910).

441 A. spoliata Wlk.
Cat. XXVII. p. 63 (1863).

442 A. brunnea Hmpsn.
Ann. S.A. Mus. II. p. 306 (1902) (partim); Hmpsn. Cat. Lep. Phal. IX. p. 318 pl. CXLIV. f. 11 (1910).

443 A. albivena Hmpsn.
Cat. Lep. Phal. IX. p. 318 pl. CXLIV. f. 12 (1910).

444 A. carnea Hmpsn.
Ann. S.A. Mus. III. p. 427 (1905).

445 A. ænigma Feld.
Reise Nov. pl. 108 f. 47 (1874).

446 A. tristrigata Warr.
Ann. S.A. Mus. X. p. 271 pl. XL. f. 18 (1914).

SESAMIA Guen.
Noct. I. p. 95 (1852).

447 S. vuteria Stoll.
Suppl. Cram. Pap. Exot. v. p. 161 pl. 36 f. 5 (1783).

447a S. steniptera Hmpsn.
A. M. N. H. XIII. p. 163 (1914).

448 S. calamistis Hmpsn.
Cat. Lep. Phal. IX. p. 325 pl. CXLIV. f. 18 (1910).

449 S. coniota Hmpsn.
Ann. S.A. Mus. II. p. 297 (1902).

450 S. rubritincta Hmpsn.
Ann. S.A. Mus. II. p. 142 (1902).

451 S. rufescens Hmpsn.
Cat. Lep. Phal. IX. p. 329 pl. CXLIV. f. 22 (1910).

452 S. epunctifera Hmpsn.
Ann. S.A. Mus. II. p. 298 (1902).

453 S. tænioleuca Wllgrn.
Svensk. Akad. Handl. V. 4. p. 58 (1866).

454 S. albavena Hmpsn.
Ann. S.A. Mus. II. p. 297 (1902).

455 S. cretica Frr.
Neue Beitr. VI. p. 32 pl. 501 f. 2 (1852) nec Rmbr.

ORIA Hübn
Verz. p. 240 (1827).

456 O. flavescens Hmpsn.
Ann. S.A. Mus. II. p. 298 (1902).

CONICOFRONTIA Hmpsn.
Ann. S.A. Mus. II. p. 296 (1902).

457 C. sesamiodes Hmpsn.
Ann. S.A. Mus. II. p. 296 (1902).

457a C. scotochroa Hmpsn.
A. M. N. H. 13 p. 164 (1914).

CALAMIA Hübn.
Verz. p. 240 (1827).

458 C. flavirufa Hmpsn.
Cat. Lep. Phal. IX. p. 340 pl. CXLIV. f. 29 (1910).

CHASMINA Wlk.
Cat. IX. p. 146 (1856).

459 Ch. tibialis Fabr.
Syst. Ent. p. 578 (1775)

CALLYNA Guen.
Noct. I. p. 112 (1852).

460 C. nigerrima Hmpsn.
Ann. S.A. Mus. II. p. 400 (1902).

461 C. decora Wlk.
Cat. XIII. p. 1119 (1857).

462 C. figurans Wlk.
Cat. XV. p. 1667 (1858).

463 C. obscura Hmpsn.
Cat. Lep. Phal. IX. p. 365 pl. CXLV. f. 12 (1910).

464 C. cupricolora Hmpsn.
Cat. Lep. Phal. IX. p. 367 pl. CXLV. f. 14 (1910).

CYTOTHYMIA Hmpsn.
Cat. Lep. Phal. IX. p. 370 (1910).

465 C. obsita Feld.
Reise Nov. pl. 108 f. 36 (1874).

CYCLOPERA Hmpsn.
Cat. Lep. Phal. IX. p. 389 (1910).

466 C. bucephalidia Hmpsn.
Ann. S.A. Mus. II. p. 381 (1902).

467 C. similis Hmpsn.
Ann. S.A. Mus. II. p. 382 (1902).

468 C. galactiplaga Hmpsn.
Ann. S.A. Mus. II. p. 381 (1902).

SELENISTIS Hmpsn.
Cat. Lep. Phal. IX. p. 392 (1910).

469 S. annulella Hmpsn.
Ann. S.A. Mus. II. p. 383 (1902).

EUTERPIODES Hmpsn.
Cat. Lep. Phal. IX. p. 394 (1910).

470 Eu. pienaari Dist.
A. M. N. H. (7) I. p. 223 (1898).

PARATUERTA Hmpsn.
Ann. S.A. Mus. II. p. 282 (1902).

471 P. marshalli Hmpsn.
Ann. S.A. Mus. II. p. 282 (1902).

OVIOS Wlk.
Cat. III. p. 753 (1855).

472 O. capensis Herr.-Schäff.
Aussereur. Schmett. ff. 115-116 (1853).

473 O. septentrionis Hmpsn.
Cat. Lep. Phal. IX. p. 427 pl. CXLVI. f. 8 (1910).

LEUCOVIS Hmpsn.
Cat. Lep. Phal. VII. p. 8 (1908).

474 L. alba Roths.
Nov. Zool. IV. p. 183 (1897).

EUTELIANÆ.

PACIDARA Wlk.
Cat. XXXIII. p. 830 (1865).

475 P. venustissima Wlk.
Cat. XXXIII. p. 831 (1865).

EUTELIA Hübn.
Verz. p. 259 (1827).

476 Eu. leucographa Hmpsn.
A. M. N. H. (7) XVI. p. 374 (1905).

477. Eu. rivata Hmpsn.
Ann. S.A. Mus. II. p. 307 (1902).

478 Eu. histrio Saalm.
Lep. Madag. p. 386 f. 225 (1891).

479 Eu. leighi Hmpsn.
Ann. S.A. Mus. III. p. 428 (1905).

480 Eu. adulatrix Hübn.
Eur. Schmett. Noct. ff. 517, 648, 650 (1808).

481 Eu. amatrix Wlk.
Cat. XV. p. 1778 (1858).

482 Eu. symphonica Hmpsn.
Ann. S.A. Mus. II. p. 309 (1902).

483 Eu. discistriga Wlk.
Cat. XXXIII. p. 823 (1865).

484 Eu. subrubens Mab.
Ann. Soc. Ent. Fr. (1890) p. 40.

485 Eu. polychorda Hmpsn.
Ann. S.A. Mus. II. p. 308 (1902).

486 Eu. fulvigrisea Warr.
Ann. S.A. Mus. X. p. 479 pl. XL. f. 16 (1914).

CHLUMETIA Wlk.
Cat. XXXIV. p. 1270 (1865).

487 Chl. lichenosa Hmpsn.
Ann. S.A. Mus. II. p. 376 (1902).

PHLEGETONIA Guen.
Noct. II. p. 301 (1852).

488 Phl. operatrix Wllgrn.
Wien. ent. Mon. IV. p. 170 (1860).

489 Phl. callichroma Dist.
Entom. XXXIV. p. 284 (1901).

490 Phl. catephioides Guen.
Noct. II. p. 301 (1852).

491 Phl. albiapicata Hmpsn.
Ann. S.A. Mus. II. p. 444 (1902).

MARATHYSSA Wlk.
Cat. XXXIII. p. 1033 (1865).
492 M. cuneata Saalm.
Lep. Madag. p. 381 f. 179 (1891).
493 M. albidisca Hmpsn.
A.M.N.H. (7) XVI. p. 385 (1905).
494 M. cistellatrix Wllgrn.
Wien. ent. Mon. IV. p. 170 (1860).

STICTOPTERINÆ.

STICTOPTERA Guen.
Noct. III. p. 149 (1852).
495 S. antemarginata Saalm.
Ber. Senck. Ges. p 278 (1880).

LOPHOPTERA Guen.
Noct. III. p. 54 (1852).
496 L. methyalea Hmpsn.
Ann. S.A. Mus. II. p. 309 (1902).
497 L. litigiosa Boisd.
Faun. Ent. Madag. p. 93 pl. 16 f. 3 (1833).

SARROTHRIPINÆ.

CHARACOMA Wlk.
Cat. XXVII. p. 106 (1863).
498 Ch. miophora Hmpsn.
Cat. Lep. Phal. XI. p. 238 pl. CLXXX. f. 19 (1912).

PARADASENA Wlk.
Cat. XXXV. p. 1730 (1866).
499 P. virgulana Mab.
C. R. Soc. Ent. Belg. XXIII. p. XVII. (1880).
500 P. punctata Hmpsn.
Ann. S.A. Mus. II. p. 444 (1902).
501 P. atripuncta Hmpsn.
Cat. Lep. Phal. XI. p. 249 pl. CLXXX. f. 27 (1912).

SELEPA Moore.
Lep. E. I. Co. p. 353 (1858).
502 S. rufescens Hmpsn.
Cat. Lep. Phal. XI. p. 297 pl. CLXXXII. f. 9 (1912).
503 S. transvalica Hmpsn.
Cat. Lep. Phal. XI. p. 299 pl. CLXXXII. f. 13 (1912).
504 S. docilis Butl.
P. Z. S. L. p. 619 (1881).

CRYPTOTHRIPA Hmpsn.
Cat. Lep. Phal. XI. p. 309 (1912).
505 C. polyhymnia Hmpsn.
Ann. S.A. Mus. II. p. 311 (1902).

BRYOTHRIPA Hmpsn.
Cat. Lep. Phal. XI. p. 310 (1912).
506 B. miophæa Hmpsn.
Cat. Lep. Phal. XI. p. 310 f. 109 (1912).

MEGATHRIPA Hmpsn.
Cat. Lep. Phal. XI. p. 319 (1912).
506a M. refimedia Hmpsn.
Ann. S.A. Mus. III. p. 429 (1905).

BLENINA Wlk.
Cat. XIII. p. 1214 (1857).
507 B. squamifera Wllgrn.
Wien. Ent. Mon. IV. p. 171 (1860).
508 B. quadripuncta Hmpsn.
Ann. S.A. Mus. II. p. 310 (1902).

RISOBA Moore.
P. Z. S. L. (1881) p. 328.
509 R. diplogramma Hmpsn.
Cat. Lep. Phal. XI. p. 441 pl. CLXXXVI. f. 6 (1912).

ACONTIANÆ.

CARIAS Hübn.
Verz. p. 395 (1827)
510 E. citrina Saalm.
Lep. Madag. I. p. 178 (1884).
511 E. biplaga Wlk.
Cat. XXXV. p. 1773 (1866).
512 E. insulana Boisd.
Faun. Madag. p. 121 pl. 16 f. 9 (1833).
ab. anthophilana Snell.
Tijdschr. Ent. XXII. p. 96 pl. 8 f. 1 (1879).
513 E. cupreoviridis Wlk.
Trans. Ent. Soc. (3) I. p. 92 (1862).

CHLOROZADA Hmpsn.
Cat. Lep. Phal. XI. p. 517 (1912).
514 Chl. metaleuca Hmpsn.
A. M. N. H. (7) XVI. p. 598 (1905).
515 Chl. verna Hmpsn.
Ann. S.A. Mus. II. p. 318 (1902).

LOPHOCRAMA Hmpsn.
Cat. Lep Phal. XI. p. 521 (1912).
516 L. phœnicochlora Hmpsn.
Cat. Lep. Phal. XI. p. 521 pl. CLXXXVII. f. 24 (1912).

MAURILIA Möschl.
Verh. zool.-bot. Ges. Wien. XXXIII. p. 298 (1884).
517 M. arcuata Wlk.
Cat. XII. p. 779 (1857).

ACRIPIA Wlk.
Cat. XXVII. p. 9 (1863).
518 A. scapularis Feld.
Reise Nov. pl. 111 f. 10 (1874).
519 A. subolivacea Wlk.
Cat. XXVII. p. 9 (1863).
520 A. leprosa Feld.
Reise Nov. pl. 111 f. 9 (1874).
521 A. chloropera Hmpsn.
Ann. S.A. Mus. II. p. 313 (1902).
522 A. semivirides Hmpsn.
Ann. S.A. Mus. II. p. 445 (1902).
523 A. poliotis Hmpsn.
Ann. S.A. Mus. II. p. 445 (1902).

GONIOCALPE Hmpsn.
Cat. Lep. Phal. XI. p. 597 (1912).
524 G. sericealis Hmpsn.
Ann. S.A. Mus. II. p. 318 (1902)

WESTERMANNIA Hübn.
Verz. p. 250 (1827).
525 W. convergens Hmpsn.
Ann. S.A. Mus. II. p. 315 (1902).

NEGETA Wlk.
Cat. XXIV. p. 1105 (1862).
526 N. luminosa Wlk.
Cat. XV. p. 1759 (1858).
527 N. ruficeps Hmpsn.
Ann. S.A. Mus. II. p. 446 (1902).
528 N. nivea Hmpsn.
Ann. S.A. Mus. II. p. 315 (1902).

NEAXESTIS Hmpsn.
Ann. S.A. Mus. II. p. 315 (1902).
529 N. griseata Hmpsn.
Ann. S.A. Mus. II. p. 316 (1902).
530 N. acutangula Hmpsn.
Ann. S.A. Mus. II. p. 316 (1902).
531 N. rhoda Hmpsn.
Ann. S.A. Mus. III. p. 429 (1905).

PARAXESTIS Hmpsn.
Ann. S.A. Mus. II. p. 317 (1902).
532 P. rufescens Hmpsn.
Ann. S.A. Mus. II. p. 317 (1902).

ARCYOPHORA Guen.
Noct. II. p. 378 (1852).
533 A. carniola Hmpsn.
Cat. Lep. Phal. XI. p. 643 pl. CXCI. f. 8 (1912).
534 A. longivalvis Guen.
Noct. II. p. 379 pl. 12 f. 9 (1852).
535 A. stali Wllgrn.
Wien. ent. Mon. VII. p. 144 (1863).

SETOCTENA Wllgrn.
Wien. ent. Mon. VII. p. 144 (1863)

536 S. patricula Hmpsn.
Ann. S.A. Mus. II. p. 314 (1902).

537 S. ledereri Wllgrn.
Wien. ent. Mon. VII. p. 144 (1863).

ACONTIA Ochs.
Schmett. Eur. IV p. 91 (1816).

538 A. malvæ Esp.
Schmett. IV. 2 p. 63 pl. 195 f. 4 (1796).

539 A. grællsi Feisth.
Ann. Soc. Ent. Fr. VI. p. 300 pl. 12 f. 3 (1837).

LEOCYMA Guen.
Noct. II. p. 212 (1852).

540 L. appollinis Guen.
Noct. II. p. 212 (1852).

541 L. discophora Hmpsn.
Cat. Lep. Phal. XI. p. 662 pl. CXCI. f. 19 (1912).

542 L. galatheæ Wllgrn.
Anteck. i. Zool. I. p. 58 (1856).

RHYNCODES Guen.
Noct. II. p. 394 (1852).

543 Rh. phalæniformis Guen.
Noct. II. p. 394 (1852).

CATOCALINÆ.

AUDEA Wlk.
Cat. XII. p. 1134 (1857).

544 Au. hypostigmata Hmpsn.
Cat. Lep. Phal. XII. p. 211 pl. CCII. f. 5 (1913).

545 Au. bipunctata Wlk
Cat. XII. p. 1135 (1857).

ab. abbreviata Strand.
Arch Naturges 79 A. 8 p. 65 (1914).

546 Au. melaleuca Wlk.
Cat. XXXIII. p. 921 (1865).

ab. nigrior Strand.
Arch. naturges 79 A. 8 p. 65 (1914).

547 Au. fatilega Feld.
Reise Nov. pl. 112 f. 9 (1874).

548 Au. tegulata Hmpsn.
Ann. S.A. Mus. II. p. 325 (1902).

549 Au. humeralis Hmpsn.
Ann. S.A. Mus. II. p. 327 (1902).

550 Au. melanoplaga Hmpsn
Ann. S.A. Mus. II. p. 328 (1902).

551 Au. fumata Wllgrn.
Wien. ent. Mon. IV. p. 171 (1860).

552 Au. subligata Dist. Entom. XXXVI. p. 212 (1902).

ULOTHRICHOPUS Wllgrn.
Svensk. Akad. Handl. V. 4 p. 76 (1865).

553 U. catocala Feld.
Reise Nov. pl. 116 f. 2 (1874).

554 U. leucopasta Hmpsn.
Cat. Lep. Phal. XII. p. 228 pl. CCII. f. 12. (1913).

555 U. glaucescens Hmpsn.
Cat. Lep. Phal. XII. p. 228 pl. CCII. f. 13. (1913).

556 U. primulina Hmpsn.
Ann. S.A. Mus. II. p. 326 (1902).
ab. primulinodes Strand
Arch. Naturges 79 A.8. p. 65 (1914).
ab. primulinella Strand
l.c. p. 65 (1914).

557 U. mesoleuca Wlk.
Cat. XV. p. 1812 (1858).

558 U. tinctipennis Hmpsn.
Ann. S.A. Mus. II. p. 327 (1902).

559 U. variegata Hmpsn.
Ann. S.A. Mus. II. p. 326 (1902).

HYPOTACHA Hmpsn.
Cat. Lep. Phal. XII. p. 243 (1913).

560 H. nigristria Hmpsn.
Ann. S.A. Mus. II. p. 329 (1902).

561 H. retracta Hmpsn.
Ann. S.A. Mus. II. p. 329 (1902).

EGYBOLIS Boisd.
Delegorgue Voy. Afr. Austr. II. p. 595 (1847).

562 E. vaillantina Stoll.
Suppl. Cram. p. 142 pl. 31 f. 3 (1790).

NYCTIPAO Hübn.
Verz. p. 271 (1827).

*563 N. walkeri Butl.
A.M.N.H. (4) XVI. p. 406 (1875).

CYLIGRAMMA Boisd.
Faun. Ent. Madag. Lep. p. 109 (1883).

564 C. latona Cram.
Pap. Exot. I. p. 20 pl. 13 f.B. (1779).

565 C. magus Guer.
Icon. Regn. Anim. Ins. p. 521 (1842).

---

*The South African specimens were formerly known by the name Nyctipao macrops, Lin. (see Hmpsn. Ann. S.A. Mus. II. p. 319 (1902), but this name is now reserved for the Indian forms.

*566 C. limacina Guer.
Icon. Regn. Anim. Ins. p. 520 pl. 89 f.2 (1829).

ENTOMOGRAMMA Guen.
Noct. III. p. 203 (1852).

567 E. pardus Guen.
Noct. p. 205 (1852).

ENMONODIA Wlk.
Cat. XIV. p. 1332 (1858).

568 E. plumbefusa Hmpsn.
Cat. Lep. Phal. XII. p. 325 pl. CCIX. f. 1 (1913).

569 E. capensis Herr-Schäff.
Aussereur. Schmett, ff. 121, 122 (1850).

570 E. endoxantha Hmpsn.
Cat. Lep. Phal. XII. p. 326 pl. CCIX. f. 7 (1913).

571 E. carneotincta Hmpsn.
Cat. Lep. Phal. XII. pl. CCIII. f. 14 (1913).

CALLIODES Guen
Noct. III. p. 192 (1852).

572 C. pretiosissima Holl.
Ent. XXV. Suppl. p. 94 (1892).

SPEIREDONIA Hübn.
Verz. p. 272 (1827).

573 S. glaucescens Butl.
P.Z.S. (1893) p. 680.

574 S. griseisigna Hmpsn.
Cat. Lep. Phal. XII. p. 348 (1913).

575 S. plicata Hmpsn.
P.Z.S.L. 1910 p. 429 pl. XXXVII. f. 25.

COMETASTER Hmpsn.
Cat. Lep. Phal. XII. p. 362 (1913).

576 C. pyrula Hppfr.
Mon. Kongl. Akad. Wiss. Berl. 1857 p. 422.

CTENUSA Hmpsn.
P.Z.S.L. (1910) p. 422

577 Ct. carnicolor Hmpsn.
Ann. S.A. Mus. II. p. 329 (1902).

578 Ct. pallida Hmpsn.
Ann. S.A. Mus. II. p. 321 (1902).
ab. rufescentior Strand.
Arch. Naturges. 79 A.8 p. 69 (1914).

---

*In Ann. S.A. Mus. II. p. 322 (1902) Hampson referred the S. African specimens to **Cyligramma fluctuosa,** Drury, but in the Cat. Lep. Phal. XIII. (1913) the same worker brings them under **Cyligramma limacina.**

ACANTHONYX Hmpsn.
Ann. S.A. Mus. II. p. 323 (1902).
579 A. marginalis Wlk.
Cat. XV. p. 1700 (1858).
ab. gilva Strand.
Arch. Naturges. 79 A.8 p. 69 (1914).
ab. angulata Strand.
l.c. p. 69 (1914).
ab. antealaris Strand.
l.c. p. 70 (1914).
580 A. pretoriæ Dist.
Entom. XXXV. p. 212 (1902).
ab. zulu Strand.
Arch. Naturges. 79 A.8 p. 69 (1914).

EUONYCHODES Warr.
Ann. S.A. Mus. X p. 480 (1914).
581 Eu. albivenata Warr.
Ann. S.A. Mus. X p 480 pl. XL. f. 14 (1914).

HOMÆA Guen.
Noct. III. p. 206 (1852).
582 H. hansali Feld.
Reise Nov. pl. 117 f 5 (1874).

MINIODES Guen.
Noct. III. p. 119 (1852).
583 M. discolor Guen.
Noct. III. p. 119 (1852).

BRYOPHILA Schrank.
Fauna Boica II. (2) p. 157 (1802).
583a B. fulvifusca Hmpsn
A.M.N.H. (7) p. 434 (1911).

DERMALEIPA Saalm.
Lep. Madag. p. 460 (1891).
584 D. rubricata Holl.
Ent. News Philad. V. p. 57 (1894).
584a D. parallelipipeda Guen.
Noct. III. p. 230 (1852).
ab. renimacula Strand.
Arch. Naturges 79 A. 8 p. 70 (1914).
ab. luteimacula Strand.
l.c. p. 70 (1914).
ab. brunneipicta Strand.
l.c. p. 70 (1914).
ab. ochribrunnea Strand.
l.c. p. 70 (1914).

ANUA Wlk.
Cat. XV. p. 1788 (1858).
585 A. tirhaca Cram.
Pap. Exot. L. p. 116 pl. 172 f. E. (1780).
586 A. dianaris Guen.
Noct. III. p. 232 (1852).
587 A. umbrilinea Hmpsn.
Ann. S.A. Mus. II. p. 342 (1902).

588 A. mejanesi Guen.
Noct. III. p. 232 (1852).
589 A. selenaris Guen.
Noct. III. p. 232 (1852).
590 A. dilecta Wlk.
Cat. XXXIII. p. 967 (1865).
591 A. finifascia Wlk.
Cat. XV. p. 1676 (1858).
592 A. violascens Hmpsn.
Ann. S.A. Mus. II. p. 446 (1902).
593 A. salita Dist.
A. M. N. H. (7) I. p. 228 (1898).
594 A. melaconisia Hmpsn.
Ann. S.A. Mus. III. p. 431 (1905).
595 A. fumida Hmpsn.
Cat. Lep. Phal. XII. p. 452 pl. CCXV. f. 14 (1913).
596 A. nocturnia Hmpsn.
Ann. S.A. Mus. II. p. 338 (1902).

HYPANUA Hmpsn.
Cat. Lep. Phal. XII. p. 459 (1913).
597 H. xylina Dist.
A. M. N. H. (7) I. p. 229 (1898).

HELIOPHISMA Hmpsn.
Cat. Lep. Phal. XII. p. 461 (1913).
598 H. croceipennis Wlk.
Cat. XIV. p. 1377 (1857).
599 H. xanthoptera Hmpsn.
P. Z. S. (1910) p. 418 pl. XXXVI. f. 22.

TOLNA Wlk.
Proc. Nat. Hist. Glasg. I. p. 355 (1873).
600 T. sypnoides Butl.
A. M. N. H. (5) II. p. 464 (1878).
601 T. variegata Hmpsn.
Ann. S.A. Mus. III. p. 430 (1905).
602 T. limula Möschl.
Verh. Zool. bot. Ges. Wien. XXXIII. p. 303 pl. XVI. f. 17 (1883).

ACHÆA Hübn.
Verz. p. 269 (1827).
603 A. mormoides Wlk.
Cat. XIV. p. 1293 (1858).
604 A. præstans Guen.
Noct. III. p. 241 pl. 22 f. 2 (1852).
ab. præstantis Strand.
Arch. Naturges. 79 A. 8 p. 72 (1914).
ab. brunnescens Strand.
l.c. p. 73.
ab. vafobrunnea Strand.
l.c. p. 73.
ab. lunulata Strand.
l.c. p. 73.
ab. cinereovirescens Strand.
l.c. p. 73.

605 A. echo Wlk.
Cat. XIV. p. 1374 (1858).
†606 A. mabilli Saalm.
Pet. Nouv. Ent. II. p. 297 (1879).
*607 A. mercatoria Fabr.
Syst. Ent. p. 604 (1775).
608 A. trapezoides Guen.
Maillard's Reunion Lep. p. 47 pl. 23 f. 2 (1862).
609 A. indeterminata Wlk.
Cat. XXXIII. p. 955 (1865).
610 A. boris Geyer.
Zutr. Ex. Schmett. V. p. 42 ff. 973, 974 (1837).
611 A. finita Guen.
Noct. III. p. 242 (1852).
612 A. sordida Wlk.
Cat. XXXIII. p. 955 (1865).
613 A. lienardi Boisd.
Ent. Madag. Lep. p. 102 pl. 15 f. 5 (1833).
614 A. catella Guen.
Noct. III. p. 247 (1852).

EUPHIUSA Hmpsn.
Cat. Lep. Phal. XII. p. 550 (1913).
615 Eu. harmonica Hmpsn.
Ann. S.A. Mus. II. p. 335 (1902).

PARALLELIA Hübn.
Verz. p. 269 (1827).
616 P. proxima Hmpsn.
Ann. S.A. Mus. II. p. 339 (1902)
617 P. conjunctura Wlk.
Cat. XV. p. 1830 (1858).
618 P. properans Wlk.
Cat. XIV. p. 1426 (1858).
619 P. algira Lin.
Syst. Nat. ed. XII. p. 836 (1767).
620 P. erectata Hmpsn.
Ann. S.A. Mus. II. p. 341 (1902).
621 P. derogans Wlk.
Cat. XV. p. 1832 (1858).
622 P. angularis Boisd.
Faun. Ent. Mad. Lep. p. 103 pl. 13 f. 2 (1833).
623. P. palumbiodes Hmpsn.
Ann. S.A. Mus. II. p. 341 (1902).

---

†This species was formerly known by the name **Ophiusa illustrata** Wlk. (Hmpsn. Ann. S.A. Mus. II. p. 337), but this name is now reserved for Sierra Leone specimens which are from 70 to 72 mm.

*This species was before known as **Ophiusa faber,** Holl. (Hmpsn. Ann. S.A. Mus. II. p. 338), but this name is now applied to specimens from Sierra Leone; Gold Coast; S. Nigeria.

ACANTHODELTA Hmpsn.
A. M. N. H. (8) I. p. 487 (1908).

624 A. distriga Hmpsn.
A.M.N.H. (8) I. p. 487 (1908).

GRAMMODES Guen.
Noct. III. p. 275 (1852).

625 G. congenita Wlk.
Cat. XIV. p. 1443 (1857).

626 G. geometrica Fabr.
Syst. Ent. p. 599 (1775).

627 G. stolida Fabr.
Syst. Ent. p. 599 (1775).

628 G. euclidioides Guen.
Noct. III. p. 276 (1852).

CHALCIOPE Hübn.
Verz. p. 268 (1827).

629 Ch. hyppasia Cram.
Pap. Exot. III. p. 99 pl. 250 f. E. (1779).

CUNEISIGNA Hmpsn.
Cat. Lep. Phal. XIII. p. 31 (1913).

630 C. obstans Wlk.
Cat. XIV. p. 1449 (1858).

631 C. cumamita Beth. Baker.
A.M.N.H. (8) VIII. p. 528 (1911).

632 C. rivulata Hmpsn.
Ann. S.A. Mus. II. p. 334 (1902).

PARACHALCIOPE Hmpsn.
Cat. Lep. Phal. XIII. p. 35 (1913).

633 P. euclidicola Wlk.
Cat. XIV. p. 1438 (1858).

634 P. nahura Feld.
Reise Nov. pl. 117 f. 13 (1874).

EUCLIDISEMA Hmpsn.
Cat. Lep. Phal. XIII. p. 40 (1913).

635 Eu. erecta Hmpsn.
Ann. S.A. Mus. II. p. 333 (1902).

636 Eu. delta Boisd.
Faun. ent. Mad. Lep. p. 105 pl. 13 f. 1 (1833).

MOCIS Hübn.
Verz. p. 267 (1827).

637 M. repanda Fabr.
Ent. Syst. III. 2 p. 49 (1794).

638 M. frugalis Fabr.
Syst. ent. p. 601 (1775).

639 M. undata Fabr.
Syst. ent. p. 600 (1775).

640 M. mutuaria Wlk.
Cat. XIV. p. 1506 (1858).

PLECOPTERODES Hmpsn.
Cat. Lep. Phal. XIII. p. 141 (1913).

641 P. melliflua Holl.
Donaldson Smith's Unknown Africa, p. 416 (1897).

642 P. moderata Wllgrn.
Wien. ent. Mon. IV. p. 174 (1860).

642a ab. subflava Warr.
Ann. S.A. Mus. X p. 481 (1914).

643 P. deprivata Warr.
Ann. S.A. Mus. X. p. 481 pl. XL. f. 15 (1915).

CEROCALA Boisd.
Ind. Meth. p. 171 (1840).

644 C. vermiculosa Herr.-Schäff.
Aussereur. Schmett ff. 134, 135 (1850).

645 C. contraria Wlk.
Cat. XXXIV. p. 990 (1865).

PERICYMA Herr.-Schäff.
Schmett. Eur. II. p. 429 (1845).

646 P. atrifusa Hmpsn.
Ann. S.A. Mus. II. p. 324 (1902).

647 P. mendax Wlk.
Cat. XIII. p. 1047 (1857).

648 P. scandulata Feld.
Reise Nov. pl. 111 f. 22 (1874).

649 P. polygramma Hmpsn.
Cat. Lep. Phal. XIII. p. 311 f. 79 (1913).

CORTYTA Wlk.
Cat. XIII. p. 1076 (1857).

650 C. diapera Hmpsn.
Cat. Lep. Phal. XIII. p. 315 pl. CCXXXII. f. 14 (1913).

651 C. metaxantha Hmpsn.
Ann. S.A. Mus. II. p. 334 (1902).

652 C. balnearia Dist.
A. M. N. H. (7) I. p. 228 (1898).

653 C. vetusta Wlk.
Cat. XXXIII. p. 875 (1865).

654 C. phæocyma Hmpsn.
Cat. Lep. Phal. XIII. p. 321 pl. CCXXXII. f. 25 (1913).

655 C. canescens Wlk.
Cat. XIII. p. 1077 (1857).

MOMINÆ.

ELÆODES Hmpsn.
Cat. Lep. Phal. XIII. p. 356 (1913).

656 E. acatharta Hmpsn.
Cat. Lep. Phal. XIII. p. 257 pl. CCXXXIV. f. 1 (1913).

657 E. lutescens Herr.-Schäff.
Aussereur. Schmett. f. 127 (1850).

PHYTOMETRINÆ.

(*PLUSIANÆ*).

SYNGRAPHA Hübn.
Verz. p. 250 (1827).
658 S. circumflexa Lin.
Syst. Nat. ed. XII. p. 844 (1767).

PLUSIOPALPA Holl.
Psyche. VII. p. 9 (1894).
659 P. adrasta Feld.
Reise. Nov. pl. 110 f. 35 (1874).

PHYTOMETRA Haw.
Lep. Brit. p. 254 (1809) * (*Plusia*) Ochs.
Schmett. Eur. IV. p. 89 (1816), non descr., nec. Treit (1826).
660 Ph. lavendula Hmpsn.
Ann. S.A. Mus. II. p. 347 (1902).
661 Ph. phocea Hmpsn.
A. M. N. H. (8) V. p. 433 (1910).
662 Ph. fracta Wlk.
Cat. XII. p. 920 (1857).
663 Ph. calcedona Hmpsn.
Ann. S.A. Mus. II. p. 346 (1902).
664 Ph. dorfmeisteri Feld.
Reise. Nov. pl. 110 f. 33 (1874).
665 Ph. ni Hübn.
Eur. Schmett. Noct. f. 284 (1802).
666 Ph. angulum Guen.
Noct. II. p. 350 (1852).
667 Ph. limbirena Guen.
Noct. II. p. 350 (1852).
668 Ph. furcifera Wlk.
Cat. XII. p. 927 (1857).
669 Ph. ablusa Feld.
Reise. Nov. pl. 110 f. 34 (1874).
670 Ph. violascens Hmpsn.
Cat. Lep. Phal. XIII. p. 476 pl. CCXXXVII. f. 15 (1913).
671 Ph. indicator Wlk.
Cat. XII. p. 922 (1857).
672 Ph. obtusisigna Wlk.
Cat. XII. p. 930 (1857).
673 Ph. distalagma Hmpsn.
Cat. Lep. Phal. XIII. p. 480 pl. CCXXXVII. f. 17 (1913).
674 Ph. signata Fabr.
Ent. Syst. III. 2 p. 81 (1792).
675 Ph. acuta Wlk.
Cat. XII. p. 922 (1857).

---

*The genus Plusia is now reserved for a genus of the sub-family **Acronyctinæ**, of which **amethystina** is the type.

676 Ph. geminipuncta Hmpsn.
Ann. S.A. Mus. II. p. 347 (1902).
677 Ph. sestertia Feld.
Reise. Nov. pl. 110 f. 31 (1874).
678 Ph. clarki Hmpsn.
A. M. N. H. (8) V. p 432 (1910).
679 Ph. exquisita Feld.
Reise. Nov. pl. 110 f. 30 (1874).
680 Ph. argyrodonta Hmpsn.
A. M. N. H. (8) V. p. 432 (1910).
681 Ph. transfiixa Wlk.
Cat. XII. p. 884 (1857).
682 Ph. arachnoides Dist.
Entom. XXXIV. p. 285 (1901).
683 Ph. aranea Hmpsn.
Tr. Z. S. L. XIX. p. 112 pl. IV. f. 20 (1909).
684 Ph. tetrastigma Hmpsn.
A.M.N.H. (8) V. p. 431 (1910).
685 Ph. orichalcea Fabr.
Syst. Ent. p. 607 (1775).

ABROSTOLA Ochs.
Schmett. Eur. IV. p. 88 (1816).
686 A. triopis Hmpsn.
Ann. S.A. Mus. II. p. 344 (1902).
687 A. brevipennis Wlk.
Cat. XV. p. 1784 (1858).

NOCTUINÆ.

PRIONOFRONTIA Hmpsn.
Ann. S.A. Mus. II. p. 350 (1902)
688 P. erygidia Hmpsn.
Ann. S.A. Mus. II. 351 (1902).

ANTIOPHLEBIA Feld.
Reise Nov. p. 2 (1874).
689 A. bracteata Feld.
Reise Nov. pl. 99 f. 18 (1874).

MELIABA Wlk.
Cat. XVI. p. 212 (1858).
690 M. pelopsalis Wlk.
Cat. XVI. p. 212 (1858).

ŒDEBASIS Hmpsn.
Ann. S.A. Mus. II. p. 352 (1902).
691 Œ. ovipennis Hmpsn.
Ann. S.A. Mus. II. p. 352 (1902).

LABANDA Wlk.
Cat. XVII. p. 284 (1859).
692 L. bryochlora Hmpsn.
Ann. S.A. Mus. II. p. 352 (1902).

LACERA Guen.
Noct. III. p. 336 (1852).

694 L. alope Cram.
Pap. Exot. III. pl. 286 ff. E. F. (1779).

TAVIA Wlk.
Cat. XIV. p. 1275 (1858).

695 T. nycterina Boisd.
Fauna Ent. Mad. p. 109 pl. 13 f. 6 (1833).

SERRODES Guen.
Noct. III. p. 251 (1852).

696 S. inara Cram.
Pap. Exot. III. p. 239 f. E. (1779).

FACIDIA Wlk.
Cat. XXXIII. p. 951 (1865).

697 F. nigrofusca Wlk.
Cat. XXXIII. p. 952 (1865).

SPHINGOMORPHA Guen.
Noct. III. p. 220 (1852).

698 S. chlorea Cram.
Pap. Exot. III. pl. 104 f. C. (1779).

699 S. marshalli Hmpsn.
Ann. S.A. Mus. II. p. 354 (1902).

CATEPHIA Ochs.
Schmett. Eur. IV. p. 94 (1816).

700 C. nigrescens Wllgrn.
Anteckn. i. Zool. I. p. 64 (1856).

701 C. natalensis Hmpsn.
Ann. S.A. Mus. II. p. 355 (1902).

702 C. amplificans Wlk.
Cat. XV. p. 1810 (1858).

703 C. aquamosa Wllgrn.
Anteckn. i. Zool. I. p. 64 (1856).

704 C. striata Hmpsn.
Ann. S.A. Mus. II. p. 356 (1902).

704a C. diplogramma Hmpsn.
Ann. S.A. Mus. III. p. 432 (1905).

705 C. viresens Hmpsn.
Ann. S.A. Mus. II. p. 357 (1902).

706 C. dulcistriga Wlk.
Cat. XV. p. 1811 (1858).

707 C. bipuncta Hmpsn.
Ann. S.A. Mus. II. p. 357 (1902).

707a C. barrettæ Hmpsn.
Ann. S.A. Mus. III. p. 432 (1905).

POLYDESMA Boisd.
Faun. Ent. Madag. Lep. p. 100 (1833)

708 P. collutrix Geyer.
Zutr. V. p. 22 No. 443 ff. 885, 886 (1827)

709 P. otiosa Guen.
Noct. II. p. 442 (1852).

710 P. inangulata Guen.
Noct. III. p. 210 (1852).

711 P. globulipes Wlk.
Cat. XXXIII. p. 885 (1865).

712 P. basilinea Hmpsn.
Ann. S.A. Mus. II. p. 359 (1902).

713 P. marmorifera Wlk.
Cat. XV. p. 1718 (1858).

714 P. quenavadi Guen.
Noct. II. p. 438 (1852).

715 P. amphix Cram.
Pap. Exot. II. pl. 134 f. C. (1779).

716 P. landula Guen.
Noct. II. p. 441 (1852).

PRORUACA Hmpsn.
Ann. S.A. Mus. II. p. 360 (1902).

717 P. recurrens Hmpsn.
Ann. S.A. Mus. II. p. 360 (1902).

718 P. harmonica Dist.
Entom. p. 284 (1901).

AUTHADISTIS Hmpsn.
Ann. S.A. Mus. II. p. 361 (1902)

719 Au. metaleuca Hmpsn.
Ann. S.A. Mus. II. p. 361 (1902).

PROCONIS Hmpsn.
Ann. S.A. Mus. II. p. 362 (1902).

720 P. abrostoloides Hmpsn.
Ann. S.A. Mus. II. p. 362 (1902).

CALESIA Guen.
Noct. III. p. 257 (1852).

721 C. zambesita Wlk.
Cat. XXXIII. p. 962 (1865).

722 C. phæosoma Hmpsn.
Ill. Het. B.M. VIII. p. 90 pl. 147 f. 2 (1891)

MECODINA Guen.
Noct. III. p. 372 (1852).

723 M. subjecta Wlk.
Cat. XXXIII. p. 1012 (1865).

724 M. furcifera Hmpsn.
Ann. S.A. Mus. II. p. 363 (1902).

MESOGENEA Hmpsn.
Ann. S.A. Mus. II. 363 (1902).

725 M. varians Hmpsn.
Ann. S.A. Mus. II. p. 364 (1902).

726 M. vinacea Hmpsn.
Ann. S.A. Mus. II. p. 364 (1902).
727 M. persimuosa Hmpsn.
P.Z.S.L. p. 432 pl. 37 f. 10 (1910).

FODINA Guen.
Noct. III. p. 274 (1852).
728 F. embolophora Hmpsn.
Ann. S.A. Mus. II .p. 364 (1902).

BAREIA Wlk.
Cat. XV. p. 1840 (1858).
729 B. incidens Wlk.
Cat. XV. p. 1840 (1858).

PLATYJA Hübn.
Verz. p. 268 (1827).
729a P. phæophœnica Hmpsn.
Ann. S.A. Mus. III. p. 434 (1905).

THERMESIA Hübn.
Verz. p. 20 (1827).
730 Th. atriplaga Wlk.
Cat. XV. p. 1795 (1858).
731 Th. burrowsi Butl.
A. M. N. H. (4) XVI. p. 408 (1875).
732 Th. andersoni Feld.
Reise Nov. pl. 115 f. 13 (1874).
733 Th. loxogramma Hmpsn.
Ann. S.A. Mus. II. p. 366 (1902).
734 Th. irrorata Fabr.
Ent. Syst. Ins. II. p. 506 (1781).
735 Th. zonaria Dist.
A. M. N. H. (7) I. p. 229 (1898).

ACANTHOLIPES Led.
Noct. Eur. p. 198 (1857).
736 A. trimeni Feld.
Reise Nov. pl. 108 f. 7 (1874).
737 A. circumdata Wlk.
Cat. XV. p. 1763 (1858).
738 A. trajecta Wlk.
Cat. XXXIII. p. 986 (1865).
739 A. annexa Dist.
Ann. M. N. H. (7) I. p. 230 (1898).
740 A. rufirena Hmpsn.
Ann. S.A. Mus. II. p. 367 (1902).
741 A. arctinotata Wlk.
Cat. XXXIII. p. 989 (1865).
742 A. miser Butl.
P. Z. S. L. p. 166 (1883).
742a A. loxia Hmpsn.
Ann. S.A. Mus. III. p. 434 (1905).

PARATHERMES Hmpsn.
Ann. S.A. Mus. II. p. 368 (1902).

743 P. nigriceps Wlk.
Cat. XV. p. 1595 (1858).

744 P. digonata Hmpsn.
Ann. S.A. Mus. II. p. 369 (1902).

745 P. zygia Wllgrn.
Wien. ent. Mon. VII. p. 149 (1863).

RHANIDOPHORA Wllgrn.
OEfv. Vet. Akad. Förh. XV. p. 213 (1858).

746 R. cinctigutta Wlk.
Trans. Ent. Soc. (3) I. p. 77 (1862).

747 R. ridens Hmpsn.
Ann. S.A. Mus. II. p. 370 (1902).

748 R. aurantiaca Hmpsn.
Ann. S.A. Mus. II. p. 370 (1902).

749 R. phedonia Stoll.
Pap. Exot. IV. pl. 347 f. C. (1782).

HYPOCALA Guen.
Noct. II. p. 73 (1852).

750 H. deflorata Fabr.
Ent. Syst. III. p. 472 (1792).

751 H. subsatura Guen.
Noct. III. p. 75 (1852).

PLUSIODONTA Guen.
Noct. II. p. 359 (1852).

752 P. commoda Wlk.
Cat. XXXIII. p. 844 (1865).

753 P. natalensis Wlk.
Cat. XXXIII. p. 843 (1865).

754 P. wahlbergi Feld.
Reise. Nov. pl. 110 f. 27 (1874).

755 P. nictites Hmpsn.
Ann. S.A. Mus. II. p. 371 (1902).

OPHIDERES Boisd.
Faun. ent. Madag. Lep. p. 99 (1833).

756 O. materna Lin.
Syst. Nat. XII. p. 840 (1766).

757 O. divitiosa Wlk.
Tr. N. H. Glasg. I. p. 356 pl. XII. f. 11 (1873).

758 O. salaminia Fabr.
Ent. Syst. III. 2 p. 17 (1792).

CALPE Treit.
Schmett. Eur. V. pl. II. p. 168 (1825).

759 C. provocans Wlk.
Cat. XII. p. 943 (1857).

760 C. hieroglyphica Saalm.
Lep. Madag. p. 405 f. 208 (1891).

EXOPHILA Guen.
Noct. II. p. 415 (1852).
761 Ex. multistriata Hmpsn.
A. M. N. H. (8) V. p. 434 (1910).

PLEURONA Wlk.
Cat. XXXV. p. 1564 (1866).
762 P. leptieyma Hmpsn.
Tr. Zool. Soc. Lond. p. 114 pl. IV. f. 21 (1909).

*CNODIFRONTIA Hmpsn.
Ann. S.A. Mus. II. p. 375 (1902).
763 C. dissimilis Dist.
A. M. N. H. (7) I. p. 228 (1898).

†CALLOPISTRIA Hübn.
Verz. p. 216 (1827).
764 C. insularis Butl.
A. M. N. H. (5) X. p. 230 (1882).
765 C. recurvata Moore.
Lep. Atk. p. 111 (1879).
766 C. latreilli Dup.
Lep. Fr. Noct. IV. pt. I. p. 327 pl. 120 f. 2 (1823).

‡SARMATIA Guen.
Delt. & Pyr. p. 25 (1854).
767 S. interitalis Guen.
Delt. & Pyr. p. 25 pl. 5 f. 1 (1854).

‡‡TATHORYNCHUS Hmpsn.
Moth of India; II. p. 268 (1894).
768 T. plumbea Dist.
A. M. N. H. (7) I. p. 221 (1898).
769 T. homogyna Hmpsn.
Ann. S.A. Mus. II. p. 394 (1902).
770 T. vinetalis Wlk.
Cat. XXXIV. p. 1476 (1865).

*This genus is placed by Hampson in the **Erastrianæ,** but in his later work on this family (Cat. Lep. Phal. vol. X.) this genus is omitted, so I suppose it has to be placed in the **Noctuinæ.**

†This genus is placed by Hampson in the **Erastrianæ,** but in Cat. Lep. Phal. X. this genus is left out, so I presume that it has to be placed in this sub-family.

‡This genus is also placed by Hampson in his "South African Moths" in the **erastrianæ,** but as he omits it in Vol. X of Cat. Lep. Phal., I bring it in the **Noctuinæ,** though, judging by the figure, I would say that it has to come in the **Hypeninæ.**

‡‡This genus is also placed in the **Erastrianæ** in Ann. S.A. Mus. II. p. 393, but left out in Cat. Lep. Phal. X., and I am pretty sure that it has to come in this sub-family.

RAPARNA Moore.
Lep. Atk. p. 177 (1882).
Note on *Tathorynchus* also applies here.
771 R. africana Snell.
Tijd. v. Ent. XV. p. 56 pl. 5 f. 1 (1872).
772 R. fragilis Butl.
A. M. N. H. (4) XIV. p. 413 (1875).
773 R. heliriusalis Wlk.
Cat. XVI. p. 112 (1858).
774 R. helesusalis Wlk.
Cat. XVI. p. 238 (1858).
775 R. tritonias Hmpsn.
Ann. S.A. Mus. II. p. 395 (1902).

CIRRHŒDIA Guen.
Ann. de la Soc. Ent. Fr. p. 489 (1839).
776 C. accola Feld.
Reise Nov. pl. 108 f. 22 (1874).

COSMOPHILA Boisd.
Faun. Ent. Madag. p. 94 (1833).
Note on *Tathorynchus* also applies here.
777 C. bidentata Hmpsn.
P. Z. S. L. pl. 37 f. 11 p. 431 (1910).
778 C. erosa Hübn.
Zutr. Samml. Exot. Schmett. II. 19 ff. 287 et 288 (1827).
779 C. luperca Möschl.
Verh. zool.-bot. Ges. Wien. XXXIII. p. 300 pl. XVI. f. 15 (1883).
780 C. subrosealis Wlk.
Cat. XXXIV. p. 1158 (1865).
781 C. fulvida Guen.
Noct. II. p. 397 (1852).
782 C. sabulifera Guen.
Noct. II. p. 404 (1852).

BANIANA Wlk.
Cat. XV. p. 1843 (1858).
Note on *Tathorynchus* also applies here.
783 B. plumipes Wllgrn.
Wien. Ent. Mon. IV. p. 170 (1860).
784 B. hamifera Hmpsn.
Ann. S.A. Mus. II. p. 401 (1902).
785 B. disjuncta Wlk.
Cat. XXXIII. p. 999 (1865).
786 B. poderis Wllgrn.
Wien. Ent. Mon. VII. p. 149 (1863).
787 B. atripuncta Hmpsn.
Ann. S.A. Mus. II. p. 402 (1902).
788 B. unipuncta Hmpsn.
Ann. S.A. Mus. II. p. 402 (1902).
789 B. arvorum Guen.
Noct. II. p. 258 (1852).
790 B. flaviceps Hmpsn.
Ann. S.A. Mus. II. p. 403 (1902).

791 B. parallella Hmpsn.
Ann. S.A. Mus. II. p. 404 (1902).

BREVIPECTEN Hmpsn.
Moths of India II. p. 361 (1894).
Note on *Tathorynchus* also applies here.
792 B. cornuta Hmpsn.
Ann. S.A. Mus. II. p. 404 (1902).

TOXOCAMPA Guen.
Ann. Soc. Ent. Fr. p. 76 (1841).
Note on *Tathorynchus* also applies here.
793 T. salax Guen.
Noct. II. p. 428 (1852).

ANTARCHÆA.
794 A. hæmaceps Hmpsn.
Proc. Zool. Soc. Lond. p. 442 pl. 38 f. 10 (1910)

PLECOPTERA Guen.
Noct. II. p. 429 (1852).
795 P. punctilineata Hmpsn.
Proc. Zool. Soc. Lond. p. 440 pl. 37 f. 9 (1910).
796 P. laniata Hmpsn.
Proc. Zool. Soc. Lond. p. 438 pl. 37 f. 35 (1910)
797 P. tripalis Wllgrn.
Wien. Ent. Mon. VII. p. 149 (1863).

XANTHOPTERA Guen.
Noct. II. p. 240 (1852).
Note on *Tathorynchus* also applies here.
798 X. namacensis Guen.
Noct. II. p. 258 (1852).

(I really think that this species has to be placed in the genus Acantholipes).

799 X. sacraria Feld.
Reise Nov. pl. 108 f. 17 (1874).

MEGALODES Guen.
Noct. II. p. 261 (1852).
*799a M. xanthia Hmpsn.
Ann. S.A. Mus. III. p. 434 (1905).

ERASTRIANÆ.

EUBLEMMISTIS Hmpsn.
Ann. S.A. Mus. II. p. 406 (1902).
800 Eu. chlorozonea Hmpsn.
Ann. S.A. Mus. II. p. 406 (1902).

*This genus and species was placed by Hampson in his "Moths of S.A." in the sub. fam. **Erastrianæ,** but in the Cat. Lep. Phal. X. (1910) genus and species were omitted. So I think it will have to come in the **Noctuinæ.**

EUBLEMMA Hubn.
Verz. p. 256 (1827).

801 Eu. apicimacula Mab.
C. R. Ent. Soc. Belg. XXIII. p. XVIII. (1890).

802 Eu. trigramma Hmpsn.
Proc. Zool. Soc. Lond. p. 411 (1910).

803 Eu. baccalix Swinh.
P. Z. S. L. p. 452 pl. 40 f. 7 (1886).

804 Eu. melanodonta Hmpsn.
Cat. Lep. Phal. X. p. 81 pl. CL. f. 32 (1910).

805 Eu. fœdosa Guen.
Noct. II. p. 254 (1852).

806 Eu. flaviceps. Hmpsn.
Ann. S.A. Mus. II. p. 422 (1902).

807 Eu. fulvitermina Hmpsn.
Cat. Lep. Phal. X. p. 83 pl. CLI. f. 2 (1910).

808 Eu. punctilinea Hmpsn.
Ann. S.A. Mus. II. p. 416 (1902).

809 Eu. stictilinea Hmpsn.
Cat. Lep. Phal. X. p. 84 pl. CLI. f. 4 (1910).

810 Eu. goniogramma Hmpsn.
Cat. Lep. Phal.X. p. 797 pl. CLXXIV. f. 6 (1910).

811 Eu. pyrastis Hmpsn.
Cat. Lep. Phal. X. p. 187 pl. CLIV. f. 16 (1910).

812 Eu. eupethecica Hmpsn.
Cat. Lep. Phal. X. p. 94 pl. CLI. f. 5 (1910).

813 Eu. thermosticta Hmpsn.
Cat. Lep. Phal. X. p. 99 pl. CLI. f. 10

814 Eu. snelleni Wllgrn.
Œfv. Vet. Akad. Forh. p. 112 (1875).

815 Eu. tritonia Hmpsn.
Ann. S.A. Mus. II. p. 415 (1902).

816 Eu. anticalis Wlk.
Cat. XXXIV. p. 1202 (1865).

817 Eu. decora Wlk.
Proc. Nat. Hist. Soc. Glasg. I. p. 350 (1869).

818 Eu. rubripuncta Hmpsn.
Ann. S.A. Mus. II. p. 415 (1902).

819 Eu. thermochroa Hmpsn.
Cat. Lep. Phal. X. p. 107 pl. CLI. f. 21 (1910)

820 Eu. flavinia Hmpsn.
Ann. S.A. Mus. II. p. 411 (1902).

821 Eu. stygiochroa Hmpsn.
Cat. Lep. Phal. X. p. 109 pl. CLI. f. 23 (1910)

822 Eu. bolinia Hmpsn.
Ann. S.A. Mus. II. p. 411 (1902).

823 Eu. leucanitis Hmpsn.
Cat. Lep. Phal. X. p. 111 pl. CLI. f. 26 (1910).

824 Eu. admota Feld.
Reise Nov. pl. 108 f. 31 (1874).

825 Eu. bipartita Hmpsn.
Ann. S.A. Mus. II. p. 419 (1902).

826 Eu. leucomelana Hmpsn.
Ann. S.A. Mus. II. p 420 (1902).

827 Eu. staudingeri Wllgrn.
Œfv. Vet.-Akad. Förh. p. 112 (1875).

828 Eu. nigrivitta Hmpsn.
Ann. S.A. Mus. II. p. 421 (1902).

829 Eu. flavicosta Hmpsn.
Cat. Lep. Phal. X. p. 122 pl. CLII. f. 8 (1910).

830 Eu. apicata Dist.
A. M. N. H. (7) I. p. 225 (1898).

831 Eu. albivena Hmpsn.
Ann. S.A. Mus. III. p. 429 (1905).

832 Eu. titanica Hmpsn.
Cat. Lep. Phal. X. p. 798 pl. CLXXIV. f. 9 (1910).

833 Eu. anachoresis Wllgrn.
Wien. Ent. Mon. VII. p. 148 (1863).

834 Eu. acarodes Swinh.
A.M.N.H. (7) XIX. p. 53 (1907).

835 Eu. lentirosea Hmpsn.
Cat. Lep. Phal. X. p. 133 pl. CLII. f. 24 (1910).

836 Eu. glaucizona Hmpsn.
A. M. N. H. (8) I. p. 489 (1908).

837 Eu. ochrobasis Hmpsn.
Cat. Lep. Phal. X. p. 135 pl. CLII. f. 26 (1910).

838 Eu. exigua Wlk.
Cat. XII. p. 823 (1857).

839 Eu. rivula Moore.
Lep. Atk. p. 140 (1882).

840 Eu. flavida Hmpsn.
Ann. S.A. Mus. II. p. 419 (1902).

841 Eu. ornatula Feld.
Reise Nov. pl. 108 f. 19 (1874).

842 Eu. sperans Feld.
Reise Nov. pl. 108 f. 9 (1874).

843 Eu. sabia Feld.
Reise Nov. pl. 108 f. 16 (1874)

844 Eu. mesophæa Hmpsn.
Cat. Lep. Phal. X. p. 145 pl. CLIII. f. 3 (1910)

845 Eu. delicata Feld.
Reise Nov. pl. 108 f. 13 (1874).

846 Eu. minima Guen.
Noct. II. p. 246 (1852).

847 Eu. scitula Rmbr.
Ann. Soc. Ent. Fr. p. 26 pl. II. f. 16 (1833).

848 Eu. therma Hmpsn.
Cat. Lep. Phal. X. p. 154 pl. CLIII. f. 11 (1910).

849 Eu. versicolora Wlk.
Journ. Linn. Soc. Zool. VII. p. 58 (1864).

850 Eu. daphœna Hmpsn.
Cat. Lep. Phal. X. p. 174 pl. CLIII. f. 30 (1910).

851 Eu. ragusana Frr.
Neue Beitr. V. p. 92 pl. 437 f. I. (1844).

852 Eu. costimacula Saalm.
Lep. Madag. p. 365 f. 114 (1891).
853 Eu. ecthæmata Hmpsn.
Proc. Zool. Soc. p. 262 pl. X. f. 6 (1896).
854 Eu. plumbosa Dist.
A. M. N. H. (7) III. p. 462 (1899).
855 Eu. pemcillata Hmpsn.
Ann. S.A. Mus. II. p. 422 (1902).
856 Eu. uninotata Hmpsn.
Ann. S.A. Mus. II. p. 422 (1902).
857 Eu. chionophlebia Hmpsn.
Cat. Lep. Phal. X. p. 191 pl. CLIV. f. 27 (1910).
858 Eu. leuconeura Hmpsn.
Cat. Lep. Phal. X. p. 192 pl. CLIV. f. 28 (1910).

HOLOCRYPTIS Lucas.
Linn. Soc. N.S.W. (2) VII. p. 256 (1892).
859 H. erosides Hmpsn.
Ann. S.A. Mus. II. p. 422 (1902).

CERYNEA Wlk.
Cat. XIX. p. 878 (1859).
860 C. thermesialis Wlk.
Cat. XXXIV. p. 1211 (1865).
861 C. endotrichalis Hmpsn.
Cat. Lep. Phal. X. p. 214 f. 55 (1910).
862 C. virescens Hmpsn.
Cat. Lep. Phal. X. p. 224 pl. CLV. f. 23 (1910).

CHRYOZONATA Hmpsn.
A. M. N. H. 13 p. 175 (1914).
862a Chr. purpurascens Hmpsn.
l.c. p. 175 (1914).

LOPHOCYTTARA Hmpsn.
l.c. p. 197 (1914).
862b L. phœnicoxantha Hmpsn.
l.c. p. 197 (1914).

LOPHORUZA Hmpsn.
Cat. Lep. Phal. X. p. 225 (1910).
863 L. lithina Holl.
Psyche. VII. p. 113 (1894)

ORUZA Wlk.
Cat. XXIV. p. 1089 (1862).
864 O. latifera Wlk.
Proc. N. H. Soc. Glasg. I. p. 375 (1873).

PARORUZA Hmpsn.
Ann. S.A. Mus. II. p. 406 (1902).
865 P. subductata Wlk.
Cat. XXIII. p. 790 (1861).

*866 P. lateritia Feld.
Reise Nov. pl. 128 f. 24 (1874).

CORGATHA Wlk.
Cat. XVI. p. 215 (1858).

867 C. producta Hmpsn.
Ann. S.A. Mus. II. p. 405 (1902).

PROTARACHA Hmpsn.
Cat. Lep. Phal. X. p. 373 (1910).

868 P. melaphora Hmpsn.
Cat. Lep. Phal. X. p. 374 pl. CLX., f. 2 (1910)

UNCULA Swinh.
Cat. Het. Mus. Oxon. II. p. 52 (1900).

869 U. tristigmatias Hmpsn.
Ann. S.A. Mus. II. p. 392 (1902).

HICCODA Moore.
Lep. Atk. p. 134 (1882).

870 H. migripalpis Wlk.
Cat. XXXV. p. 1965 (1866).

PHYLLOPHILA Guen.
Noct. II. p. 254 (1852).

871 Ph. griseola Feld.
Reise Nov. pl. 108 f. 10 (1874).

872 Ph. rufescens Hmpsn.
Ann. S.A. Mus. II. p. 391 (1902) (nec Feld).

873 Ph. flavitermina Hmpsn.
Ann. S.A. Mus. II. p. 391 (1902).

874 Ph. torrefacta Dist.
A.M.N.H. (7) I. p. 223 (1898).

CRETONIA Wlk.
Cat. XXXV. p. 1735 (1866).

875 C. ethiopica Hmpsn.
C. L. Ph. X. p. 389 pl. CLX. f. 12 (1910).

NEOCHROSTIS Hmpsn.
Ann. S.A. Mus. II. p. 406 (1902).

876 N. diplogramma Hmpsn.
Ann. S.A. Mus. II. p. 407 (1902).

OZARBA Wlk.
Cat. XXXII. p. 684 (1865).

877 O. orthozona Hmpsn.
Ann. S.A. Mus. II. p. 409 (1902).

---

*This species was considered by Felder to be a Geometrid, but Mr. Prout informs me that it is a Noctuid, and that when Sir George Hampson's attention was drawn to it, he identified as a *Paroruza*.

878 O. abscissa Wlk.
Cat. XV. p. 1764 (1858).

879 O. madanda Feld.
Reise Nov. pl. 108 f. 28 (1874).

880 O. accincta Dist.
A. M. N. H. (7) I. p. 224 (1898).

881 O. punctigera Wlk.
Cat. XXXII. p. 685 (1865).

882 O. corniculans Wllgrn.
Wien. Ent. Mon. IV. p. 173 (1860).

883 O. cyanopasta Hmpsn.
Cat. Lep. Phal. X. p. 416 pl. CLXI. f. 2 (1910).

884 O. metachrysea Hmpsn.
Cat. Lep. Phal. X. p. 417 pl. CLXI. f. 4 (1910).

885 O. contempta Wlk.
Cat. XV. p. 1762 (1858).

886 O. hemiochra Hmpsn.
Cat. Lep. Phal. X. p. 420 pl. CLXI. f. 11 (1910).

887 O. semipurpurea Hmpsn.
Ann. S.A. Mus. II. p. 412 (1902).

888 O. consanguis Hmpsn.
Ann. S.A. Mus. II. p. 413 (1902).

889 O. hemimelæna Pag.
Voeltkow. Reise in Ost Africa II. p. 109 pl. 6 f. 18 (1907). nec Moore 1884.

890 O. bipartita Hmpsn.
Ann. S.A. Mus. II. p. 413 (1902).

891 O. isocampta Hmpsn.
Cat. Lep. Phal. X. 421 pl. CLXI. f. 18 (1910).

892 O. nigroviridis Hmpsn.
Ann. S.A. Mus. II. p. 411 (1902).

893 O. cinerea Aur.
Œfv. Vet.-Ak. Förh. p. 68 (1879).

894 O. cryptochrysea Hmpsn.
Ann. S.A. Mus. II. p. 409 (1902).

895 O. fulvescens Hmpsn.
Cat. Lep. Phal. X. p. 427 pl. CLXI. f. 26 (1910).

896 O. flavipennis Hmpsn.
Cat. Lep. Phal. X. p. 428 pl. CLXI. f. 27 (1910).

897 O. heliastis Hmpsn.
Ann. S.A. Mus. II. p. 410 (1902).

898 O. densa Wlk.
Cat. XXXIII. p. 773 (1865).

899 O. acclivis Feld.
Reise Nov. pl. 108 f. 24 (1874).

900 O. perssoni Wllgrn.
Œfv. Vet.-Akad. Förh. p. 114 (1875).

901 O. varia Wlk.
Cat. XXXIII. p. 772 (1865).

902 O. subterminalis Hmpsn.
Proc. Zool. Soc. Lond. p. 407 (1910).

903 O. binorbis Hmpsn.
Cat. Lep. Phal. X. p. 435 pl. CLXII. f. 3 (1910).

904 O. bisexualis Hampsn.
Cat. Lep. Phal. X. p. 435 pl. CLXII. ff. 4, 5 (1910).

905 O. hypoxantha Wllgrn.
Wien. Ent. Mon. IV. p. 173 (1860).

906 O. albimarginata Hmpsn.
Moths of India IV. p. 515 (1896).

907 O. hemipolia Hmpsn.
Cat. Lep. Phal. X. p. 443 pl. CLXII. f. 15 (1910).

908 O. inobtrusa Hmpsn.
Ann. S.A. Mus. II. p. 414 (1902).

909 O. phæa Hmpsn.
Ann. S.A. Mus. II. p. 414 (1902).

910 O. atrifera Hmpsn.
Cat. Lep. Phal. X. p. 455 pl. CLXII. f. 32 (1910).

911 O. perplexa Saalm.
Lep. Madag. p. 281 f. 161 (1891)

912 O. illimitata Warr.
Ann. S.A. Mus. X. p. 478 pl. XL. f. 23 (1914).

913 O. regia Warr.
Ann. S.A. Mus. X. p. 477 pl. XL. f. 20 (1914).

PENISA Warr.

*914 P. albigrisea Warr.
Ann. S.A. Mus. X. p. 477 pl. XL. f. 21 (1914).

AMYNA Guen.
Noct. I. p. 406 (1852).

915 A. octo Guen.
Noct. I. p. 233 (1852).

916 A. punctum Fabr.
Ent. Syst 3, 2 p. 34 (1794).
ab. 1 spoliata Wlk.
Cat. XIII. p. 1050 (1057).

ŒDERASTRIA Hmpsn.
Ann. S.A. Mus. II. p. 375 (1902).

917 Œ. ectorhoda Hmpsn.
Ann. S.A. Mus. II. p. 375 (1902).

XANTHOZONA Hmpsn.
Cat. Lep. Phal. X. p. 487 (1910).

918 X. leucoglene Mab.
Bull. Soc. Ent. Belg. XXIII. p. XVIII. (1880).

*This species and genus will probably have to come somewhere near *Eublemmistis*.

LITHACODIA Hübn.
Verz. p. 205 (1827).

919 L. blandula Guen.
Maillard's Reunion, Lep. p. 38 (1863).

920 L. caffristis Hmpsn.
Ann. S.A. Mus. II. p. 377 (1902).

921 L. varicolora Hmpsn.
Ann. S.A. Mus. II. p. 377 (1902).

922 L. normalis Hmpsn.
Cat. Lep. Phal. X. p. 537 pl. CLXIV. f. 32 (1910).

923 L. binorbis Hmpsn.
Ann. S.A. Mus. II. p. 379 (1902).

EUSTROTIA Hübn.
Verz. p. 253 (1827).

924 Eu. albifissa Hmpsn.
Ann. S.A. Mus. II. p. 393 (1902).

925 Eu. albibasis Hmpsn.
Ann. S.A. Mus. II. p. 393 (1902).

926 Eu. olivula Guen.
Noct. II. p. 231 pl. X. f. 8 (1852).

927 Eu. genuflexa Hmpsn.
Ann. S.A. Mus. II. p. 398 (1902).

928 Eu. catoxantha Hmpsn.
Cat. Lep. Phal. X. p. 593 pl. CLXVI. f. 18 (1910).

528a Eu. schencki Strand.
Wien. ent, Zeits. 31 p. 234 (1912).

929 Eu. albifascia Wlk.
Cat. XXXIII. f. 771 (1865).

930 Eu. decissima Wlk.
Cat. XXXIII. p. 805 (1865).

931 Eu. opella Swinh.
Proc. Zool. Soc. Lond. p. 456 pl. 27 f. 16 (1885)

932 Eu. bryophilina Hmpsn.
Cat. Lep. Phal. X. p. 607 pl. CLXVII. f. 5 (1910).

PSEUDOMICRODES Rebel.
Denk. Math.-Nat. Akad. Wissen LXXI. p. 52 (1907).

933 Ps. fuscipars Hmpsn.
Cat. Lep. Phal. X. p. 614 pl. CLXVII. f. 13 (1910).

934 Ps. mediorufa Hmpsn.
Cat. Lep. Phal. X. p. 614 t.f. 163 (1910).

935 Ps. ochrocraspis Hmpsn.
Cat. Lep. Phal. X. p. 617 pl. CLXVII. f. 17 (1910).

936 Ps. ecrufa Hmpsn.
Ann. S.A. Mus. III. p. 438 (1905).

EULOCASTRA Butl.
Trans. Ent. Soc. 1886 p. 419.

937 Eu. aethiops Dist.
A. M. N. H. (7) I. p. 223 (1898).

938 Eu. hypotaenia Wllgrn.
Wien. Ent. Mon. IV. p. 173 (1860).

MIMASURA Hmpsn.
Cat. Lep. Phal. X. p. 634 (1910).

939 M. unipuncta Hmpsn.
Ann. S.A. Mus. II. p. 398 (1902).

940 M. quadripuncta Hmpsn.
Proc. Zool. Soc. Lond. p. 412 (1910).

941 M. tripuncta Hmpsn.
Ann. S.A. Mus. II. p. 398 (1902).

942 M. innotata Hmpsn.
Proc. Zool. Soc. Lond. p. 412 (1910).

MENEPTERA Hmpsn.
Cat. Lep. Phal. X. p. 640 (1910).

943 M. diopis Hmpsn.
Ann. S.A. Mus. III. p. 435 (1905).

THYATIRINA Hmpsn.
Cat. Lep. Phal. X. p. 650 (1910).

944 Th. achatina Weym.
Berl. Ent. Zeit. XLI. p. 90 pl. 8 f. 3 (1896)

CARDIOSACE Hmpsn.
Cat. Lep. Phal. X. p. 706 (1910).

945 C. bidentata Hmpsn.
Ann. S.A. Mus. II. p. 389 (1902).

946 C. parilis Wllgrn.
Anteckn. i. Zool. I. p. 60 (1856).

947 C. olivescens Hmpsn.
Cat. Lep. Phal. X. p. 708 pl. CLXX. f. 20 (1910).

947a C. erffai Grünb.
Ent. Rdsch. 30 p. 141 (1913).

948 C. triphænoides Wllgrn.
Anteckn. i. Zool. I. p. 59 (1856).

949 C. natalis Guen.
Noct. II. p. 217 (1852).

950 C. sphendonistis Hmpsn.
Ann. S.A. Mus. II. p. 384 (1902).

HOPLOTARACHE Hmpsn.
Cat. Lep. Phal. X. p. 712 (1910).

951 H. nubila Hmpsn.
Cat. Lep. Phal. X. p. 715 pl. CLXX. f. 29 (1910).

952 H. dispar Wlk.
Cat. XII. p. 790 (1857).

953 H. mionides Hmpsn.
Ann. S.A. Mus. III. p. 435 (1905).

METAPIOPLASTA Wllgrn.
Svensk. Vet.-Akad. Handl. V. 3 p. 70 (1864).

954 M. insocia Wlk.
Cat. XII. p. 788 (1857).

955 M. silus Wllgrn.
Öfver. af. Kongl. Vet-Akad. Förh. p. 111 (1875).

TARACHE Hübn.
Verz. p. 261 (1827).

956 T. hyperlophia Hmpsn.
Ann. S.A. Mus. II. p. 387 (1902).

957 T. zelleri Wllgrn.
Anteckn. i. Zool. I. p. 59 (1856).

958 T. gratiosa Wllgrn.
Anteckn. i. Zool. I. p. 59 (1856).

959 T. guttifera Feld.
Reise. Nov. pl. 108 f. 26 (1874).

960 T. nubilata Hmpsn.
Ann. S.A. Mus. II. p. 390 (1902).

961 T. nitidula Fabr.
Mant. Ins. II. p. 126 (1787).

962 T. wallengreni Aur.
OEfv, Ak. Förh. XXXVI. (7) p. 61 (1879).

963 T. umbrigera Feld.
Reise. Nov. pl. 108 f. 34 (1874).

964 T. antica Wlk.
Trans. Ent. Soc Lond. (3) I. p. 90 (1862).

965 T. wahlbergi Wllgrn.
Anteckn. i. Zool. I. p. 58 (1856).

966 T. cyanocraspis Hmpsn.
Cat. Lep. Phal. X. p. 776 pl. CLXXIII. f. 14 (1910).

967 T. porphyrea Butl.
Proc. Zool. Soc. Lond. p. 420 (1898).

968 T. citripennis Hmpsn.
Cat. Lep. Phal. X. p. 778 pl. CLXIII. f. 17 (1910).

969 T. spangbergi Aur.
OEfv. Ak. Förh. XXXVI. (7) p. 62 (1879).

970 T. psaliphora Hmpsn.
Cat. Lep. Phal. X. p. 781 pl. CLXXIII. f. 21 (1910).

971 T. chrysoproctis Hmpsn.
Ann. S.A. Mus. II. p. 387 (1902).

972 T. gradata Wlk.
Cat. XII. p. 788 (1857).

973 T. niphogona Hmpsn.
Trans. Zool. Soc. Lond. XIX. p. 109 pl. IV. f. 17 (1909).

974 T. caffraria Cram.
Pap. Exot. II. p. 82 pl. 147 f. F. (1779).

975 T. discoidea Hopffr.
Peters'. Reise. Moz. p. 433 pl. 28 f. 9 (1862).

976 T. margaritata Drury.
Ill. Exot. Ins. III. pl. 21 f. 6 (1782).

977 T. tetragonisa Hmpsn.
Cat. Lep. Phal. X. p. 790 pl. CLXXIII. f. 29 (1910).
978 T. leucotrigona Hmpsn.
Ann. S.A. Mus. III. p. 436 (1905).

RHODOTARACHE Warr.
Ann. S.A. Mus. X. p. 478 (1914).
979 Rh. roseofusca Warr.
Ann. S.A. Mus. X. p. 478 pl. XL. f. 17 (1914).

HYPENINÆ.

EPISPARIS Wlk.
Cat. X p. 475 (1856).
980 E. leucotessellis Hmpsn.
Ann. S.A. Mus. II. p. 424 (1902).

DISTICTA Hmpsn.
Ann. S.A. Mus. II. p. 424 (1902).
981 D. atava Feld.
Reise. Nov. pl. 119 f. 4 (1874).

PSEUDAGLOSSA Grote.
Bull. Buff. Soc. Nat. Sci. II. p. 47 (1874).
982 Ps. gigantalis Hmpsn.
Ann. S.A. Mus. II. p. 425 (1902).
983 Ps. auge Hmpsn.
Ann. S.A. Mus. II. p. 425 (1902).
984 Ps. pulverea Hmpsn.
Ann. S.A. Mus. II. p. 426 (1902).
985 Ps. nubifera Hmpsn.
Ann. S.A. Mus. II. p. 426 (1902)

EGNASIA Wlk.
Cat. XVI. p. 216 (1858).
986 E. vicaria Wlk.
Cat. XXXV. p. 1972 (1866).

ZETHES Ramb.
Ann. Soc. ent. Fr. 1833 p. 29.
987 Z. caffra Guen.
Noct. III. p. 370 (1852).
988 Z. arida Hmpsn.
Ann. S.A. Mus. II. p. 427 (1902).

MAGULABA Wlk.
Cat. XXXIV. p. 1126 (1865).
989 M. imparata Wlk.
Cat. XV. p. 1777 (1858).
990 M. goleta Feld.
Reise. Nov. pl. 120 pl. 5 (1874).

HYPENA Schrank.
Fauna Boica II. 2 p. 163 (1802).
991 H. erastialis Wlk.
Cat. XXIV. p. 1135 (1865).
992 H. polycyma Hmpsn.
Ann. S.A. Mus. II. p. 429 (1902).
993 H. derasalis Guen.
Delt. and Pyr. p. 27 pl. 1 f. 2 (1854).
994 H. strigata Fabr.
Suppl. Ent. Syst. p. 467 (1798).
995 H. megaproctis Hmpsn.
Ann. S.A. Mus. II. p. 430 (1902).
996 H. mesomelæna Hmpsn.
Ann. S.A. Mus. II. p. 430 (1902).
997 H. varialis Wlk.
Cat. XXXIV. p. 1136 (1865).
998 H. holophæa Hmpsn.
Ann. S.A. Mus. II. p. 431 (1902).
999 H. inconspicua Butl.
A. M. N. H. (4) XVI. p. 413 (1875).
1000 H. namaqualis Guen.
Delt. & Pyr. pl. 28 (1854).
1001 H. potamistis Hmpsn.
Ann. S.A. Mus. II. p. 431 (1902).
1002 H. melanistis Hmpsn.
Ann. S.A. Mus. II. p. 432 (1902).
1003 H. rectivittalis Moore.
Proc. Zool. Soc. Lond. p. 84 (1867).
1004 H. ectoglauca Hmpsn.
Ann. S.A. Mus. II. p. 432 (1902).
1005 H. lividalis Hübn.
Samml. Eur. Schmett. Pyr. ff. 11 p. 186 (1827).
1006 H. masurialis Guen.
Delt. & Pyr. p. 28 (1854).

RHYNCHINA Guen.
Delt. & Pyr. p. 20 (1854).
1007 Rh. reniferalis Guen.
Delt. & Pyr. p. 24 (1854).
1008 Rh. equalisecta Wlk.
Cat. XXVII. p. 199 (1863).
1009 Rh. poliopera Hmpsn.
Ann. S.A. Mus. II. p. 433 (1902).
1010 Rh. tinctalis Zell.
Vet.-Ak. Handl. 1852, p. 9 (1854).
1011 Rh. revolutalis Zell.
Vet.-Ak. Handl. 1852 p. 9 (1854).

RHÆSENA Wlk.
Cat. XXXV. p. 1973 (1866).
1012 Rh. subcurvalis Wlk.
Cat. XXXIV. p. 1167 (1865).
1013 Rh. prunescens Hmpsn.
Ann. S.A. Mus. II. p. 435 (1902).
1014 Rh. capensis Wlk.
Trans. Ent. Soc. Lond. (3) I. p. 110 (1862).

NAARDA Wlk.
Cat. XXXV. p. 1694 (1866).

1015 N. leucopis Hmpsn.
Ann. S.A. Mus. II. p. 435 (1902).

1016 N. xanthopis Hmpsn.
Ann. S.A. Mus. II. p. 435 (1902).

1017 N. melanomma Hmpsn.
Ann. S.A. Mus. II. p. 436 (1902).

1018 N. ovaliplaga Warr.
Ann. S.A. Mus. X. p. 481 pl. XL. f. 19 (1914).

LEIORHYNX Hmpsn.
Ann. S.A. Mus. II. p. 436 (1902).

1019 L. argentifascia Hmpsn.
Ann. S.A. Mus. II. p. 436 (1902).

CHUSARIS Wlk.
Cat. XVI. p. 215 (1858).

1020 Ch. venata Warr.
Ann. S.A. Mus. X. p. 482 pl. XL. f. 22 (1914).

NODARIA Guen.
Delt. & Pyr. p. 63 (1854).

1021 N. perarcuata Hmpsn.
Ann. S.A. Mus. II. p. 437 (1902).

1022 N. externalis Guen.
Delt. & Pyr. p. 64 (1852).

1023 N. melaleuca Hmpsn.
Ann. S.A. Mus. II. p. 437 (1902)

1024 N. luctuosa Hmpsn.
Ann. S.A. Mus. II. p. 438 (1902).

1025 N. extinctalis Zell.
Vet.-Akad. Handl. 1852 p. 13 (1854).

HYDRILLODES Guen.
Delt & Pyr. p. 65 (1854).

1026 H. uliginosalis Guen.
Delt. & Pyr. p. 66 (1854).

ALELIMMA Hmpsn.
Moths of India III. p. 47 (1895).

1027 A. pallicostalis Hmpsn.
Ann. S.A. Mus. II. p. 439 (1902).

1027a A. grisea Hmpsn.
Ann. S.A. Mus. III. p. 438 (1905).

TETRACME Hmpsn.
Ann. S.A. Mus. II. p. 439 (1902).

1028 T. truncataria Wlk.
Cat. XXIII. p. 847 (1861).

HYBLÆINÆ.

HYBLÆA Fabr.
Ent. Syst. III. 2 p. 127 (1794).
1029 H. puera Cram.
Pap. Exot. II. 10 pl. 103 f. D.E. (1779).

PTEROTHYSANIDÆ.

PTEROCEROTA Hmpsn.
Ann. S.A. Mus. III. p. 389 (1905).
1030 Pt. virginea Hmpsn.
Ann. S.A. Mus. III. p. 389 (1905).

HIBRILDIS Druce.
Proc. Zool. Soc. Lond. p. 675 (1888).
1031 H. ansorgei Kirby.
A. M. N. H. (6) XVIII. p. 388 pl. XIX. f. 7 (1896).

LYMANTRIADÆ.

BAZISA Wlk.
Cat. XXXII. p. 398 (1865).
1032 B. perculta Dist.
A. M. N. H. (6) XX. p. 201 (1897).

OGOA Wlk.
Cat. VII. p. 1764 (1856).
1033 O. simplex Wlk.
Cat. VII. p. 1764 (1856).

CIMOLA Wlk.
Cat. IV. p. 817 (1855).
1034 C. opalina Wlk.
Cat. IV. p. 817 (1855).

LEPIDOPALPUS Janse.
Ann. Transv. Mus. V. p. 9 pl. I. f. 4 (1915).

It is quite well possible that this genus should be placed in the Pterothysanidæ, as the absence of the frenulum points to this. Some other characters, however, are distinctly Lymantrid.

1035 L. hyalina Janse.
Ann. Transv. Mus. V. p. 10 pl. III. f. 15 (1915)

OLAPA Wlk.
Cat. IV. p. 823 (1855).
1036 P. furva Hmpsn.
Ann. S.A. Mus. III. p. 391 (1905).
1037 O. nigricosta Hmpsn.
Ann. S.A. Mus. III. p. 392 (1905).
1038 O. nuda Holl.
Don Smith's Travels p. 409 pl. f. 5 (1897).

1039 O. flabellaria Fabr.
Mant. Ins. II. p. 188 (1787).

PIRGA Auriv.
Ent. Tidskr. p. 192 (1892).
1040 P. transvalensis Janse.
Ann. T. Mus. V. p. 13 pl. III. f. 1 (1915).

BRACHAROA Hmpsn.
Ann. S.A. Mus. III. p. 392 (1905).
1041 B. quadripunctata Wllgrn.
Œfv. Vet. Ak. Förh. p. 99 (1875).
1042 B. dregei Herr.-Schäff.
Aussereur. Schmett f. 114 (1854).

*ORGYIA Ochs.
Schmett. Eur. III. p. 208 (1810).
†1043 O. tricolor Herr.-Schäff.
Exot. Schmett. pl. 82 f. 472 (1850).

‡REDOA Wlk.
Cat. IV. p. 826 (1855).
1044 R. melanocraspis Hmpsn.
Ann. S.A. Mus. III. p. 393 (1905).

BICELLUPHORA Janse.
Ann. Transv. Mus. V. p. 16 pl. II. f. 5 (1915).
1045 B. argentea Janse.
Ann. Transv. V. p. 17 pl. III. f. 2 (1915).

LACIPA Wlk.
Cat. IV. p. 790 (1855).
1046 L. sarcistis Hmpsn.
Ann. S.A. Mus. III. p. 403 (1905).

---

*In the Ann. Transv. Mus. V. p. 14, I wrote that I did not think this genus to be represented in South Africa, but since then I saw some specimens in the South African Museum which are labelled *Orgyia tricolor H.-S.* Dr. Peringuey kindly presented a male and a wingless female to me, which I have not had the opportunity yet to study in detail. I have little doubt that the specimens belong to this genus, though there are some structural points of difference.

†Hab. S. Africa. In coll. S.A. Museum and coll. Janse, specimens all bred at the same time from caterpillars found in Cape Town. The caterpillars were at that time so abundant as to do damage to cultivated plants, though they were never seen before, nor after the date (Sept., 1913), when Mr. Lightfoot collected a fair number and bred them through. It is peculiar that the species has not been met with since.

‡I have found that Swinhoe, Trans. Ent. Soc., Lond., p. 378 (1903), has sunck *Redoa* as a synonym to *Leucoma*. Hampson, in 1905, does not accept this view, and as I have no material to investigate this point, I follow Sir George Hampson and keep *Redoa* as separate from *Leucoma*.

1047 L. pulverea Dist.
A.M.N.H. (7) I. p. 117 (1898).
1048 L. picta Boisd.
Del. Voy. Afric. Austr. II. p. 599 (1847).
1049 L. quadripuncta Dew.
Verh. L.C. Akad. XLVIII. p. 67 pl. III. f. 4 (1881).
1050 L. gemmata Dist.
A.M.N.H. (6) XX. p. 200 (1897).
1051 L. nobilis Herr.-Schäff.
Aussereur. Schmett. f. 388 (1855).

CREAGA Wllgrn.
K. Vet. Akad. Handl. (2) V. p. 38 (1865)
1052 C. dealbata Herr.-Schäff.
Aussereur. Schmett. f. 111 (1854).

CROPERA Wlk.
Cat. IV. p. 825 (1855).
1053 C. testacea Wlk.
Cat. IV. p. 826 (1855).
1054 C. cericea Hmpsn.
A.M.N.H. (8) V. p. 441 (1910).

CROREMA Wlk.
Cat. IV. p. 811 (1855).
1055 C. adspersa Herr.-Schäff.
Aussereur. Schmett. f. 109 (1854).
*1056 C. fulvinotata Butl.
P. Z. S. L. p. 678 (1893).

DASYCAMPA Janse.
Ann. Transv. Mus. V. p. 25 pl. V. f. 1 (1915).
1057 D. ianthina Janse.
Ann. Transv. Mus. V. p. 26 pl. III. ff. 3, 4 (1915).

DASYCHIRA Steph.
Ill. Brit. Ent. Haus. II. p. 58 (1829).
1058 D. fusca Wlk.
Cat. IV. p. 918 (1855).
1059 D. municipalis Dist.
A. M. N. H. (6) XX. p. 200 (1897).

---

*I have just examined a specimen from Salisbury (J. O'Neil, 27.11.1914), preserved in the S.A. Museum, which is almost certainly *Crorema fulvinotata*. The description given by Butler is very short, and indicates at least five postmedial spots on the forewing. In this specimen are only three spots visible, and of these the first spot, before vein 2, is hardly visible. The two other spots, between vein 2, 3 and 3, 4, are distinct, but *light* orange, and with some yellow scales terminally. The supposed two spots, opposite the discocellular, are not visible. The length of this female is 53 m.m

1060 D. vilis Feld.
Reise Nov. pl. 100 f. 7 (1874).
1061 D. curvivirgata Karsch.
Ent. Nachr. p. 373 pl. IV. f. 3 (1895).
1062 D. extorta Dist.
A. M. N. H. (6) XX. p. 203 (1897).
1063 D. lunensis Hmpsn.
Ann. S.A. Mus. III. p. 400 (1905).
1064 D. whitei Druce.
A. M. N. H. (7) I. p. 209 (1898).
1065 D. georgiana Fawcett.
Tr. Zool. Soc. XV. p. 314 pl. XLIX. f. 19, 20, 21 (1900).
1066 D. octophora Hmpsn.
Ann. S.A. Mus. III. p. 402 (1905).
1067 D. rocana Swinh.
A.M.N.H. (7) XVII. p. 545 (1906).
1068 D. pyrosoma Hmpsn.
A.M.N.H. (8) V. p. 450 (1910).
1069 D. greeni Janse.
Ann. Transv. Mus. V. p. 33 pl. III. f. 5.6 (1915).
1070 D. herbida Wlk.
Cat. VII. p. 1740 (1856).
1071 D. postpura Hmpsn.
Ann. S.A. Mus. III. p. 397 (1905).
1072 D. rubrifilata Hmpsn.
Ann. S.A. Mus. III. p. 399 (1905).
1073 D. escota Hmpsn.
Ann. S.A. Mus. III. p. 399 (1905).
1074 D. libyra Druce.
A. M. N. H. (6) XVII. p. 352 (1896).
1075 D. metathermes Hmpsn.
Ann. S.A. Mus. III. p. 400 (1905).
1076 D. proleprota Hmpsn.
Ann. S.A. Mus. III. p. 401 (1905).
1077 D. atrifilata Hmpsn.
Ann. S.A. Mus. III. p. 401 (1905).
1078 D. extatura Dist.
A. M. N. H. (6) XX. p. 202 (1897).
1079 D. gwelila Swinh.
Trans. Ent. Soc. Lond. p. 469 (1903).
1080 D. mascarena Butl.
A. M. N. H. (5) II. p. 294 (1878).
1081 D. bryophilina Hmpsn.
A. M. N. H. (8) V. p. 450 (1910).
1082 D. confinis Dist.
A. M. N. H. (7) IV. p. 360 (1899).
1083 D. poliotis Hmpsn.
A. M. N. H. (8) V. p. 449 (1910).

LÆLIA Steph.
Syst. Cat. Brit. II. p. 52 (1829).
1084 L. punctulata Butl.
A. M. N. H. (4) XVI. p. 400 (1875).

1085 L. subrosea Wlk.
Cat. IV. p. 801 (1855).
1086 L. diascia Hmpsn.
Ann. S.A. Mus. III. p. 395 (1905).
1087 L. bifascia Hmpsn.
Ann. S.A. Mus. III. p. 396 (1905).
1088 L. figlina Dist.
A. M. N. H. (7) IV. p. 361 (1899).
1089 L. xyleutis Hmpsn.
Ann. S.A. Mus. III. p. 396 (1905).
1090 L. clarki Janse.
Ann. Transv. Mus. V. p. 38 pl. III. ff. 7, 8 (1915).
1091 L. subviridis Janse.
Ann. Transv. Mus. V. p. 39 pl. III. f. 9 (1915).
1092 L. swinnyi Janse.
Ann. Transv. Mus. V. p. 40 pl. III. ff. 10, 11 (1915).
1093 L. aureus Janse.
Ann. Transv. Mus. V. p. 41 pl. III. f. 12 (1915).
1094 L. robusta Janse.
Ann. Transv. Mus. V. p. 41 pl. III. f. 13 (1915).
1095 L. nigripulverea Janse.
Ann. Transv. Mus. V. p. 42 pl. III. f. 14 (1915).
1096 L. phlebitis Hmpsn.
Ann. S.A. Mus. III. p. 394 (1905).
1097 L. setinoides Holl.
Psyche. VI. p. 431 (1893).
1098 L. hæmatica Hmpsn.
Ann. S.A. Mus. III. p. 395 (1905).
1099 L. amabilis Auriv.
Œfv. Vet.-Akad. Förh. XXXVI. (7) p. 58 (1879).

PSALIS Hübn.
Zutr. 2 p. 19 (1827) non-descr.
1100 Ps. securis Hübn.
Zutr. 2 p. 19 ff. 291, 292 (1827).

LYMANTRIA Hübn.
Verz. p. 160 (1827).
1101 L. modesta Wlk.
Cat. IV. p. 859 (1855).
1102 L. albimacula Wllgrn.
Kongl. Svensk. Vet.-Akad. Handl. Bb. V. No. 4 p. 35 (1865).

POLYMONA Wlk.
III. p. 768 (1855).
1103 P. rufifemur Wlk.
Cat. III. p. 768 (1855).

ACLONOPHLEBIA Butl.
P. Z. S. L. p. 428 (1898).
1104 A. rhodalipha Feld.
Reise Nov. pl. 100 f. 25 (1874).

1105 A. lugardi Swinh.
Transv. Ent. Soc. Lond. p. 493 (1903).
1106 A. rhodea Hmpsn.
Ann. S.A. Mus. III. p. 405 (1905).

ORNITHOPSYCHE Wllgrn.
Kongl. Svensk. Vet. Akad. Hand. Bd. V. No. 4 p. 35 (1865).
1107 O. discalis Wlk.
Cat. IV. p. 792 (1855).
1108 O. difficilis Wlk.
Cat. XXXII. p. 328 (1865).
1109 O. quadrimaculata Janse.
Ann. Transv. Mus. V. p. 50 pl. VI. f. 6 pl. III. f. 16 (1915).
1110 O. melanoleuca Hmpsn.
Ann. S.A. Mus. III. p. 408 (1905).

MICRAROA Hmpsn.
Ann. S.A. Mus. III. p. 404 (1905).
1111 M. rufescens Hmpsn.
Ann. S.A. Mus. III. p. 405 (1905).
1112 M. minima Janse.
Ann. Transv. Mus. V. p. 53 pl. III. f. 17 (1915).

HOMOCHIRA Hmpsn.
Ann. S.A. Mus. III. p. 409 (1905).
1113 H. rendalli Dist.
A. M. N. H. (6) XX. p. 203 (1897).

EUPROCTIS Hübn.
Verz. p. 159 (1827).
1114 Eu. terminalis Wlk.
Cat. IV. p. 794 (1855).
1115 Eu. punctifera Wlk.
Cat. IV. p. 792 (1855).
1116 Eu. iridescens Janse.
Ann. Transv. Mus. V. p. 56 pl. III. f. 18 pl. VII. f. 6 (1915).
1117 Eu. crocata Boisd.
Voy. Delegorgue II. p. 599 (1847).
1118 Eu. fasciata Wlk.
Cat. IV. p. 809 (1855).
1119 Eu. nigripuncta Janse.
Ann. Transv. Mus. V. p. 58 pl. III. f. 19 (1915)
1120 Eu. hæmodetes Hmpsn.
Ann. S.A. Mus. III. p. 408 (1915).
1121 Eu. rufopunctata Wlk.
Trans. Ent. Soc. Lond. (3) I. p. 265 (1862).
1122 Eu. stramenicolor Janse.
Ann. Transv. Mus. V. p. 59 pl. III. f. 20 (1915).
1123 Eu. bicolor Janse.
Ann. Transv. Mus. V. p. 59 pl. III. f. 21 pl. VII. f. 5 (1915).

1124 Eu. pallida Kirby.
A. M. N. H. (6) XVIII. p. 384 pl. XIX. f. 6 (1896).

1125 Eu. stellata Dist.
A. M. N. H. (6) XX. p. 202 (1897).

1126 Eu. flavicincta Janse.
Ann. Transv. Mus. V. p. 61 pl. III f. 27 (1915).

1127 Eu. aspersa Feld.
Reise. Nov. pl. 100 f. 6 (1874).

1128 Eu. squamosa Wlk.
Cat. IV. p. 920 (1855).

1129 Eu. mesozona Hmpsn.
Ann. S.A. Mus. III. p. 407 (1905).

1130 Eu. sanguigutta Hmpsn.
Ann. S.A. Mus. III. p. 407 (1905).

1131 Eu. crocostieta Hmpsn.
Ann. S.A. Mus. III. p. 408 (1905).

PORTHESIA Steph.
Brit. ent. Haust. II. p. 65 (1829).

1132 P. natalensis Janse.
Ann. Transv. Mus. V. p. 62 pl. III. ff. 22, 23 (1915).

1133 P. hardenbergia Janse.
Ann. Transv. Mus. V. p. 64 pl. III. f. 24 (1915).

1134 P. sub-alba Janse.
Ann. Transv. Mus. V. p. 64 pl. III. f. 25 (1915).

NAROMA Wlk.
Cat. VII. p. 1744 (1856)

1135 N. signifera Wlk.
Cat. VII. p. 1744 (1856).

PTEREDOA Hmpsn.
Ann. S.A. Mus. III. p. 411 (1905).

1136 Pt. monostieta Butl.
P. Z. S. L. p. 428, pl. XXXII. f. 7 (1898).

1137 Pt. usebria Swinh.
Trans. Ent. Soc Lond. p. 382 (1903).

1138 Pt. plumosa Hmpsn.
Ann. S.A. Mus. III. p. 412 (1905).

CYMAROA Hmpsn.
Ann. S.A. Mus. III. p. 410 (1905).

1139 C. leptopepla Hmpsn.
Ann. S.A. Mus. III. p. 411 (1905).

RHYPOPTERYX Auriv.
Œfv. Ak. Förh. XXXVI. (7) p. 57 (1879).

1140 Rh. sordida Auriv.
Œfv. Ak. Förh. XXXVI. (7) p. 57 (1879).

REPENA Wlk.
Cat. IV. p. 800 (1855).

1141 R. (?) fusca Wlk.
Cat. VII. p. 1724 (1856).

HOMŒOMERIA Wllgrn.
K. Vet. Akad. Handl. (2) V. (4) p. 36 (1865).

1142 H. flavicapilla Wllgrn.
Wien. ent. Mon. IV. p. 163 (1860).

PYGETERA Kirby.
Cat. p. 446 (1892).

1143 P. boldingii Feld.
Reise Nov. pl. 99 f. 8 (1874).

OREINOBIA Wllgrn.
K. Vet. Akad. Handl. (2) V. (4) p. 34 (1865).

1144 O. scurrilis Wllgrn.
Wien. ent. Mon. IV. p. 163 (1860).

HYPSIDÆ.

HYPSA Hübn.
Verz. p. 172 (1827.)

1145 H. speciosa Drury.
Ill. Ex. Ent. II. pl. 5 f. 2 (1773).

1146 H. baumanniana Karsch.
Ent. Nachr. XXI. p. 369 pl. III. f. 5 (1895).

1147 H. subretracta Wlk.
Cat. VII. p. 1676 (1856).

1148 H. conspicua Swinh.
A. M. N. H. (7) XI. p. 503 (1903).

1149 H. antica Wlk.
Cat. VII. p. 1673 (1856).

DIGAMA Moore.
Lep. E. I. C. p. 297 (1859).

1150 D. spilosoma Feld.
Reise Nov. pl. 106 f. 20 (1874).

1151 D. nepheloptera Hmpsn.
A. M. N. H. (8) V. p. 452 (1910).

1152 D. sinuosa Hmpsn.
Ann. S.A. Mus. III. p. 414 (1905).

1153 D. strabonis Hmpsn.
A. M. N. H. (8) V. p. 453 (1910).

1154 D. culta Hübn.
Zutr. Ex. Schmett. III. p. 13 ff. 433-4 (1827).

1155 D. aganais Feld.
Reise Nov. pl. 106, f. 21 (1874).

1156 D. ostentata Dist.
A. M. N. H. (7) III. p. 463 (1899).

1157 D. meridionalis Swinh.
A. M. N. H. 7 (XIX.) p. 51 (1907).

DIOTA Wllgrn.
Svensk. Handl. (2) V. (4) p. 46 (1865).
1158 D. basifurca Wlk.
Cat. XXXII. p. 335 (1865).
1159 D. rostrata Wllgrn.
Wien. ent. Mon. IV. p. 161 (1860).

DEILEMERA Hübn.
Verz. p. 178 (1827).
1160 D. leuconoe Hopff.
Monat. Akad. Bul. p. 422 (1857).

ALYTARCHIA Wllgrn.
Wien. ent. Mon. VII. p. 147 (1863).
1161 A. amanda Boisd.
Deleg. Voy. Afr. Austr. II. p. 597 (1847).
1162 A. bellatrix Dalm.
Anal. Ent. p. 50 (1823).

PITTHEA Wlk.
Cat. II. p. 463 (1854).
1163 P. mungi Plötz.
Stett. ent. Zeit. XLI. p. 82 (1880).

SOLOE Wlk.
Cat. II. p. 545 (1854).
1164 S. fumipennis Hmpsn.
A. M. N. H. (8) V. p. 455 (1910).

SPHINGIDÆ.

ACHERONTIINÆ.

HERSE Oken.
Lehrb. Naturg. III. p. 762 (1815).
1166 H. convolvuli Lin.
Syst. Nat. ed. X. p. 490 (1758).

ACHERONTIA Lasp.
Jen. Allg. Lit. Zeit. IV. p. 99 (1809).
1167 A. atropos Lin.
Syst. Nat. ed. X. p. 490 (1758).
*1168 A. styx Westw.
Cab. Or. Ent. p. 88 pl. 42 f. 3 (1848).

*Originally from the Indo Malayan sub-region, but recorded from Barberton. [Most probably imported. (Jord. & Rothsch. Nov. Zool. IX. Suppl. p. 23 (1903).]

COELONIA Roths. & Jord.
Nov. Zool. IX. Suppl. p. 24 (1903).
1169 C. fulvinotata Butl.
Proc. Zool. Soc. Lond. p. 11 (1875).

POLIANA Roth. & Jord.
Nov. Zool. IX. Suppl. 38 (1903).
1170 P. natalensis Butl.
Proc. Zool. Soc. Lond. p. 13 (1875).

OLIGOGRAPHA Roths. & Jord.
Nov. Zool. IX. Suppl. p. 48 (1903).
1171 O. juniperi Boisd.
Del. Voy. Afr. Austr. II. p. 595 (1847).

HOPLISTOPUS Roths. & Jord.
Nov. Zool. IX. Suppl. p. 49 (1903).
1172 H. penricei Roths. & Jord.
Nov. Zool. IX. Suppl. p. 50 pl. XII. f. 5 (1903)
1173 H. butti Roths. & Jord.
Nov. Zool. IX. Suppl. p. 50 pl. V. f. 15 (1903).

PRÆDORA Roths. & Jord.
Nov. Zool. IX. Suppl. p. 50 (1903).
1174 P. marshalli Roths. & Jord.
Nov. Zool. IX. Suppl. p. 51 V. f. 16 (1903).

AMBULICINÆ.

BATOCNEMA Roths. & Jord.
Nov. Zool. IX. Suppl. p. 190 (1903).
1175 B. africanus Dist.
A. M. N. H. (7) III. p. 179 (1899).

PSEUDOCLANIS Roths. & Jord.
Nov. Zool. I. p. 96 (1894).
1176 Ps. postica Wlk.
Cat. VIII. p. 237 (1856).

PLATYSPHINX Roths. & Jord.
Nov. Zool. IX. Suppl. p. 224 (1903).
1177 P. stigmatica Mab.
Bull. Soc. Zool. France II. p. 491 (1878).
1178 P. piabilis Dist.
A. M. N. H. (6) XIX. p. 580 (1897).

LEPTOCLANIS Roths. & Jord.
Nov. Zool. IX. Suppl. p. 228 (1903).
1179 L. pulchra Roths. & Jord.
Nov. Zool. IX. Suppl. p. 228 pl. LXVI. f. 9♀ (1903).
1180 L. basalis Wlk.
Cat. XXXV. p. 1858 (1866).

POLYPTYCHUS Hübn.
Verz. p. 141 (1822).
1181 P. grayi Wlk.
Cat. VIII. p. 249 (1856).
1182 P. falcatus Roths. & Jord.
Nov. Zool. IX. Suppl. p. 247 pl. X. f. 12 (1903).
1183 P. compar Roths. & Jord.
Nov. Zool. IX. Suppl. p. 251 (1903).
1184 P. marshalli Roths. & Jord.
Nov. Zool. IX. Suppl. p. 253 pl. XIV. f. 14 (1903).
1185 P. numosæ Wllgrn.
Wien. ent. Mon. IV. p. 42 (1860).
1186 P. contraria Wlk.
Cat. VII. p. 1735 (1856).
1187 P. mutata Wlk.
Cat. IV. p. 873 (1855).
1188 P. baxteri Roths. & Jord.
Nov. Zool. XV. p. 259 (1908).

LOPHOSTETHUS Butl.
Trans. Zool. Soc. Lond. IX. p. 585 (1877).
1189 L. dumolini Angas.
Kaff. Illustr. pl. 30 f. II. (1849).

LIKOMA Roths. & Jord.
Nov. Zool. IX. Suppl. p. 265 (1903).
1190 L. apicalis Roths. & Jord.
Nov. Zool. IX. Suppl. p. 265 (1903).

SESIINÆ.

CEPHONODES Hübn
Verz. p. 131 (1822).
1191 C. hylas sub-spec. virescens Wllgrn.
Kongl. Sven. Ak. Handl. (2) V. 4 pl. 17 (1865).

PHILAMPELINÆ.

DEILEPHILA Lasp.
Jen. Allg. Lit.-Zeit. IV. p. 99 (1809).
1192 D. nerii Lin.
Syst. Nat. ed. X. p. 490 (1758).

NEPHELE Hübn.
Verz. p. 133 (1822).
1193 N. vau Wlk.
Cat. VIII. p. 197 (1856).
1194 N. comma Hopff.
Monatsber Ak. Wiss. Berl. p. 421 (1857).
1195 N. comma f. derasa Rothsch. & Jord.
Nov. Zool. IX. suppl. p. 556 (1903).
1196 N. bipartita Butl.
A. M. N. H. (5) II. p. 455 (1878).
1197 N. peneus Cram.
Pap. Exot. I. p. 139 pl. 88 f. D. (1776).

1198 N. accentifera Beauvois.
Ins. Afr. Amer. p. 264 f. I (1805).
1199 N. argentifera Wlk.
Cat. VIII. p. 194 (1856).

TEMNORA Hübn.
Verz. p. 114 (1856).
1200 T. inornatum Roths.
Nov. Zool. I. p. 71 pl. 5 f. 8 (1895).
1201 T. murina Wlk.
Cat. VIII. p. 163 (1856).
1202 T. namaqua Roths & Jord.
Nov. Zool. IX. suppl. p. 571 pl. VII. f. 2 (1903).
1203 T. marginata Wlk.
Cat. VIII. p. 185 (1856).
1204 T. plagiata Wlk.
Cat. VIII. p. 105 (1856).
1205 T. zantus Herr.-Schäff.
Ausser Eur. Schmett. I. pl. 23 f. 105 (1854).
1206 T. natalis Wlk.
Cat. VIII. p. 104 (1856).
1207 T. pylas Cram.
Pap. Exot. III. p. 23 pl. 206 f. A. (1779).
1208 T. pseudopylas Roths & Jord.
Nov. Zool. IX. Suppl. p. 583 (1903).
1209 T. pylades Roths. & Jord.
Nov. Zool. IX. Suppl. p. 583 (1903).

ODONTOSIDA Roths. & Jord.
Nov. Zool. IX. Suppl. p. 586 (1903).
1210 O. pusillus Feld.
Reise Nov. pl. 82 f. I. (1874).
1211 O. magnificum Roths.
Nov. Zool. I. p. 71 pl. 5 f. 7 (1894).

SPHINGONÆPIOPSIS Wllgrn.
Œfv. Vet. Ak. Förh. XV. p. 138 (1858).
1212 Sph. nanum Boisd.
Del. Voy. Afr. Austr. p. 594 (1847).

MICROSPHINX Roths. & Jord.
Nov. Zool. IX. Suppl. p. 593 (1903).
1213 M. pumilum Boisd.
Del. Voy. Afr. Austr. p. 594 (1847).

MACROGLOSSUM Scopoli.
Inter. Hist. Nat. p. 414 (1777).
1214 M. trochilus Hübn.
Samml. Ex. Schmett. II. pl. 158 (1824).

LEUCOSTROPHUS Roths. & Jord.
Nov. Zool. IX. Suppl. p. 671 (1903).
1215 L. hirundo Gerst.
Wiegm. Arch. Naturg. XXXVII. p. 360 (1871)

CHŒROCAMPINÆ.

CELERIO Oken.
Lehrb. Naturg. III. p. 761 (1815).

1216 C. lineata f. livornica Esp.
Schmett. II. p. 88 (1779).

RHODAFRA Roths. & Jord.
Nov. Zool. IX. Suppl. p. 740 (1903).

1217 Rh. opheltes Cram.
Pap. Ex III. p. 164 pl. 285 f. B. (1780).

1218 Rh. marshalli Roths. & Jord.
Nov. Zool. IX. Suppl. p. 741 (1903).

EUCHLORON Boisd.
Spec. Gen. Lep. Het. I. p. 213 (1875).

1219 Eu. megæra Lin.
Syst. Nat. ed. X. p. 492 (1758).

BASIOTHIA Wlk.
Cat. VIII. p. 124 (1856).

1220 B. medea Fabr.
Spec. Ins. II. p. 143 (1781).

1221 B. charis Boisd.
Del. Voy. Afr. Austr. p. 595 (1847).

1222 B. schenki Möschl.
Stett. ent. Zeit XXXIII. p. 339 (1872).

HIPPOTION Hübn.
Verz. p. 134 (1822).

1223 H. osiris Dalman.
Anal. Ent. p. 48 (1823).

1224 H. celerio Lin.
Syst. Nat. ed. X. p. 491 (1758).

1225 H. eson Cram.
Pap. Ex. III. p. 57 pl. 226 f. C. (1779).

1226 H. balsaminæ Wlk.
Cat. VIII. p. 138 (1856).

1227 H. roseipennis Butl.
A. M. N. H. (5) X. p. 433 (1882).

1228 H. rosæ Butl.
A. M. N. H. (5) X. p. 433 (1882).

THERETRA Hübn.
Verz. p. 135 (1822).

1229 Th. capensis Lin.
Mus. Lud. Ulr. p. 349 (1764).

1230 Th. monteironis Butl.
A. M. N. H. (5) X. p. 433 (1882)

1231 Th. cajus Cram.
Pap. Exot. II. p. 80 pl. 146 f. F. (1777).

1232 Th. orpheus Herr.-Schäff.
Assereur. Schmett. I. f. 104 (1854).

CENTROCTENA Roths. & Jord.
Nov. Zool. IX. Suppl. p. 790 (1903).
1233 C. imitans Butl.
A. M. N. H. (5) X. p. 432 (1882).

STRIPHNOPTERYGIDÆ.

STRIPHNOPTERYGINÆ

STRIPHNOPTERYX Wllgrn.
Œfv. Sv. Vet. Ak. Förh. 15 p. 209 (1858).
1234 S. edulis Boisd.
Voy. Deleg. Afric. Austr. 2 p. 599 (1847).

SCHISTISSA Auriv.
Bih. K. Sv. Vet. Akad. Handl. 27 IV. No. 7 p. 8 (1901).
1235 Sch. uniformis Auriv.
Bih. K. Sv. Vet. Akad. Handl. 27 IV. No. 7 p. 8 (1901).

MARMAROPLEGMA Wllgrn.
Vet. Akad. Handl. V. 4 p. 29 (1865).
1236 M. paragarda Wllgrn.
Wien. Ent. Mon. IV. p. 166 (1860).
1237 M. unicolor Janse.
Ann. Transv. Mus. V. p. 68 pl. III. f. 26 (1915).

CYRTOJANA Auriv.
Trans. Ent. Soc. Lond. p. 161 (1911).
1238 C. trilineata Aur.
Trans. Ent. Soc. Lond. p. 162 f. in text (1911).

JANOMIMA Aur.
Bih. till K. Sv. Vet. Akad. Handl. bnd. 27 IV. No. 7 p. 9 (1901).
1239 J. westwoodi Aur.
l.c. p. 10 (1901).

LICHENOPTERYX Feld.
Reise Nov. Lep. Het. p. 6 (1868).
1240 L. despecta Feld.
l.c. t. 95 f. 5 (1868).

POLOMA Wlk.
Cat. IV. p. 858 (1855).
1241 P. angulata Wlk.
l.c. p. 858 (1855).
1242 P. nigromaculata Aur.
Ent. Tidskr. p. 210 (1893).
1243 P. castanea Aur.
Bih. Svensk. Vet. Akad. Handl. Bnd. 27 afd. IV. No. 7 p. 12 (1901).

SPIRAMIOPSIS Hmpsn.
Tr. Ent. Soc. Lond. p. 187 (1901).
1244 Sp. comma Hmpsn.
l.c. p. 191 (1901).

PHYLLALIA Wlk.
Cat. VI. p. 1494 (1855).
1245 Ph. alboradiata Aur.
Tr. Ent. Soc. Lond. p. 162 (1911).
1246 Ph. incerta Wlk.
Cata. IV. p. 905 (1855).
1247 Ph. patens Boisd.
Dele. Voy. Afr. Austr. II. p. 599 (1847)
1248 Ph. thunbergi Boisd.
l.c. p. 599 (1847).
1249 Ph. valida Feld.
Reise Nov. t. 93 f. 6 (1868).
1250 Ph. degenera Wlk.
Cat. IV. p. 906 (1855).

TRICHOPHIALA Aur.
Öfv. af. Köngl. Vet. Ak. Förh. No. 7 p. 53 (1879).
1251 Tr. devylderi Aur.
l.c. p. 55 (1879).

PHIALA Wllgrn.
Wien. ent. Mon. IV. p. 165 (1860).
1252 Ph. patagiata Aur.
Tr. Ent. Soc. Lond. p. 163 (1911).
1252a Ph. ziczac Strand.
Ann. Soc. ent. Belg. 55 p. 150 (1911).
1253 Ph. similis Aur.
Tr. Ent. Soc. Lond. p. 164 (1911).
1253a Ph. umbripennis Strand.
Ann. Soc. ent. Belg. 55 p. 150 (1911).
1254 Ph. costipunctata H.-S.
Aussereur. Schmett. f. 375 (1855).
1255 Ph. dasypoda Wllgrn.
Wien. ent. Mon. IV. p. 165 (1860).
1256 Ph. clio Fawcet.
Pr. Zool. S.L. II. p. 306 pl. XXVI. f. 2 (1902).
1257 Ph. bistrigata Aur.
Pih. till. K. Sv. Vet. Akad. Handl. bnd 27 IV. No. 7 p. 16 (1901).
1258 Ph. arrecta Dist.
A. M. N. H. (7) IV. p. 361 (1899).
1259 Ph. incana Dist.
A. M. N. H. (6) XX. p. 205 (1897).
1259a Ph. acuta Strand.
Ann. Soc. ent. Belg. 55 p. 151 (1911).
1260 Ph. polita Dist.
A.M.N.H. (6) XX. p. 206 (1897).
1261 Ph. flavipennis Wllgrn.
Öfv. Vet. Ak. Förh. XXXII. (1) p. 98 (1876)

1262 Ph. vaninia Stoll.
Pap. Exot. 4 t. 356 (1781).
1263 Ph. pulverea Dist.
Ins. Transv. p. 82 f. 6 (1903).
1264 Ph. pretoriana Wichgraf.
Ent. Zeitschr. p. 109 (1908).
1265 Ph. simplex Aur.
Tr. Ent. Soc. Lond. p. 695 pl. XXXIII. f. 1. (1904).
1266 Ph. marshalli Aur.
l.c. pl. XXXIII. f. 2 (1904).

STIBOLEPIS Butl.
Ann. Nat. Hist. (5) II. p. 463 (1878).
1267 St. hologramma Aur.
Tr. Ent. Soc. Lond. p. 697 pl. 33 f. 7 (1904).

JANINÆ.

HEMIJANA Aur.
Bih. Sv. Vet. Ak. Handl. bd. 27 afd. IV. No. 7 p. 21 (1901).
1268 H. subrosea Aur.
Ent. Tids. p. 209 (1895).

JANA H.-S.
Aussereur Schmett. I. pp. 17, 18 (1854).
1269 J. eurymas H.-S.
l.c. t. XXI. f. 98 (1854).
1270 J. tantalus H.-S.
l. c. t. 21 ff. 99, 100 (1854).
1271 J. (?) chalepteryx Feld.
Reise Nov. t. 98 f. 10 (1868).
1272 J. rosacea Butl.
Exot. Lep. p. 80 t. 30 f. 3 (1871)
1273 J. nigristriata Janse.
Ann. Transv. Mus. p. 68 pl. IX. (1915).

HOPLOJANA Aur.
Bih. Sv. Vet. Ak. Handl. Bd. 27 afd. IV. No. 7 p. 24 (1901).
1274 H. rhodoptera Gerst.
Arch. f. Naturg. XXXVII. p. 361 (1871).

PHASICNECUS Butl.
Pr. Z. S. L. p. 585 (1894).
1275 Ph. roseus Druce.
Pr. Z.S.L. p. 410 t. 38 f. 3 (1886).
1276 Ph. obtusus Wlk.
Cat. XXXII. p. 357 (1865).
1277 Ph. hilaris Feld.
Reise Nov. t. 95 f. 3 (1868).
1278 Ph. bithynia Druce.
Pr. Z. S. L. p. 676 (1887).
1279 Ph. nahor Druce.
A. M. N. H. (6) XVII. p. 354 (1896).

1280 Ph. subcroceus Dist.
Ins. Transv. p. 84 pl. VII. f. 12 (1903).
1281 Ph. evanescens Dist.
l. c. p. 84 f. 7 (1903).

BANTUANA Dist.
Ins. Transv. VII. p. 166 (1906).
1282 B. cregoei Dist.
l. c. VII. p. 166 f. 29 (1906).

TISSANGA Aur.
Distant's Ins. Transv. p. 80 (1903).
1283 T. pretoriæ Dist.
A. M. N. H. (6) X. p. 408 (1892).

SETIOINÆ.

PANSA Wllgrn.
Kongl. Sv. Vet.-Akad. Hand. bnd. 5 No. 4 p. 9 (1865).
1284 P. aurociliata Aur.
Öfv. af. Kongl. Vet. Ak. Förh. No. 7 p. 47 (1879).

NOTODONTIDÆ.

ICHTHYURA Hübn.
Verz. p. 162 (1826).
1285 I. lentisignata Hmpsn.
A. M. N. H. (8) V. p. 495 (1910).

SCALMICAUDA Holl.
Psyche VI. p. 489 (1893).
1286 Sc. heterogyna Hmpsn.
A.M.N.H. (8) V. p. 490 (1910).
1287 Sc. griseitincta Hmpsn.
l. c. p. 492 (1910).
1288 Sc. albicostata Hmpsn.
l. c. p. 493 (1910).

PYDNA Wlk.
Cat. VII. p. 1753 (1855).
1288a P. rubritincta Hmpsn.
A. M. N. H. (8) V. p. 485 (1910).
1289 P. flavida Hmpsn.
l. c. p. 485 (1910).
1290 P. rubrifascia Hmpsn.
l. c. p. 486 (1910).

NOTOXANTHA Hmpsn.
l. c. p. 484 (1910).
1291 N. sesamiodes Hmpsn.
l. c. p. 485 (1910).

RAMESA Wlk.
Cat. V. p. 1016 (1855).
1292 R. dasychira Hmpsn.
A. M. N. H. (8) V. p. 484 (1910).

OSICA Wlk.
Cat. XXXIII. p. 766 (1865).
1292a O. verulama Beth.-Baker.
A. M. N. H. 2 p 257 (1908).

SCRANCIA Holl.
Psyche. IV. p. 537 (1893).
1293 Sc. stictica Hmpsn.
A. M. N. H. (8) V. p. 480 (1910).
1294 Sc. atrifrons Hmpsn.
l.c. p. 481 (1910).

DESMEOCRÆRA Wllgrn.
Köngl. Vet. Ak. Handl. (2) bd. V. No. 4 p. 52 (1865).
1295 D. hierax Dist.
A. M. N. H. (6) XX. p. 204 (1897).
1296 D. vernalis Dist.
l.c. p. 205 (1897).
1297 D. basalis Dist.
l.c. (7) IV. p. 361 (1899).
1298 D. interpellatrix Wllgrn.
Wien. Ent. Mon. IV. p. 164 (1860).

BRACHIONYCHA Hübn.
Verz. bek. Schmett. p. 144 (1822 (?)).
1299 B. (?) punctulata Wlk.
Cat. VII. p. 1750 (1856).

PHALERA Hübn.
Verz. p. 147 (1822(?)).
1300 Ph. lijdenburgi Dist.
A. M. N. H. (7) III. p. 463 (1899).
1301 Ph. lignitea Mab.
Ann. Soc. ent. France LXVIII. p. 723 (1900).

DINARA Wlk.
Cat. VII. p. 1699 (1855).
1302 D. encausta Hmpsn.
A. M. N. H. (8) V. p. 476 (1910).

ZANA Wlk.
Cat. VII. p. 1700 (1855).
1303 Z. anodonta Hmpsn.
A. M. N. H. (8) V. p. 476 (1910).
1304 Z. spurcata Wlk.
Cat. XXXII. p. 440 (1865).

EUTIMIA Wllgrn.
Öfv. Vet. Akad Förh. XV. p. 211 (1858).
1305 E. marpissa Wllgrn.
Wien. Ent. Mon. IV. p. 164 (1860).

ANAPHE Wlk.
Cat. IV. p. 856 (1855).
1306 A. reticulata Wlk.
Cat. IV. p. 856 (1855).
1307 A. panda Boisd.
Voy. Del. II. p. 600 (1847).

EPANAPHE Aur.
Transv. Ent. Soc. Lond. p. 659 (1904).
1308 E. clarilla Aur.
Tr. Ent. Soc. Lond. p. 699 pl. 33 f. 10 (1904).

RIGEMA Wlk.
Cat. V. p. 1079 (1855).
1309 R. woerdeni Snell.
Tijdschr. Ent. XV. p. 45 pl. IV. f. 1-3 (1872).
1310 R. ornata Wlk.
Cat. XXXII. p. 437 (1865).
1311 R. aurifodinæ Dist.
Entom. XXXV. p. 213 (1903)

ANTHEUA Wlk.
Cat. III. p. 687 (1855).
1312 A. croceipuncta Hmpsn.
A. M. N. H. (8) V. p. 474 (1910).
1313 A. basipuncta Hmpsn.
l.c. p. 475 (1910).
1314 A. albida Hmpsn.
l.c. p. 475 (1910).
1315 A. simplex Wlk.
Cat. III. p. 766 (1855).
1316 A. spurcata Wlk.
Cat. XXXII. p. 440 (1865).
1317 A. tricolor Wlk.
Cat. III. p. 688 (1855).
1318 A. consanguinea Dist.
Ins. Transv. p. 93 pl. VIII. f. 12 (1903).
1319 A. extenuata Wlk.
Char. Lep. Het. p. 11 (1869).

PHYLLALIODES Hmpsn.
A. M. N. H. (8) V. p. 474 (1910).
1320 Ph. agramma Hmpsn.
l.c. p. 474 (1910).

STAUROPUS Germar.
Prod. p. 45 (1811).
1321 S. atriguttata Hmpsn.
A.M.N.H. (8) V. p. 465 (1910).
1322 S. calliope Hmpsn.
l.c. p. 466 (1910).

1323 S. atribasalis Hmpsn.
l.c. p. 467 (1910).
1324 S. octoginta Hmpsn.
l.c. p. 468 (1910).
1325 S. griseiviridis Hmpsn
l. c. p. 469 (1910).
1326 S. thalassina Hmpsn.
l. c. p. 470 (1910).
1327 S. agramma Hmpsn.
l. c. p. 474 (1910).
1328 S. steniptera Hmpsn.
l. c. p. 471 (1910)
1329 S. pergrisea Hmpsn.
l. c. p. 472 (1910).

SOMERA Wlk.
Cat. IV. p. 882 (1855).
1330 S. poliostrota Hmpsn.
A.M.N.H. (8) V. p. 463 (1910).

CERURA Schrank.
Fauna Boica. II. Abth. 155 (1802).
1331 C. marshalli Hmpsn.
A. M. N. H. (8) V. p. 456 (1910).
1332 C. argentescens Hmpsn.
l. c. p. 458 (1910).
1333 C. esmeralda Hmpsn.
l. c. p. 458 (1910).
1334 C. spiritalis Dist.
A. M. N. H. (7) III. p. 464 (1899).
1335 C. swierstræ Dist.
Entom. XXXV. p. 213 (1902).

OCHROSTIGMA Hübn.
Verz. bek. Schmett. p. 146 (1822?).
1336 O. mediata Wlk.
Cat. XXXII. p. 412 (1865).

HOPLITIS Hübn.
Verz. Schmett. p. 147 (1816).
1336a H. phyllocampa Trim.
Tr. E. S. L. p. 4 pl. 1 f. 2 (1909).

MELEBÆAS Dist.
Ins. Transv. p. 93 (1903).
1337 M. gigas Dist.
A. M. N. H. (7) III. p. 463 (1899).

ATRASANA Walk.
Cat. VII. p. 1749 (1856).
1338 A. postica Wlk.
l. c. p. 1750 (1856).

CHADISRA Wlk.
Tr. Ent. Soc. Lond. (3) I. p. 81 (1862).
1339 Ch. uncifera Hmpsn.
A. M. N. H. (8) V. p. 459 (1910).

1340 Ch. rosinaria Hmpsn.
l. c. p. 461 (1910).
1341 Ch. semiflava Hmpsn.
l. c. p. 462 (1910).
1342 Ch. bicolor Dist.
A. M. N. H. (7) IV. p. 360 (1899).
1343 Ch. persimilis Hmpsn.
A. M. N. H. (8) V. p. 463 (1910).

CATOCHRIA H.-S.
Aussereur Schmett. I. p. 67 (1855).
1344 C. catocaloides H.-S.
l. c. f. 380 (1855).

POLIENUS Dist.
Ins. Transv. p. 93 (1903).
1344a P. modestus Dist.
l. c. p. 94 f. 10 (1903).

INÖUS Wlk.
Cat. V. p. 1095 (1855).
1346 I. nigripalpis Wlk.
Cat. V. p. 1096 (1855).

DATANA Wlk.
Cat. V. p. 1060 (1855).
1347 D. ruficollis Wlk.
Trans. Ent. Soc. Lond. (3) I. p. 271 (1862).

RETHONA Wlk.
Cat. V. p. 1042 (1855).
1348 R. strigosa Wlk.
Cat. V. p. 1043 (1855).
1349 R. albicans Wlk.
Cat. V. p. 1043 (1855).

LOPHOPTERYX Steph.
Ill. Brit. Ent. Haust. II. p. 26 (1828).
1350 L. uniformis Swinh.
A. M. N. H. (7) XIX. p. 208 (1907).

HYPERÆSCHRA Butl.
A. M. N. H. (5) VI. p. 65 (1880).
1351 H. curvilinea Swinh.
A. M. N. H. (7) XIX. p. 207 (1907).

LOPHODONTA Pack.
Proc. ent. Soc. Phil. III. p. 353 (1864).
1351a L. uniformis Swinh.
A. M. N. H. 19 p. 208 (1907).

GEOMETRIDÆ.

ŒNOCHROMINÆ.

AFROPHYLA Warr.
Novit. Zool. 2 p. 83 (1895).
1352 A. vethi Snell.
Tijd. Ent. 29 p. 139 t. 6 f. 1-9 (1886).

PETOVIA Wlk.
Cat. II. p. 559 (1854).
1353 P. dichroaria H.-S.
Aussereur. Schmett. I. t. 39 f. 189 (1854).
ab. marginata Wlk.
Cat. II. p. 560 (1854).
ab. insertaria Guen.
Hist. Nat. des Ins. X. p. 167 pl. 20 f. 10 (1857).
1354 P. uniformis Warr.
Nov. Zool. 4 p. 31 (1897).

BARRAMA Warr.
Nov. Zool. 4 p. 28 (1897).
1355 B. impunctata Warr.
Nov. Zool. 4 p. 28 (1897).

CORIUM Prout.
Gen. Ins. 104 p. 75 (1910).
1356 C. hyperphyes Prout.
A. M. N. H. (8) 8 p. 704 (1911).

CONOLOPHIA Warr.
Nov. Zool. I. p. 369 (1894).
1357 C. conscitaria Wlk.
Cat. XXIII. p. 986 (1861).
1358 C. platyrhyncata Wllgrn.
Öfv. af. K. Vet. förh. p. 59 (1872).
(This species may be only a form of C. conscitaria).

PANAGROPSIS Warr.
Nov. Zool. I. p. 370 (1894).
1359 P. equitaria Wlk.
Cat. XXIII. p. 986 (1861).
1360 P. muricolor Warr.
Nov. Zool. IV. p. 30 (1897).

OZOLA Wlk.
Cat. XXIV. p. 1080 (1862).
1361 O. pulverulenta Warr.
Nov. Zool. IV. p. 30 (1897).

CARTALETIS Warr.
Nov. Zool. I. p. 378 (1894).
1362 C. libyssa Hopff.
Monatsb. Akad. Wiss. Berl. p. 422 (1857).

1363 C. monteironis Druce.
Ent. Mon. Mag. XX. p. 156 (1883).
1364 C. concolor Warr.
Nov. Zool. XII. p. 34 (1905).

HEMITHEINÆ.

PINGASA Moore.
Lep. Ceyl. III. p. 419 (1887).
1365 P. respondens Wlk.
Cat. XXI. p. 428 (1860).
1366 P. victoria Prout.
Nov. Zool. XX. p. 398 (1913).
1367 P. ruginaria communicans Wlk.
Cat. XXI. p. 430 (1860).
1368 P. abyssinaria Guen.
Spec. Gén. Lép. IX. p. 277 (1858).
1369 P. rhadamaria Guen.
l. c. IX. p. 277 (1858).

APOPROGONES Hmpsn.
Trans. Ent. Soc. Lond. p. 137 (1903).
1370 A. hesperistis Hmpsn.
l. c. p. 137.

(I have been informed by Mr. L. B. Prout that this species is the same as his **Œdimetopia jansei,** Ann. Transvaal Mus. V. p. 152 pl. XXV. f. 1 (1916), but he still considers it more a **Geometrid** than anything else).

PARAGATHIA Warr.
Nov. Zool. IX. p. 495 (1912).
1371 P. albimarginata Warr.
Nov. Zool. IX. p. 495 (1912).

VICTORIA Warr.
Nov. Zool. IV. p. 46 (1897).
1372 V. albipicta Warr.
Nov. Zool. IV. p. 46 (1897).
1373 V. mirabilis Warr.
Ann. S.A. Mus. X. p. 19 (1911).

ARCHICHLORA Warr.
Nov. Zool. V. p. 11 (1898).
1374 A. zonata Wlk.
Cat. XXVI. p. 1566 (1862).

METACINATA Prout.
Gen. Ins. 129 p. 95 (1912).
1375 M. rhodosticta Hmpsn.
Proc. Zool. Soc. Lond. p. 475 T. 39 f. 30 (1910).

COMIBÆNA Hübn.
Verz. bek. Schmett. p. 284 (1826).
1376 C. leucospilata Wlk.
Cat. XXVI. p. 1554 (1862).

CHEROSCELIS Prout.
Gen. Ins. 129 p. 138 (1912).
1377 Ch. rubricorpus Warr.
Nov. Zool. V. p. 235 (1898).

LOPHORRHACHIA Prout.
Ann. Tr. Mus. V. p. 154 (1915).
1378 L. niveicristata Prout.
l.c. V. p. 155 (1915).

HETEROCRITA Warr.
Nov. Zool. VIII. p. 445 (1901).
1379 H. araria Guen.
Spec. Gén. Lép. IX. p. 373 (1858).
1380 H. discerpta Wlk.
Cat. XXII. p. 513 (1861).
1381 H. deprensa Prout.
Ann. Tr. Mus. III. p. 195 t. 12 f. 22 (1913).
1382 H. koranata Feld.
Reise Nov. pl. 127 f. 14 (1875).

ANTHARMOSTES Warr.
Nov. Zool. VI. p. 51 (1899).
1383 A. papilia Prout.
Gen. Ins. 129 p. 144 (1912).

THALASSODES Guen.
Spec. Gén. Lép. IX. p. 359 (1858).
1384 Th. digressa Wlk.
Cat. XXII. p. 513 (1861).
1385 Th. opaca Warr.
Nov. Zool. V. p. 17 (1898).

PRASINOCYMA Warr.
Nov. Zool. IV. p. 44 (1897).
1386 Pr. bifimbriata Prout.
Gen. Ins. 129 p. 157 pl. 3 f. 9 (1912).
1387 Pr. chloroprosopa Prout.
Ann. Tr. Mus. III. p. 194 (1913).
1388 Pr. dorsipunctata Warr.
Ann. S.A. Mus. X. p. 21 (1911).
1389 Pr. hadrata Feld.
Reise Nov. pl. 127 f. 27 (1875).
1390 Pr. inversicaulis Prout.
Ann. Tr. Mus. III. p. 195 (1913).
1391 Pr. niveisticta Prout.
Gen. Ins. 129 p. 156 (1912).
1392 Pr. panchlora Prout.
Nov. Zool. X. p. 361 (1903).
1393 Pr. pictifimbria Warr.
Nov. Zool. XI. p. 86 (1904).
1394 Pr. pulchraria Swinh.
Trans. Ent. Soc. Lond. p. 544 (1904).
(?) S. Africa.

1395 Pr. scissaria Feld.
Reise Nov. pl. 127 f. 9 (1875).
1396 Pr. unipuncta Warr.
Nov. Zool. IV. p. 44 (1897).
1397 Pr. vermicularia Guen.
Spec. Gén. Lép. IX. p. 359 (1858)

METALLOCHLORA Warr.
Nov. Zool. III. p. 290 (1896).
1398 M. (?) grisea Prout.
Nov. Zool. XII. p. 318 (1915).

CHLORISSA Steph.
Ill. Haust. 3 p. 315 (1831).
1399 Chl. attenuata Wlk.
Cat. XXVI. p. 1558 (1862).
1400 Chl. stibolepida Butl.
Cist. Ent. 2 p. 394 (1879).

NEROMIA Staud.
Iris X. p. 304 (1898).
1401 N. malescripta Warr.
Nov. Zool. IV. p. 40 (1897).
1402 N. approximans Warr.
Nov. Zool. IV. p. 39 (1897).
1403 N. dorsicristata Warr.
Nov. Zool. XII. p. 34 (1905).
1404 N. articulicornis Prout.
Ann. Tr. Mus. V. p. 153 pl. 25 f. 41 (1915).
var. ruficristata Prout.
Ann. Tr. Mus. V. p. 154 (1915).
1405 N. atridisca Warr.
Nov. Zool. IV. p. 40 (1897).
1406 N. rubripunctilla Prout.
Gen. Ins. 129 p. 182 (1912).
1407 N. barretti Prout.
Gen. Ins. 129 p. 183 (1912).
1408 N. phœnicosticta Prout.
Gen. Ins. 129 p. 183 (1912).
1409 N. cohærens Prout.
Ann. Tr. Mus. V. p. 154 pl. 25 f. 2 (1915).
1410 N. impostura Prout.
Nov. Zool. XII. p. 318 (1915).
1411 N. clavicornis Prout.
Nov. Zool. XII. p. 319 (1915).
1412 N. unilinea Warr.
Nov. Zool. IV. p. 40 (1897).
ab. inornata Prout.
Ann. Transv. Mus. V. p. 154 (1915).

NEUROTOCA Warr.
Nov. Zool. IV. p. 43 (1897).
1413 N. endorhoda Hmpsn.
Proc. Zool. Soc. Lond. p. 476 pl. 39 f. 31 (1910)

CHLOROCOMA Turner.
Proc. Linn. Soc. N.S. Wales. XXXV. p. 581 (1910).

1414 Chl. dilatata Wlk.
Cat. XXII. p. 594 (1861).

1415 Chl. didita Wlk.
Cat. XXII. p. 542 (1861).

HETERORACHIS Warr.
Nov. Zool. V. p. 234 (1898).

1416 H. devocata Wlk.
Cat. XXII. p. 514 (1861).

1417 H. despoliata Prout.
Ann. Tr. Mus. V. p. 155 pl. XXV. f. 4 (1915).

1418 H. disconotata Prout.
Ann. Tr. Mus. V. p. 156 pl. XXV. f. 9 (1915).

1419 H. simplicissima Prout.
Gen. Ins. 129 p. 228 (1912).

1420 H. fuscoterminata Prout.
Nov. Zool. XXII. p. 320 (1915).

CELIDOMPHAX Prout.
Gen. Ins. 129 p. 194 (1912).

1421 C. rubrimaculata Warr.
Nov. Zool. XII. p. 384 (1905).

1422 C. analiplaga Warr.
Nov. Zool. XII. p. 385 (1905).

OMPHAX Guen.
Spec. Gén. Lép. IX. p. 368 (1858).

1423 O. bacoti Prout.
Gen. Inst. 129 p. 195 (1912).

1424 O. leucocraspeda Prout.
Gen. Ins. 129 p. 196 (1912).

1424a O. marginata Warr.
Nov. Zool. I. p. 390 (1894).

1425 O. modesta Warr.
Nov. Zool. IV. p. 32 (1897).

1426 O. plantaria Guen.
Spec. Gén. Lép IX. p. 368 (1858).

1427 O. rhodocera Hmpsn.
Proc. Zool. Soc. Lond. p. 475 pl. 39 f. 29 (1910).

1428 O. shorti Prout.
Gen. Ins. 129 p. 195 (1912).

1429 O. subaspersa Warr.
Nov. Zool. I. p. 390 (1894).

1430 O. vicinitaria Wllgrn.
Wien. ent. Mon. 7 p. 150 (1863).

1431 O. idonea Prout.
Nov. Zool. XXIII. p. 276 (1916).

CAMPSICERAS Warr.
Ann. S.A. Mus. X. p. 483 (1914).

1432 C. dychlorata Warr.
l. c. X. p. 483 (1914).

PROSOMPHAX Warr.
Ann. S.A. Mus. X. p. 20 (1911).
1433 P. callista Warr.
l. c. p. 20 (1911).

RHADINOMPHAX Prout.
Gen. Ins. 129 p. 197 (1912).
1434 Rh. divincta Wlk.
Cat. XXII. p. 543 (1861).
1435 Rh. pudicata Wlk.
Cat. XXXV. p. 1606 (1866).
1436 Rh. sanguinipuncta Feld.
Reise Nov. pl. 127 f. 1 (1875).
1437 Rh. trimeni Feld.
Reise Nov. t. 127 f. 1 (1875).

DICHROMA Westw.
In Duncan Exot. moths p. 224 (1841).
1438 D. equestralis Westw.
l. c. p. 224 pl. 30 f. 1 (1841).

ARGYROGRAPHA Prout.
Gen. Ins. 129 p. 198 (1912).
1439 A. moderata Wlk.
Cat. XXIV. p. 1147 (1862).

PARAPRASINA Warr.
Nov. Zool. IV. p. 43 (1897).
1440 P. discolor Warr.
Nov. Zool. IV. p. 43 (1897).

MICROLOXIA Warr.
Proc. Zool. Soc. Lond. p. 351 (1893).
1441 M. ruficornis Warr.
Nov. Zool. IV. p. 42 (1897).

RHODESIA Warr.
Nov. Zool. XII. p. 386 (1905).
1442 Rh. viridalbata Warr.
Nov. Zool. XII. p. 386 (1905).
1443 Rh. depompata Prout.
Nov. Zool. XX. p. 434 (1915).

LASIOCHLORA Warr.
Nov. Zool. I. p. 389 (1894).
1444 L. bicolor.
Th. Mieg, Le Nat. XXIX. p. 200 (1907).
1445 L. diducta Wlk.
Cat. XXII. p. 571 (1861).

SYNDROMODES Warr.
Nov. Zool. IV. p. 45 (1897).
1446 S. cellulata Warr.
Nov. Zool. V. p. 16 (1898).
1447 S. dimensa Wlk.
Cat. XXII. p. 549 (1861).

1448 S. invenusta Wllgrn.
Wien. ent. Mon. 7 p. 150 (1863).

DOLOSIS Prout.
Gen. Ins. 129 p. 216 (1912).
1449 D. illacerata Prout.
Gen. Ins. 129 p. 217 (1912).

CHLOROSTERRHA Prout.
Gen. Ins. 129 p. 218 (1912).
1450 Chl. dichroma Feld.
Reise Nov. pl. 127 f. 20 (1875).
1451 Chl. monochroma Prout.
Gen. Ins. 129 p. 218 (1912).
1452 Chl. semialba Swinh.
A. M. N. H. (7) 17 p. 555 (1906).

ACOLLESIS Warr.
Nov. Zool. V. p. 11 (1898).
1453 A. fraudulenta Warr.
Nov. Zool. V. p. 11 (1898).
1454 A. terminata Prout
Gen. Ins. 129 p. 219 (1912).

OMPHACODES Warr.
Nov. Zool. I. p. 396 (1896).
1455 O. delicata Warr.
Nov. Zool. XII. p. 34 (1905).
1456 O. punctilineata Warr.
Nov. Zool. IV. p. 45 (1897).
1457 O. trilineata Hmpsn
Proc. Zool. Soc. Lond. p. 476 pl. 39 f. 32 (1910).
1458 O. vivida Warr.
Nov. Zool. VI. p. 27 (1899)

HEMISTOLA Warr.
Proc. Zool. Soc. Lond. p. 353 (1893)
1459 H. incommoda Prout.
Gen. Ins. 129 p. 228 (1912).
1460 H. perviridis Prout.
Gen. Ins. 129 p. 228 (1912).
1461 H. semialbida Prout.
Gen. Ins. 129 p. 227 pl. 5 f. 11 (1912).

LOPHOSTOLA Prout.
Gen. Ins. 129 p. 229 (1912).
1462 L. atridisca Warr.
Nov. Zool. IV. p. 40 (1897).

COMOSTOLOPSIS Warr.
Nov. Zool. IX. p. 494 (1902).
1463 C. apicata Warr.
Nov. Zool. V. p. 14 (1898).
1464 C. capensis Warr.
Nov. Zool. VI. p. 291 (1899)

1465 C. simplex Warr.
Nov. Zool. IX. p. 494 (1902).
(? South African).
1466 C. stillata Feld
Reise Nov. pl. 127 f. 17 (1875)
1467 C. germana Prout
Ann. Tr. Mus. V. p. 156 (1915).

MIXOCERA Warr.
Nov. Zool. VIII. p. 206 (1901).
1468 M. albistrigata Pag.
Jahrb. Hamb. Anst. X. p. 252 (1893)
1469 M. frustratoria Wllgrn.
Wien. ent. Mon. 7 p. 150 (1863).
1470 M. parvulata Wlk.
Cat. XXVI. p. 1559 (1862).
1471 M. viridans Prout.
Gen. Ins. 129 p. 244 (1912).
1472 M. xanthostephana Prout.
Gen. Ins. 129 p. 244 (1912).

ANDROZEUGMA Prout.
Nov. Zool. XX. p. 441 (1913).
1473 A. hapala Prout.
Nov. Zool. XX. p. 442 (1913).

EUCROSTES Hübn.
Verz. bek. Schmett. p. 283 (1826).
1474 E. albicornaria Mab.
Bull. Soc. Ent. Fr. (5) 9 p. 155. (1879).
1475 E. rhodophthalma Prout.
Gen. Ins. 129 p. 245 (1912).
1476 E. rufociliaria H.-S.
Samml. Aussereur Schmett. 1. pl. 61 f. 345 (1855).

ALLOCHROSTES Prout.
Gen. Ins. 129 p. 246 (1912).
1477 A. biornata Prout.
Ann. Tr. Mus. III. p. 196 pl. 12 f. 38 (1913).
1478 A. curvilinea Prout.
Gen. Ins. 129 p. 221 (1912).
1479 A. saliata Feld.
Reise Nov. pl. 127 f. 36 (1875).
1480 A. imperfecta Prout.
Ann. Tr. Mus. V. p. 157 pl. XXV. f. 7 (1915).

XENOCHLORODES Warr.
Nov. Zool. IV. p. 47 (1897).
1481 X. xina Prout.
Ann. Tr. Mus. V. p. 157 pl. XXV. f. 5 (1915).

ACIDALIASTIS Hmpsn.
Proc. Zool. Soc. Lond. p. 267 (1896).
1482 A. bicurvifera Prout.
Ann. Tr. Mus. V. p. 158 pl. XXV. f. 8 (1915)

STERRHINÆ (Acidaliinæ).

EPICOSYMBIA Warr.
Nov. Zool. IV. p. 54 (1897).

1483 E. dentisignata Wlk.
Cat. XXVI. p. 1605 (1862).

ANACOSYMBIA Prout.
Ann. Tr. Mus. III. p. 196 (1913).

1484 A. perstrigulata Prout.
Ann. Tr. Mus. III. p. 197 (1913).

1485 A. nitidata Warr.
Nov. Zool. XII. p. 387 (1905).

ISOPLENIA Warr.
Nov. Zool. IV. p. 55 (1897).

1486 I. trisinuata Warr.
Nov. Zool. IV. p. 56 (1897).

DISCOMIOSIS Prout.
Nov. Zool. XXII. p. 325 (1915).

1487 D. crescentifera Warr.
Nov. Zool. IX. p. 504 (1902).

SOMATINA Guen.
Spec. Gén. Lép. X. p. 10 (1857).

1488 S. figurata Warr.
Nov. Zool. IV. p. 61 (1897).

1489 S. rufitacta Warr.
Nov. Zool. XII. p. 390 (1905).

1490 S. ctenophora Prout.
Nov. Zool. XXII. p. 328 (1915).

1491 S. vestalis Butl.
A. M. N. H. (4) 16 p. 419 (1875).

PROBLEPSIS Led.
Verh. zool.-bot. Ges. Wien. p. 74 (1852).

1492 Pr. digammata Kirb.
A. M. N. H. (6) XVIII. p. 396 (1896).

1493 Pr. ægretta Feld.
Reise Nov. pl. 128 f. 14 (1875).

1494 Pr. latonaria Guen.
Spec. Gén. Lép. X. p. 14 (1857).

SCOPULA Schrank.
Fauna Boica 2 (2) p. 71-162 (1802).

1495 Sc. accentuata Guen.
Spec. Gén. Lép. IX. p. 490 (1857).

1496 Sc. acentra Warr.
Nov. Zool. IV. p. 217 (1897).

1497 Sc. acuta Warr.
Nov. Zool. IV. p. 57 (1897).

1498 Sc. antiloparia Wllgrn.
Wien Ent. Mon. p. 151 (1863).

1499 Sc. bigeminata Warr.
Nov. Zool. IV. p. 50 (1897).
ab. fumosaria Swinh.
Transv. Ent. Soc. Lond. p. 554 (1904).
ab. rufifimbria Warr.
Ann. S.A. Mus. X. p. 484 (1914).
1500 Sc. cæsaria Wlk.
Cat. XXII. p. 750 (1861).
1501 Sc. curvimargo Warr.
Nov. Zool. VII. p. 92 (1900).
1502 Sc. demissaria Wlk.
Cat. XXVI. p. 1603 (1862).
1503 Sc. denovani Dist.
Nat. in Transvaal p. 240 pl. 2 f. 4 (1892).
1504 Sc. derasata Wlk.
Cat. XXVI. p. 1604 (1862).
1505 Sc. deserta Warr.
Nov. Zool. IV. p. 51 (1897).
1506 Sc. dissonans Warr.
Nov. Zool. IV. p. 51 (1897).
1507 Sc. duplicipuncta Prout.
Ann Tr. Mus. III. p. 199 pl. XII. f. 18 (1913)
1508 Sc. erinaria Swinh.
Trans. Ent. Soc. Lond. p. 553 (1904).
1509 Sc. exiquaria Wlk.
Cat. XXI. p. 368 (1860).
1510 Sc. fimbrilineata Warr.
Nov. Zool. IX. p. 499 (1903).
1511 Sc. gazellaria Wllgrn.
Wien. ent. Mon. p. 151 (1863).
1512 Sc. glaucocyma Hmpsn.
Proc. Zool. Soc. Lond. p. 478 pl. 39 f. 33 (1910).
1513 Sc. griselineata Warr.
Nov. Zool. VII. p. 94 (1900).
1514 Sc. hectata Guen.
Spec. Gén. Lép. IX. p. 506 (1857).
1515 Sc. impicta Warr.
(ined.)
1516 Sc. inscriptata Wlk.
Cat. XXVI. p. 1605 (1862).
1517 Sc. instructata Wlk.
Cat. XXVI. p. 1604 (1862).
1518 Sc. internata Guen.
Spec. Gén. Lép. IX. p. 506 (1857).
ab. pulverosaria Wlk.
Cat. XXVI. p. 1605 (1862).
1519 Sc. irrufata Warr.
Nov. Zool. XII. p. 391 (1905).
1520 Sc. internataria Wlk.
Cat. XXII. p. 746 (1861).
1521 Sc. ludibunda Prout.
Nov. Zool. XXII. p. 332 (1915).
1522 Sc. megaspilata Wlk.
Cat. XXVI. p. 1602 (1862).
1523 Sc. minorata Boisd.
Nouv. Ann. Mus. Hist. Nat. 2 p. 263 (1833).

1524 Sc. natalica Butl.
A. M. N. H. (4) 16 p. 418 (1875).
ab. diffusizona Hmpsn.
Proc. Zool. Soc. Lond. p. 478 (1910).
1525 Sc. nemorivagata Wllgrn.
Wien. ent. Mon. VII. p. 151 (1863).
1526 Sc. pertinax Prout.
Ann. Tr. Mus. V. p. 158 pl. XXV. f. 9 (1915).
1527 Sc. phyletis Prout.
Ann. Tr. Mus. III. p. 197 pl. XII. f. 34 (1913).
1528 Sc. picta Warr.
Nov. Zool. IV. p. 62 (1897).
1529 Sc. pudens Warr.
Nov. Zool. XII. p. 35 (1905).
1530 Sc. pulchellata Fab.
Ent. Syst. 3 (2) p. 171 (1794).
(Probably not from S. Africa, but India.)
1531 Sc. punctilineata Warr.
Nov. Zool. IV. p. 63 (1897).
1532 Sc. pygargata Wllgrn.
Wien. ent. Mon. VII. p. 150 (1863).
1533 Sc. quintaria Prout.
Ann. Tr. Mus. V. p. 159 pl. XXV. f. 10 (1915).
1534 Sc. reconditaria Snell.
Tijd. voor Ent. (2) 7 p. 76 pl. 6 ff. 8, 9 (1872).
1535 Sc. rossi Prout.
Ann. Tr. Mus. III. p. 199 (1913).
1536 Sc. rudisaria Wlk.
Cat. XXIII. p. 790 (1861).
1537 Sc. sanguinisecta Warr.
Nov. Zool. IV. p. 53 (1897).
1538 Sc. sincera Warr.
Nov. Zool. VIII. p. 208 (1901).
1539 Sc. sinnaria Swinh.
Trans. Ent. Soc. Lond. p. 556 (1901).
1540 Sc. spoliata Wlk.
Cat. XXII. p. 744 (1861).
1541 Sc. straminea Feld.
Reise Nov. pl. 128 f. 33 (1875).
ab. melliflua Warr.
Nov. Zool. IV. p. 52 (1897).
ab. sumpta Prout.
Ann. Tr. Mus. III. p. 198 (1913).
1542 Sc. sublobata Warr.
Nov. Zool. V. p. 19 (1898).
1543 Sc. subobliquata Prout.
Ann. Tr. Mus. III. p. 198 pl. XII. f. 5 (1913).
1544 Sc. rufficolor Prout.
Nov. Zool. XXIII. p. 277 (1916).

INDUNA Warr.
Nov. Zool. IV. p. 55 (1897).
1545 I. rufisalsa Warr.
Nov. Zool. IV. p. 55 (1897).

GLOSSOTROPHIA Prout.
Seitz. Macrolep. IV. p. 82 (1913).

1546 Gl. natalensis Prout.
Nov. Zool. XXII. p. 333 (1915).

ZYGOPHYXIA Prout.
Ann. Tr. Mus. V. p. 164 (1915).

1547 Z. stenoptila Prout.
Ann. Tr. Mus. V. p. 164 pl. XXV. f. 18 (1915).

PTYCHOPODA Steph.
Ill. Brit. Ent. Haust. III. p. 305 (1826).

1548 Pt. accepta Prout.
Nov. Zool. XXII. p. 334 (1915).

1549 Pt. associata Warr.
Nov. Zool. IV. p. 62 (1897).

1550 Pt. basicostalis Warr.
Nov. Zool. VII. p. 93 (1900).

1551 Pt. consericeata Prout.
Ann. Tr. Mus. III. p. 200 pl. XII. f. 9 (1913).

1552 Pt. echo Prout.
Ann. Tr. Mus. V. p. 160 pl. XXV. f. 12 (1915).

1553 Pt. fortificata Prout.
Ann. Tr. Mus. V. p. 160 pl. XXV. f. 11 (1915).

1554 Pt. fumilinea Warr.
Nov. Zool. X. p. 272 (1903).
var. torrida Warr.
Nov. Zool. XI. p. 468 (1902).

1555 Pt. malescripta Warr.
Nov. Zool. IV. p. 57 (1897).

1556 Pt. nasifera Prout.
Ann. Tr. Mus. V. p. 162 pl. XXV. f. 13 (1915).

1557 Pt. nigrosticta Warr.
Nov. Zool. IV. p. 61 (1897).

1558 Pt. paraplesia Prout.
Ann. Tr. Mus. V. p. 161 pl. XXV. f. 14 (1915).

1559 Pt. pericalles Prout.
Ann. Tr. Mus. III. p. 201 pl. XII. f. 32 (1913).

1560 Pt. purpurascens Prout.
Ann. Transv. Mus. V. p. 163 pl. XXV. f. 16 (1915).

1561 Pt. sinuilinea Prout.
Ann. Tr. Mus. III. p. 200 pl. XII. f. 17 (1913).

1562 Pt. squamulata Warr.
Nov. Zool. VII. p. 93 (1900).

1563 Pt. subculta Prout.
Ann. Tr. Mus. V. p. 162 pl. XXV. f. 15 (1915).

1564 Pt. sublimbaria Warr.
Nov. Zool. VII. p. 92 (1900).

1565 Pt. umbricosta Prout.
Ann. Tr. Mus. III. p. 201 pl. XII. f. 37 (1913).
ab. punctigera Prout.
Ann. Tr. Mus. III. p. 201 (1913).

1566 Pt. rufimixta Warr.
Nov. Zool. VIII. p. 207 (1901).
subspec. rufifascia Prout.
Ann. Tr. Mus. V. p. 164 pl. XXV. f. 17 (1915).

EPICLETA Prout.
Nov. Zool. XXII. 335 (1915).
1567 E. calidaria Prout.
Nov. Zool. XXII. p. 335 (1915).

PALÆASPILATES Warr.
Nov. Zool. I. p. 370 (1894).
1568 P. inoffensa Warr.
Nov. Zool. I. p. 370 (1894).
ab. rubida Warr.
Ann. S.A. Mus. X. p. 484 (1914).

CHLORERYTHRA Warr.
Nov. Zool. II. p. 91 (1895).
1569 Chl. rubriplaga Warr.
Nov. Zool. II. p. 91 (1895).
1570 Chl. carnea Warr.
Ann. S.A. Mus. X. p. 495 (1914).

TRAMINDA Saalm.
Lep. Madag. II. p. 496 (1891).
1571 T. neptunaria Guen.
Spec. Gén. Lép. X. p. 3 pl. 18 f. 5 (1858).
1572 T. falcata Warr.
Nov. Zool. IV. p. 64 (1897).
1573 T. unocula Warr.
Nov. Zool. IV. p. 217 (1897).
1574 T. obversata Wlk.
Cat. XXIII. p. 790 (1861).
1575 T. atroviridaria Mab.
C.R. Soc. Ent. Belg. 23 p. XXII. (1880).
ab. rufa Warr.
Nov. Zool. IV. p. 65 (1897).
1576 T. vividaria Wlk.
Cat. XXIII. p. 800 (1861).

PISORACA Wlk.
Cat. XXIV. p. 1079 (1862).
1577 P. sanguinata Warr.
Nov. Zool. XI. p. 467 (1904).
1578 P. lycissaria Guen.
Spec. Gén. Lép. IX. p. 406 (1857).
1579 P. bitactata Wlk.
Cat. XXIV. p. 1079 (1862).
1580 P. cœcaria Guen.
Spec. Gén. Lép. IX. p. 407 (1857).
1581 P. deremptaria Wlk.
Cat. XXVI. p. 1580 (1862).

CHRYSOCRASPEDA Hmpsn.
Faun. Ind. Moths. III. p. 443 (1895).

1582 Chr. leighata Warr.
Nov. Zool. XI. p. 466 (1904).
ab. dehonorata Prout.
Ann. Tr. Mus. III. p. 196 pl. XII. f. 13 (1913)
ab. (?) nigribasalis Warr.
Nov. Zool. XVI. p. 112 (1909).

LARENTIINÆ.

XANTHOTHÖE Hübn.
Verz. bek. Schmett. p. 327 (1826).

1583 X. poseata Guen.
Spec. Gén. Lép. X. p. 462 (1857).
ab. colorata Wlk.
Cat. XXVI. p. 1712 (1862).
1584 X. melissaria Guen.
Spec. Gén. Lép. X. p. 411 (1857).
1585 X. spatiosata Wlk.
Cat. XXIV. p. 1190 (1862).
1586 X. (?) brunneitrames Prout.
Ann. Tr. Mus. V. p. 169 pl. XXV. f. 26 (1915).
1587 X. saturata Guen.
Spec. Gén. Lép. X. p. 269 (1857).

ORTHONAMA Hübn.
Verz. bek. Schmett. p. 331 (1826).

1588 O. discata Warr.
Nov. Zool. XII. p. 391 (1905).
1589 O. obstipata Fabr.
Ent. Syst. 3 (2) p. 199 (1794).

EUPHYIA Hübn.
Verz. bek. Schmett. p. 326 (1826).

1590 E. distinctata Wlk.
Cat. XXIV. p. 1192 (1862).

CAMPTOGRAMMA Steph.
Ill. Haust. 3 p. 264 (1831).

1591 C. natalata Wlk.
Cat. XXV. p. 1351 (1862).

MELANTHIA Dup.
Hist. Nat. Lép. 7 (2) III. (1829).

1592 M. ustiplaga Warr.
Nov. Zool. VI. p. 298 (1899).

POLYSTROMA Warr.
Nov. Zool. IV. p. 236 (1897).

1593 P. subspissata Warr.
Nov. Zool. IV. p. 237 (1897).

ORTHOLITHA Hübn.
Verz. bek. Schmett. p. 338 (1826).
1594 O. atroclarata Wlk.
Cat. XXVI. p. 1737 (1862).
1595 O. deversa Prout.
Ann. Tr. Mus. III. p. 203 pl. XII. f. 14 (1913).
1596 O. cryptocycla Prout.
Ann. Tr. Mus. III. p. 203 pl. XII. f. 35 (1913).
1597 O. epipercna Prout.
Ann. Tr. Mus. III. p. 204 pl. XII. f. 20 (1913).
1598 O. horismodes Prout.
Ann. Tr. Mus. III. p. 205 pl. XII. f. 29 (1913).
1599 O. lamprammodes Prout.
Ent. 44 p. 294 (1911).
1600 O. cryptospilata Wlk.
Cat. XXVI. p. 1738 (1862).
1601 O. megalaria Guen.
Spec. Gén. Lép. X. p. 489 (1857).
1602 O. subrectiaria Wlk.
Cat. XXIII. p. 964 (1861).
1603 O. ferridotata Wlk.
Cat. XXVI. p. 1738 (1862).
1604 O. atrosigillata Wlk.
Cat. XXVI. p. 1739 (1862).
1605 O. nictitaria H.-S.
Samml. Aussereur. Schmett. I. p. 451 (1855).
1606 O. albiclausa Warr.
Nov. Zool. IV. p. 236 (1897).
1607 O. africana Warr.
Ann. S.A. Mus. X. p. 22 (1911).
1608 O. olbia Prout.
Ent. 44 p. 293 (1911).

LARENTIA Treits.
Schmett. Eur. 5 (2) p. 440 (1825).
1609 L. indiscriminata Wlk.
Cat. XXVI. p. 1767 (1862).
1610 L. inæquata Wlk.
Cat. XXIII. p. 964 (1861).
1611 L. bitrita Feld.
Reise Nov. pl. 132 f. 10 (1875).

CŒNOTEPHRIA Prout.
Seitz. Macrolep. 4 p. 238 (1914).
1612 C. prasinaria Warr.
Nov. Zool. VIII. p. 13 (1901).

PERIZOMA Hübn.
Verz. bek. Schmett. p. 327 (1826)
1613 P. eviscerata Warr.
A. S. A. M. X. p. 485 pl. XLI. f. 12 (1914).

GONANTICLEA Swinh.
Trans. Ent. Soc. Lond. p. 3 (1892).
1614 G. aspersata Wlk.
Cat. XXV. p. 1400 (1862).

1615 G. meridionata Wlk.
Cat. XXV. p. 1399 (1862).

HORISME Hübn.
Verz. bek. Schmett. p. 321 (1826).

1616 H. minuata Wlk.
Cat. XXI. p. 317 (1860).

1617 H. obscurata Prout.
Ann. Tr. Mus. III. p. 205 pl. XII. f. 21 (1913).

1618 H. filia Prout.
Ann. Tr. Mus. III. p. 206 pl. XII. f. 36 (1913).

COLLIX Guen.
Spec. Gén. Lép. X. p. 357 (1857).

1619 C. foraminata Guen.
Spec. Gén. Lép. X. p. 358 (1857).

ECCYMATOGE Prout.
Ann. Tr. Mus. III. p. 207 (1913).

1620 E. melanoterma Prout.
Ann. Tr. Mus. III. p. 207 (1913).

LOXOFIDONIA Pack.
Mon. Geom. U.S.A. p. 223 (1876).

1621 L. sylvicultrix Wllgrn.
Öfv. Vet. Ak. Förh. 3 p. 57 (1872).

1622 L. explanata Wlk.
Cat. XXIV. p. 1190 (1862).

EPIRRHÖE Hübn.
Verz. bek. Schmett. p. 328 (1826).

1623 E. achatina Prout.
Nov. Zool. XXII. p. 337 (1915).

1624 E. edelsteni Prout.
Nov. Zool. XXIII. p. 279 (1916).

MIMOCLYSTIA Warr.
Nov. Zool. VIII. p. 14 (1901).

1625 .M undulosata Warr.
Nov. Zool. VIII. p. 14 (1901).

EULYPE Hübn.
Verz. bek. Schmett. p. 328 (1826).

1626 E. pudicata Wlk.
Cat. XXV. p. 1399 (1862).
var. quaggaria Wllgrn.
Ofv. af. K. Vet. Ak. Förh 3 p. 56 (1872).

LEPIODES Guen.
Spec. Gén. Lép. X. p. 359 (1857).

1627 L. infectaria Guen.
Spec. Gén. Lép. X. p. 359 pl. 22 f. 7 (1857)

EUPITHECIA Curt.
Brit. Ent. VI. pl. 64 (1825).

1628 E. inconclusaria Wlk.
Cat. XXIV. p. 1102 (1862).

1629 E. atomaria Warr.
Nov. Zool. IX. p. 510 (1902).

1630 E. sagittata Warr.
Nov. Zool. IV. p. 71 (1897).

1631 E. hypophasma Prout.
Ann. Tr. Mus. III. p. 207 pl. XII. f. 3 (1913).

1632 E. dilucida Warr.
Nov. Zool. VI. p. 297 (1899).

1633 E. nigribasis Warr.
(ab.) Nov. Zool. IX. p. 74 (1902).

1634 E. festiva Prout.
Ann. Tr. Mus. V. p. 166 pl. XXV. f. 21 (1915).

1635 E. gradatilinea Prout.
Ann. Tr. Mus. V. p. 166 pl. XXV. f. 22 (1915).
var. rubidimixta Prout.
Ann. Tr. Mus. V. p. 167 pl. XXV. f. 23 (1915).

1636 E. subscriptaria Prout.
(ined).

1637 E. bryophilaria Warr.
Nov. Zool. X. p. 274 (1903).

1638 E. rubiginifera. Prout.
Ann. Tr. Mus. p. 208 pl. XII. f. 26 (1913).

1639 E. macropterata Wlk.
Cat. XXXV. p. 1673 (1866).

1640 E. brachyptera Prout.
Ann. Tr. Mus. III. p. 209 pl. XII. f. 8 (1913).

1641 E. perizomoides Prout.
Ann. Tr. Mus. V. p. 168 pl. XXV. f. 24 (1915).

1642 E. smaragdinata Wlk.
Cat. XXV. p. 1401 (1862).

1643 E. polylibades Prout.
Ann. Tr. Mus. V. p. 168 pl. XXV. f. 27 (1915).

1644 E. subterlimbata Prout.
(ined).

1645 E. cidariata Guen.
Spec. Gén. Lép. X. p. 357 pl. 11 f. 9 (1857).

1646 E. dryas Prout.
Nov. Zool. XXII. p. 338 (1915).

CHLOROCLYSTIS Hübn.
Verz. bek. Schmett. p. 323 (1826).

1647 Chl. marmorata Warr.
Nov. Zool. IV. p. 114 (1897).

1648 Chl. grisea Warr.
Nov. Zool. XXII. p. 318 (1915).

1649 Chl. consobrina Warr.
Nov. Zool. VIII. p. 11 (1901).

1650 Chl. gymnoseclides Prout.
Ann. Tr. Mus. V. p. 169 pl. XXV. f. 25 (1915).

1651 Chl. muscosa Warr.
Ann. S.A. Mus. X. p. 491 (1914).

1652 Chl. (??) dentatissima Warr.
Nov. Zool. V. p. 428 (1898).
1653 Chl. lita Prout.
Nov. Zool. XXIII. p. 279 (1916).

SAURIS Guen.
Spec. Gén. Lép. X. p. 361 (1857).
1654 S. confusidentata Warr.
Nov. Zool. IV. p. 66 (1897).
1655 S. spectabilis Warr.
Nov. Zool. VI. p. 36 (1899).

DIPTYCHIS (Feld).
Warr. Nov. Zool. II. p. 125 (1895).
1656 D. geometrina Feld.
Reise Nov. pl. 100 f. 20 (1868).
1657 D. (?) inflammata Warr.
Nov. Zool. I. p. 421 (1894).

LITHOSTEGE Hübn.
Verz. bek. Schmett. p. 337 (1826).
1658 L. decorata Warr.
Ann. S.A. Mus. X. p. 23 (1911).
1659 L. sesquifascia Prout.
Ann. Tr. Mus. III. p. 202 pl. XII. f. 31 (1913).

CONCHYLIA Guen.
Spec. Gén. Lép. X. p. 186 (1857).
1660 C. ditissimaria Guen.
Spec. Gén. Lép. X. p. 186 (1857).
1661 C. lapsicolumna Prout.
Ann. Tr. Mus. V. p. 165 pl. XXV. f. 20 (1915).
1662 C. pactolaria Wllgrn.
Öfv. Vet. Ak. Förh. 3 p. 55 (1872).
1663 C. nitidula Cram.
Pap. Exot. IV. p. 240 pl. 399 N. (1782).
1664 C. frosinaria Stoll.
Pap. Exot. IV. pl. 36 f. 7 (1782).
1665 C. gamma Prout.
Nov. Zool. XXII. p. 336 (1915).
1666 C. irene Prout.
Nov. Zool. XXII. p. 336 (1915).

RHODOMETRA Meyr.
Trans. Ent. Soc. Lond. p. 75 (1892).
1667 Rh. sacraria Lin.
Syst. Nat. (ed. XII.) p. 220 (1767).
ab. labda Cram.
Pap. Exot. II. p. 129 pl. 181 f. D. (1777).
1668 Rh. satura Prout.
Ann. Tr. Mus. V. p. 165 pl. XXV. f. 19 (1915).
1669 Rh. participata Wlk.
Cat. XXIV. p. 1060 (1862).

ANTHEMOCTENA Warr.
Nov. Zool. II. p. 102 (1895).
1670 A. textilis Wllgrn.
Öfv. Vet. Ak. Förh. p. 60 (1872).
1671 A. lineata Warr.
Nov. Zool. II. p. 102 (1895) (= ? A. textilis).

LYCAUGIDIA Hmpsn.
Faun. Ind. Moth. III. p. 424 (1895).
1672 L. albatus Swinh.
Proc. Zool. Soc. Lond. p. 862 pl. 56 f. 5 (1888).

HYDRELIA Hübn.
Verz. Bek. Schmett. p. 322 (1826).
1673 H. inutilis Warr.
Nov. Zool. VIII. p. 209 (1901).

CAMBOGIA Guen.
Spec. Gén. Lép. IX. p. 431 (1857).
1674 C. grataria Wlk.
Cat. XXII. p. 63 (1861).
ab. mediofusca Prout.
Ann. Tr. Mus. III. p. 202 (1913).

GEOMETRINÆ.

CRAMBOMETRA Prout.
Nov. Zool. XXII. p. 376 (1915).
1675 Cr. derelicta Prout.
Nov. Zool. XXII. p. 376 (1915).

MAUNA Wlk.
Cat. XXXIII. p. 867 (1865).
1676 M. ardescens Prout.
Ann. Tr. Mus. V. p. 170 pl. XXV. f. 29 (1915).
1677 M. filia Cram.
Pap. Exot. p. 128 pl. 264 f. D. (1779).

ACRASIA Feld.
Reise Nov. pl. 131 (Erklärung) (1875).
1678 A. crinita Feld.
Reise Nov. pl. 131 f. 26 (1875).

MICROLIGIA Warr.
Nov. Zool. IV. p. 124 (1897).
1679 M. dolosa Warr.
Nov. Zool. IV. p. 125 (1897).
1680 M. luteitincta Prout.
Nov. Zool. XXIII. p. 280 (1916).

ARGYROPHORA Guen.
Spec. Gén. Lép. X. p. 230 (1857).
1681 A. trofonia Cram.
Pap. Exot. III. p. 92 t. 247 F. (1779).
ab. arcualis Westw.
Jard. Nat. Libr. Ins. vol. V. p. 228 pl. 30 f. 3.

PSEUDOMÆNAS Prout.
(nom. nov.) ined. = Agrammodes Warr.
Ann. S.A. Mus. X. p. 8 (1916).

1682 Ps. leucograpta Warr.
Ann. S.A. Mus. X. p. 27 (1911).

1683 Ps. margarita Warr.
Ann. S.A. Mus. X. p. 496 (1914).

1684 Ps. aleidata Feld.
Reise Nov. pl. 129 f. 8 (1875).

1685 Ps. anguinata Feld.
Reise Nov. pl. 129 f. 1 (1875).

1686 Ps. bivirgata Feld.
Reise Nov. pl. 129 f. 22 (1875).

1687 Ps. tricolor Warr.
Nov. Zool. IV. p. 99 (1897).

1688 Ps. intricata Wlk.
Cat. XII. p. 814 (1857).

HEBDOMOPHRUDA Warr.
Nov. Zool. IV. p. 100 (1897)

1689 H. eupitheciata Warr.
Ann. S.A. Mus. X. p. 499 (1914).
ab. diploschema Prout.
Nov. Zool. XXII. p. 376 (1915).

1690 H. apicata Warr.
Nov. Zool. IV. p. 101 (1897).

1691 H. curvilinea Warr.
Nov. Zool. IV. p. 101 (1897).

1692 H. curvaria Dew.
Nova. Acta. Deuts. Akad. p. 86 pl. 2 f. 23 (1881).

DREPANOGYNIS Guen.
Spec. Gén. Lép. IX. p. 92 (1857).

1693 D. fuscimargo Warr.
Nov. Zool. V. p. 255 (1898).

1694 D. epione Prout.
Ann. Tr. Mus. III. p. 213 pl. XII. f. 15 (1913).

1695 D. chromatina Prout.
Ann. Tr. Mus. III. p. 212 pl. XII. f. 27 (1913).

1696 D. nigrapex Prout.
Ann. Tr. Mus. III. p. 211 pl. XII. f. 1 (1913).

1697 D. devia Prout
Ann. Tr. Mus. III. p. 210 pl. XII. f. 12 (1913).

1698 D. serrifasciaria H.-S.
Exot. Schmett. pl. 39 f. 195 (1854).

1699 D. mixtaria Guen.
Spec. Gén. Lép. IX. p. 93 (1857).

1700 D. tripartita Warr.
Nov. Zool. V. p. 35 (1898).

1701 D. admiranda Warr.
Nov. Zool. XII. p. 406 (1905).

1702 D. strigulosa Prout.
Nov. Zool. XXIII. p. 280 (1916).

1703 D. glaucichorda Prout.
Ann. Tr. Mus. V. p. 171 pl. XXV. f. 28 (1915).

1704 D. incondita Warr.
Nov. Zool. XI. p. 476 (1904).
1705 D. monas Prout.
Nov. Zool. XXIII. p. 280 (1916).

DYSCIA Hübn.
Verz. bek. Schmett, p. 314 (1826).
1706 D. inspersaria Guen.
Spec. Gén. Lép. X. p. 142 (1857).
1707 D. perplexata Warr.
Nov. Zool. XI. p. 476 (1904).
1708 D. unilineata Warr.
Ann. S.A. Mus. X. p. 492 (1914).

DERRIOIDES Butl.
A.M.N.H. (4) XVI. p. 401 (1875).
1709 D. hypenissa Butl.
A.M.N.H. (4) XVI. p. 401 (1875).
1710 D. villaria Feld.
Reise Nov. t. 124 f.l. (1875).
1711 D. valida Warr.
Ann. S.A. Mus. X. p. 497 (1914).

ASPILATOPSIS Warr.
Nov. Zool. IV. p. 100 (1897).
1712 A. antennaria Guen.
Spec. Gén. Lép. IX. p. 99 (1857).
1713 A. alicata Feld.
Reise Nov. pl. 129 f. 17 (1875).
1714 A. unilineata Warr.
Nov. Zool. IV. p. 124 (1897).
(most probably the male of A. antennaria).
1715 A. gloriola Prout.
Ann. Tr. Mus. III. p. 210 pl. XII. f. 19 (1913).
1716 A. punctata Warr.
Nov. Zool. IV. p. 100 (1897).
1717 A. carneata Warr.
Nov. Zool. XI. p. 481 (1904).
1718 A. rufaria Warr.
Nov. Zool. XVI. p. 120 (1909).

SICYODES Warr.
Nov. Zool. I. p. 450 (1894).
1719 S. ocellata Warr.
Nov. Zool. IV. p. 260 (1897).
form intuens Prout.
Ann. Tr. Mus. V. p. 172 (1915).
1720 S. cambogiaria Guen.
Spec. Gén. Lép. IX. p. 98 (1857).
1721 S. olivescens Warr.
Nov. Zool. V. p. 36 (1898).
1722 S. biferaria Wlk.
Cat. XXVI. p. 1678 (1862).
1723 S. convexaria Wlk.
Cat. XXVI. p. 1511 (1862).

1724 S. biviaria Guen.
Spec. Gén. Lép. IX. p. 99 (1857).
form paucaria Guen.
Spec. Gén. Lép. IX. p. 99 (1857).

EUPAGIA Wlk.
Cat. XX. p. 217 (1860).
1725 E. determinata Wlk.
Cat. XX. p. 216 (1860).
1726 E. curvifascia Prout.
Nov. Zool. XXIII. p. 281 (1916).

AXIODES Warr.
Nov. Zool. I. p. 465 (1894).
1727 A. rufigrisea Warr.
Ann. S.A. Mus. X. p. 27 (1911).
1728 A. insciata Feld.
Reise Nov. pl. 129 f. 10 (1875).
1729 A. figurata Warr.
Nov. Zool. IV. p. 61 (1897).
1730 A. inangulata Warr.
Nov. Zool. XII. p. 408 (1905).
1731 A. intricata Warr.
Nov. Zool. XII. p. 408 (1905).
1732 A. sinuata Warr.
Nov. Zool. XII. p. 408 (1905).
1733 A. bipartita Warr.
Ann. S.A. Mus. X. p. 496 (1914).
1734 A. ennomaria Warr.
Nov. Zool. XI. p. 480 (1904).
1735 A. inæqualis Prout.
Nov. Zool. XXII. p. 377 (1915).
1736 A. tripartita Prout.
Nov. Zool. XXII. p. 377 (1915).
1737 A. bifasciata Dew.
Nova Acta Deuts. Akad. p. 86 pl. 2 f. 18 (1881).

BICLAVIGERA Warr.
Nov. Zool. I. p. 437 (1894).
1738 B. præcanaria H.-S.
Exot. Lep. pl. 78 f. 449 (1854).
1739 B. deterior Prout.
Nov. Zool. XXIII. p. 281 (1916).

HAGGARDIA Warr.
Nov. Zool. XI. p. 473 (1904).
1740 H. dentilinea Warr.
Nov. Zool. IV. p. 245 (1897).
1741 H. subalbata Warr.
Nov. Zool. XII. p. 396 (1905).
1742 H. mailaria Swinh.
Transv. Ent. Soc. Lond. p. 535 (1904).
subspec. cæca Prout.
Ann. Tr. Mus. III. p. 223 pl. XII. f. 11 (1913).
1743 H. spissata Warr.
Nov. Zool. XII. p. 396 (1905).

1744 H. grisea Warr.
Nov. Zool. IV. p. 91 (1897).
1745 H. subpunctata Warr.
Nov. Zool. IV. p. 91 (1897).
1746 H. extorris Warr.
Nov. Zool. XI. p. 482 (1904).
1747 H. patulata Wlk.
Cat. XXVI. p. 1500 (1862).
1748 H. melanostigma Warr.
Nov. Zool. XI. p. 473 (1904).

APHILOPOTA Warr.
Nov. Zool. VI. p. 304 (1899).
1749 A. interpellans Butl.
A. M. N. H. (4) 16 p. 417 (1875).

ILLA Warr.
Ann. S.A. Mus. X. p. 487 (1914).
1750 I. nefanda Warr.
Ann. S.A. Mus. X. p. 487 pl. XLI. f. 5 (1914)

OMPHALUCHA Warr.
Nov. Zool. XII. p. 397 (1905).
1751 O. maturnaria Möschl.
Verh. zool.-bot. Ges. Wien. XXXIII. p. 307 t. 16 f. 23 (1884).

APOCHEIMA Hübn.
Verz. bek. Schmett. p. 319 (1826).
1752 A. trisecta Warr.
Nov. Zool. IV. p. 91 (1897).

CUSIALA Moore.
Lep. Ceyl. III. p. 407 (1887).
1753 C. (?) pulverosa Warr.
Nov. Zool. XI. p. 472 (1904).

HEMEROPHILA Steph.
Ill. Haust. III. p. 189 (1831).
1754 H. obtusata Warr.
Nov. Zool. IX. p. 521 (1902).
1755 H. accentuata Feld.
Reise Nov. pl. 125 f. 6 (1875).
1756 H. serrataria Wlk.
Cat. XXI. p. 412 (1860).
1757 H. contemptaria Wlk.
Cat. XXI. p. 367 (1860).

XYLOPTERYX Guen.
Spec. Gén. Lép. IX. 215 (1857).
1758 X. protearia Guen.
Spec. Gén. Lép. IX. p. 215 pl. 4 f. 8 (1857).
ab. lucidiscata Wlk.
Cat. XXVI. p. 1724 (1862).
1759 X. prasinaria Hmpsn.
Tr. Zool. Soc. Lond. 19 p. 125 t. 4 f. 57 (1909)

1760 X. arcuata Wlk.
Cat. XXIV. p. 1191 (1862)

CATASCIA Hübn.
Verz. bek. Schmett. p. 313 (1826).
1761 C. renitens Warr.
Ann. S.A. Mus. X. p. 491 pl. XLI. f. 3 (1914).

GNOPHOS Treit.
Schmett. Eur. 5 (2) p. 432 (1825).
1762 Gn. rubricimixta Prout.
Nov. Zool. XXII. p. 365 (1915).
1763 Gn. delagardei Prout.
Nov. Zool. XXII. p. 365 (1915).

ELOPHOS Boisd.
Gen. et. Ind. Meth. Eur. Lep. p. 199 (1840).
1764 E. barbarica Prout.
Nov. Zool. XXII. p. 366 (1915).

IDIOTEPHRA Warr.
Nov. Zool. VI. p. 60 (1899).
1765 I. simplex. War.
Ann. S.A. Mus. X. p. 490 pl. XLI. f. 2 (1914).

MYRIOBLEPHARA Warr.
Proc. Zool. Soc. Lond. p. 428 (1893).
1766 M. sublimbata Warr.
Ann. S.A. Mus. X. p. 25 (1911).
1767 M. decisca Warr.
Ann. S.A. Mus. X. p. 488 pl. XLI. f. 11 (1914).

ECTROPIS Hübn.
Verz. bek. Schmett. p. 316 (1826).
1768 E. delosaria Wlk.
Cat. XXVI. p. 1541 (1862).
ab. rubidior Prout.
Ann. Tr. Mus. III. p. 220 (1913).
1769 E. obliquilinea Prout.
Ann. Tr. Mus. V. p. 178 pl. XXV. f. 38 (1915).
1770 E. spoliataria Wlk.
Cat. XXI. p. 368 (1860).

RACOTIS Moore.
Lep. Ceyl. III. p. 418 (1887).
1771 R. squalida Butl.
A. M. N. H. (5) 2. p. 465 (1878).
1772 R. zebrina Warr.
Nov. Zool. VI. p. 56 (1899).

ASCOTIS Hübn.
Verz. bek. Schmett. p. 313 (1826).
1773 A. nigristigma Warr.
Nov. Zool. XII. p. 399 (1905).

1774 A. selenaria Schiff.
Schmett. Wien. p. 101 (1775).
ab. fasciata Warr.
Nov. Zool. IV. p. 92 (1897).
subspec. reciprocaria Wlk.
Cat. XXI. p. 366 (1860).
1775 A. semifusca Warr.
Nov. Zool. XI. p. 475 (1904).

CHOGADA Moore.
Lep. Ceyl. III. p. 415 (1887).
1776 Ch. betularia Warr.
Nov. Zool. IV. p. 93 (1897).
1777 Ch. tulbaghata Feld.
Reise Nov. pl. 125 f. 5 (1875).
1778 Ch. funesta Warr.
Nov. Zool. XII. p. 398 (1905).
1779 Ch. munda Warr.
Nov. Zool. VI. p. 52 (1899).
1780 Ch. acaciaria Boisd.
Nouv. Ann. Mus. Nat. Hist. II. p. 264 t. 16 f. 4 (1833).

CLEORA Curt.
Brit. Ent. II. p. 88 (1825).
1781 Cl. divisaria Wlk.
Cat. XXI. p. 366 (1860).
ab. crassilineata Prout.
Ann. Tr. Mus. III. p. 221 pl. XII. f. 30 (1913).
1782 Cl. proximaria Wlk.
Cat. XXI. p. 365 (1860).
1783 Cl. incauta Prout.
Ann. Tr. Mus. V. p. 176 pl. XXV. f. 35 (1915).
1784 Cl. extremaria Wlk.
Cat. XXI. p. 367 (1860).
1785 Cl. octopunctata Warr.
Nov. Zool. IV. p. 92 (1897).

BOARMIA Treit.
Schmett. Eur. 5 (2) p. 433 (1825).
1786 B. ectropodes Prout.
Ann. Tr. Mus. III. p. 221 pl. XII. f. 39 (1913).
1787 B. gonophora Prout.
Ann. Tr. Mus. V. p. 177 pl. XXV. f. 36 (1915).
ab. albimacula Prout.
Ann. Tr. Mus. V. p. 178 pl. XXV. f. 37 (1915).
1788 B. pallidizona Hmpsn.
Proc. Zool. Soc. Lond. p. 473 pl. 39 f. 7 (1910).
1789 B. octomaculata Wllgrn.
Öfv. Vet. Akad. Förh. 3. p. 59 (1872).
1790 B. perfectaria Wlk.
Cat. XXXV. p. 1581 (1866).
1791 B. barretti Prout.
Nov. Zool. XXII. p. 355 (1915).
1792 B. cataïmena Prout.
Nov. Zool. XXII. p. 358 (1915).

1793 B. sabinei Prout.
Nov. Zool. XXII. p. 357 (1915).
1794 B. complacita Prout.
Nov. Zool. XXII. p. 355 (1915).

TEPHRINA Guen.
In Dup. Cat. Méth. Lép. p. 246 (1845).
1795 T. geminata Warr.
Nov. Zool. IV. p. 113 (1897).
1796 T. exospilata Wlk.
Cat. XXIII. p. 987 (1861).
1797 T. confertaria Warr.
Ann. S.A. Mus X. p. 489 pl. XLI. f. 8 (1914)
1798 T. exmotaria Wlk.
Cat. XXIII. p. 961 (1861).
1799 T. catalaunaria Guen.
Spec. Gén. Lép. X. p. 108 (1857).
1800 T. spissata Wlk.
Cat. XXIV. p. 1071 (1862).
1801 T. deerraria Wlk.
Cat. XXIII. p. 962 (1861).
ab. dissocia Warr.
Nov. Zool. IV. p. 112 (1897).
1802 T. nemorivaga Wllgrn.
Öfv. af. K. Vet. Ak. Förh. p. 59 (1872).
1803 T. acrobelia Wllgrn.
Öfv. af. K. Vet. Akad. Förh. p. 122 (1875).
1804 T. inconspicua Warr.
Nov. Zool. IV. p. 113 (1897).
1805 T. supergressa Prout.
Ann. Tr. Mus. III. p. 215 pl. XII. f. 6 (1913).
1806 T. furcata Warr.
Nov. Zool. IV. p. 112 (1897).
1807 T. cinerascens Butl.
A. M. N. H. (4) 16 p. 418 (1875).
1808 T. dataria Wlk.
Cat. XXIII. p. 96 (1861).
1809 T. defectaria Wlk.
Cat. XXIII. p. 962 (1861).
1810 T. antennata Warr.
Nov. Zool. IV. p. 399 (1897).
1811 T. (?) deviaria Wlk.
Cat. XXIV. p. 1762 (1862).
1812 T. latiscriptata Wlk,
Cat. XXVI. p. 1760 (1862).
1813 T. umbratilis Butl.
A. M. N. H. (4) XVI. p. 417 (1875).

PERIDELA Warr.
Nov. Zool. IV. p. 110 (1897).
1814 P. interrupta Warr.
Nov. IV. p. 110 (1897).
1815 P. crassata Warr.
Nov. Zool. IV. p. 110 (1897.)
1816 P. inæquilinea Warr.

Ann. S.A. Mus. X. p. 26 (1911).

1817 P. arenosa Butl.
A. M. N. H. (4) 16 p. 419 (1875).

HYOSTOMODES Warr.
Nov. Zool. IV. p. 242 (1897).

1818 H. nubilata Warr.
Nov. Zool. IV. p. 242 (1897).

MACARIA Curt.
Brit. Ent. III. p. 32 (1826).

1819 M. alternata Warr.
Nov. Zool. VI. p. 306 (1899).

1820 M. brongusaria Wlk.
Cat. XX. p. 123 (1860).

ab. exsecutaria Wlk.
Cat. XXIII. p. 968 (1861).

1821 M. cataleucaria Mab.
Ann. Soc. Ent. Fr. 66 p. 229 (1897).

1822 M. confuscata Warr.
Nov. Zool. VI. p. 308 (1899).

1823 M. conventa Prout.
Ann. Transv. Mus. III. p. 217 pl. XII. f. 25 (1913).

1824 M. costiguttata Warr.
Nov. Zool. VI. p. 58 (1899).

1825 M. distinguenda Warr.
Nov .Zool. IV. p. 106 (1897) (probably = kirbyi Wllgrn).

1826 M. duplicilinea Warr.
Nov. Zool. IV. p. 107 (1897).

1827 M. elata Prout.
Ann. Tr. Mus. V. p. 175 pl. XXV. f. 34 (1915).

1828 M. feraliata Guen.
Spec. Gén. Lép. X. p. 88 (1857).

1829 M. getula Wllgrn.
Öfv. af. K. Vet. Akad. Förh. p. 58 (1872).

1830 M. grimmia Wllgrn.
Ofv. af. K. Vet. Akad. Förh. p. 57 (1872).

1831 M. grisescens Prout.
Ann. Tr. Mus. V. p. 173 pl. XXV. f. 31 (1915).

1832 M. hypolenca Prout.
Ann. Tr. Mus. V. p. 174 pl. XXV. f. 32 (1915).

1833 M. johnstoni Butl.
Proc. Zool. Soc. Lond. p. 683 (1893).

1834 M. kilimanjarensis Holl.
Ent. XXV. suppl. p. 95 (1892).

ab. mundipennis Warr.
Nov. Zool. VIII. p. 213 (1901).

ab. transvisata Warr.
Nov. Zool. XI. p. 471 (1904).

1835 M. kirbyi Wllgrn.
Öfv. af. K. Vet. Akad. Förh. p. 121 (1875).

1836 M. lataria Wlk.
Cat. XXIII. p. 921 (1861).

1837 M. leighi Warr.
Nov. Zool. XI. p. 478 (1904).
1838 M. majestica Warr.
Nov. Zool. VIII. p. 213 (1901).
1839 M. multistrigata Warr.
Nov. Zool. IV. p. 108 (1897).
1840 M. natalensis Warr.
Nov. Zool. XI. p. 479 (1904).
1841 M. nobilitata Prout.
Ann. Tr. Mus. III. p. 216 (1913).
1842 M. rectilinea Warr.
Nov. Zool. XII. p. 403 (1905).
1843 M. rectistriaria H.-S.
Exot. Schmett. p. 197 (1854).
1844 M. semitecta Wlk.
Cat. XXIII. p. 987 (1861).
1845 M. simplicilinea Warr.
Nov. Zool. XII. p. 401 (1905).
1846 M. streniata Guen.
Spec. Gén. Lép. X. p. 87 (1857).
1847 M. tecnium Prout.
Ann. Tr. Mus. V. p. 175 pl. XXV. f. 33 (1915).
1848 M. trirecurva Saalm.
Lep. Madag. p. 497 (1891).
1849 M. umbrata Warr.
Nov. Zool. IV. p. 109 (1897).
1850 M. unicolor Warr.
Nov. Zool. XII. p. 403 (1905).
1851 M. vau Prout.
Ann. Tr. Mus. III. p. 217 pl. XII. f. 16 (1913).

DISCALMA Meyr.
Proc. Linn. Soc. N.S. Wales (2) 6. p. 590 (1892).
1852 D. marmorata Warr.
Nov. Zool. IV. p. 114 (1897).
ab. pallida Warr.
Nov. Zool. IV. p. 114 (1897).
1853 D. bitæniata Warr.
Ann. S.A. Mus. X. p. 489 (1914).
1854 D. subcurvaria Mab.
Ann. Soc. Ent. Fr. 66 p. 228 (1897).
1855 D. observata Wlk.
Cat. XXIII. p. 963 (1861).
1856 D. normata Wlk.
Cat. XXIII. p. 966 (1861).
1857 D. illineata Warr.
Nov. Zool. VIII. p. 214 (1901).

OSTEODES Guen.
Spec. Gén. Lép. X. p. 177 (1857).
1858 O. turbulenta Guen.
Spec. Gén. Lép. X. p. 177 (1857).
1859 O. procidata Guen.
Spec. Gén. Lép. X. p. 177 (1857).
(Perhaps not a South African species).

PLATYPEPLA Warr.
Nov. Zool. VII. p. 96 (1900).

1860 Pl. spurcata Warr.
Nov. Zool. IV. p. 118 (1897).

1861 Pl. nudaria Warr.
Nov. Zool. VII. p. 96 (1900).

PLATEOPLIA Warr.
Nov. Zool. XVI. p. 120 (1909).

1862 Pl. flavata Warr.
Nov. Zool. IV. p. 81 (1897).

PETRODAVA Wlk.
Cat. XXVI. p. 1656 (1862)

1863 P. biskraria Ob.
Bull. Soc. Ent. Fr. p. 132 (1884).

1864 P. subapicata Warr.
Nov. Zool. VI. p. 308 (1899).

1865 P. leucicolor Butl.
A.M.N.H. (4) 16 p. 417 (1875).
subspec. muscosa Warr.
Ann. S.A. Mus. X. p. 491 (1914).

1866 P. atrisignata Warr.
Ann. S.A. Mus. X. p. 490 pl. XLI. f. 4 (1914).

1867 P. madecassaria Boisd.
Faune Ent. Madag. p. 114 (1833).

GONODONTIS Hübn.
Verz. beb. Schmett. p. 287 (1826).

1868 G. noctuodes Warr.
Nov. Zool. XI. p. 481 (1904).

1869 G. erebaria Guen.
Spec. Gén. Lép. IX. p. 166 (1857).

1870 G. integraria Guen.
Spec. Gén. Lép. IX. p. 166 (1857).

PSILOCERA Saalm.
Ber. Senck. Ges. p. 293 (1880).

1871 Ps. pulverosa Warr.
Nov. Zool. I. p. 461 (1894).

PROCYPHA Warr.
Nov. Zool. IV. p. 121 (1897).

1872 Pr. maculosata Warr.
Nov. Zool. IV. p. 121 (1897).

1873 Pr. lactesignata Warr.
Ann. S.A. Mus. X. p. 495 pl. XLI. f. 6 (1914).

PSILOCLADIA Warr.
Nov. Zool. V. p. 40 (1898).

1874 Ps. obliquata Warr.
Nov. Zool. V. p. 41 (1898).

CŒNINA Wlk.
Cat. XX. p. 217 (1860).
1875 C. pœcilaria H.-S.
Exot. Schmett. ff. 192, 193 (1860).

XENIMPIA Warr.
Nov. Zool. II. p. 135 (1895).
1876 X. erosa Warr.
Nov. Zool. II. p. 135 (1895).

MIANTOCHORA Warr.
Nov. Zool. II. p. 145 (1895).
1877 M. inæquilinea Warr.
Nov. Zool. II. p. 145 (1895).

PLEGOPTERYX H.-S.
Samml. Ausser Eur. Schmett. I. p. 76 (1856).
1878 Pl. anomalus H.-S.
l.c. I. t. 80 ff. 462, 463 (1856).
ab. viridis Warr.
Nov. Zool. XVI. p. 122 (1909).

EUEXIA Prout.
Nov. Zool. XXII. p. 378 (1915).
1879 Eu. percnopis Prout.
Nov. Zool. XXI. p. 379 (1915).

OMIZODES Warr.
Nov. Zool. I. p. 448 (1894).
1880 O. ocellata Warr.
Nov. Zool. I. p. 448 (1894).

PHŒNICOCAMPA Warr.
Nov. Zool. II. p. 51 (1895).
1881 Ph. terinata Feld.
Reise Nov. pl. CXXIX. f. 13 (1875).

PARECLIPSIS Warr.
Nov. Zool. I. p. 462 (1894).
1882 P. punctata Warr.
Nov. Zool. VII. p. 97 (1900).
ab. distolochorda Prout.
Ann. Tr. Mus. V. p. 179 pl. XXV. f. 39 (1915)
1883 P. ochrea Warr.
Nov. Zool. XII. p. 409 (1905).
1884 P. oxyptera Prout.
Nov. Zool. XXIII. p. 284 (1916).
1884a P. incerta Prout.
Nov. Zool. XXIII. p. 284 (1916).
1884b P. leptophyes Prout.
Nov. Zool. XXIII. p. 285 (1916).

NOPIA Wlk.
Cat. XXIV. p. 1091 (1862).
1885 N. saxaria Guen.
Spec. Gén. Lép. X. p. 132 (1857).

ASPILATES Treit.
Schmett. Eur. 5 (2). p. 43 (1825).
1886 A. illepidata Wlk.
Cat. XXIV. p. 1070 (1862).
1887 A. inceptaria Wlk.
Cat. XXVI. p. 1763 (1862).
1888 A. sabuliferata Wlk.
Cat. XXVI. p. 1762 (1862).

PARACROCOTA Warr.
Nov. Zool. IV. p. 58 (1897).
1889 P. mæviaria Guen.
Spec. Gén. Lép. X. p. 185 (1857).

LOXOPORA Warr.
Ann. S.A. Mus. X. p. 492 (1914).
1890 L. dentilineata Warr.
Ann. S.A. Mus. X. p. 493 pl. XLI. f. 7 (1914).

PERUSIOPSIS Warr.
Ann. S.A. Mus. X. p. 493 (1914).
1891 P. veninotata Warr.
Ann. S.A. Mus. X. p. 494 pl. XLI. f. 10 (1914).

OBOLCOLA Wlk.
Cat. XXIV. p. 1101 (1862).
1892 O. flavescens Prout.
Ann. Tr. Mus. III. p. 215 pl. XII. f. 24 (1913).
1893 O. deocellata Prout.
Ann. Tr. Mus. III. p. 215 pl. XII. f. 2 (1913).
1894 O. petronaria Guen.
Spec. Gén. Lép. X. p. 44 pl. 11 f. 3 (1857).
1895 O. ferrorubrata Wlk.
Cat. XXVI. p. 1670 (1862).

FIDONIA Treit.
Schmett. Eur. 5. (2). p. 435 (1825).
1896 F. (?) acuta Warr.
Nov. Zool. IV. p. 57 (1897).
1897 F. subfuligata Wlk.
Cat. XXVI. p. 1762 (1862).

ORGYIODES Feld. (undescr.)
Warr. Nov. Zool. I. p. 437 (1894).
1898 O. caparia Wlk.
Cat. XXIV. p. 1035 (1862).

ISTURGIA Hübn.
Verz. Bek. Schmett. p. 297 (1826).
1899 I. (?) focularia Hübn-Gey.
Zutr. Exot. Schmett. (5) pl. 6 ff. 855, 856 (1837).

NOTHABRAXAS Warr.
Nov. Zool. IV. p. 88 (1897).
1900 N. commaculata Warr.
Nov. Zool. IV. p. 88 (1897).

RHODOPHTHITUS Butl.
A. M. N. H. (5) 5. p. 392 (1880).

1901 Rh. (?) roseus Warr.
Nov. Zool. VI. p. 304 (1899).

DURBANA Warr.
Nov. Zool. XI. p. 470 (1904).

1902 D. setinata Feld.
Reise Nov. pl. 130 f. 25 (1874).

VENILIODES Warr.
Nov. Zool. I. p. 421 (1894).

1903 V. pantheraria Feld.
Reise Nov. pl. 100 f. 27 (1874).

ZERENOPSIS Feld (non descr).
Warr. Nov. Zool. I. p. 422 (1894).

1904 Z. leopardina Feld
Reise Nov. pl. 100 f. 19 (1874).

CALLIORATIS Feld. (non descr.)
Hmpsn. Ann. S.A. Mus. III. p. 416 (1905).

1905 C. abraxis Feld.
Reise Nov. pl. 100 f. 17 (1874).

1906 C. millari Hmpsn.
Ann. S.A. Mus. III. p. 417 (1905).

NASSUNIA Wlk.
Cat. XXIV. p. 114 (1862).

1907 N. caffraria Lin.
Syst. Nat. (ed. XII.) I. (2). p. 865 (1767).

1908 N. pretoria Prout.
Ann. Tr. Mus. V. p. 179 pl. XXV. f. 40 (1915).

LIGDIA Guen.
Spec. Gén. Lép. X. p. 209 (1857).

1909 L. pectinicornis Prout.
Ann. Tr. Mus. III. p. 223 (1913).

1910 L. batesii Wllgrn.
Öfv. Vet. Akad. Förh. I. p. 119 (1875).

1911 L. interrupta Warr.
Nov. Zool. IV. p. 88 (1897).

SCARDAMIA Guen.
Spec. Gén. Lép. IX. p. 89 (1857).

1912 Sc. maculata Warr.
Nov. Zool. IV. p. 240 (1897).

1913 Sc. neophronaria Ob.
Et. Lép. 6. p. 253 f. 1446 (1912).

(This is perhaps a var. of **maculata**).

1914 Sc. auricincta Wlk.
Cat. XXIV. p. 1091 (1862).

CÆNARTHRIA Warr.
Nov. Zool. I. p. 439 (1894).

1915 C. haturata Wlk.
Cat. XX. p. 127 (1860).

MELINOËSSA H.-S.
Samml. Aussereur. Schmett. I. p. 31 (1856).

1916 M. crœsaria H.-S.
l.c. p. 31, pl. 65. f. 70 (1856).

ZAMARADA Moore.
Lep. Ceyl. III. p. 432 (1887).

1917 Z. secutaria Guen.
Spec. Gén. Lép. X. p. 45 (1857).

1918 Z. transvisaria Guen.
Spec. Gén. Lép. IX. p. 98 (1857).

1919 Z. pandatilinea Prout.
Ann. Tr. Mus. V. p. 173 pl. XXV. f. 30 (1915).

1920 Z. denticincta Hmpsn.
Proc. Zool. Soc. Lond. p. 469 pl. 39 f. 6 (1910).

1921 Z. flavicincta Hmpsn.
Proc. Zool. Soc. Lond. p. 471 pl. 39 f. 4 (1910).

1922 Z. metallicata Warr.
Ann. S.A. Mus. X. p. 486 pl. XLI. f. 14 (1914).

1923 Z. deceptrix Warr.
Ann. S.A. Mus. X. p. 485 (1914).

1924 Z. bathyscaphes Prout.
The Entomologist, p. 196 (1912).

1925 Z. purimargo Prout.
The Entom. p. 197 (1912).

1926 Z. nebulimargo Prout.
The Entom. p. 197 (1912).

1927 Z. ignicosta Prout.
The Entom. p. 198 (1912).

1928 Z. reflexaria Wlk.
Cat. XXVI. p. 1565 (1862).

1929 Z. fessa Prout.
The Entom. p. 199 (1912).

1930 Z. metrioscaphes Prout.
The Entom. p. 199 (1912).

1931 Z. aclea Prout.
The Entom. p. 200 (1912).

1932 Z. adiposata Feld.
Reise Nov. pl. CXXVII. f. 19, 19a. (1875).

1933 Z. medianata Prout.
Nov. Zool. XXII. p. 343 (1915).

1934 Z. eroëssa Prout.
Nov. Zool. XXII. p. 344 (1915).

STEGANIA Guen.
In Dup. Cat. Méth. Lép. Eur. p. 270 (1845).

1935 St. inaccurata Prout.
Ann. Tr. Mus. III. p. 214 pl. XII. f. 28 (1913).

HETEROSTEGANE Hmpsn.
Ill. Het. IX. p. 142 (1893).
1936 H. aridata Warr.
Nov. Zool. IV. p. 78 (1897).
1937 H. indularia Guen.
Spec. Gén. Lép. X. p. 46 (1857).
ab. calidata Warr.
Nov. Zool. IV. p. 78 (1897).
1938 H. rectistriga Prout.
Ann. Tr. Mus. III. p. 213 (1913).
1939 H. bifasciata Warr.
Ann. S.A. Mus. X. p. 494 pl. XLI. f. 9 (1914).

GYALOMIA Prout.
Ann. Tr. Mus. III. p. 218 (1913).
1940 G. elatina Prout.
Ann. Tr. Mus. III. p. 219 pl. XII. f. 23 (1913).
1941 G. aquæmontana Prout.
Ann. Tr. Mus. III. p. 220 pl. XII. f. 7 (1913).

PETELIA H.-S.
Samml. Aussereur. Schmett. I. p. 29 (1856).
1942 P. strigata Warr.
Nov. Zool. IV. p. 103 (1897).
ab. pallida Warr.
Nov. Zool. IV. p. 103 (1897).

SATURNIIDÆ.

ATTACINÆ.

EPIPHORA Wllgrn.
Wien. Ent. Mon. IV. p. 167 (1860).
1943 E. mythimnia Westw.
Proc. Zool. Soc. Lond. p. 40 pl. VIII. f. 3 (1849).

SATURNIINÆ.

ARGEMA Wllgrn.
Öfv. Vet. Akad. Förh. XV. p. 140 (1858).
1944 A. mimosæ. Boisd.
Del. Voy. Afr. Austr. II. p. 600 (1847).

GONIMBRASIA Butl.
A. M. N. H. (5) II. p. 462 (1878).
1945 G. zambesina Wlk.
Cat. XXXII. p. 523 (1865).
1946 G. tyrrhea Cram.
Pap. Exot. I. t. XLVI. a. (1775).
1947 G. belina Westw.
Proc. Zool. Soc. Lond. p. 41 pl. VIII. f. 2 (1849).

IMBRASIA Hübn.
Verz. bek. Schmett. p. 154 (1822 ?).

1948 I. epimethea Drury.
subsp. ertli. Rebel. Ann. K.K. Naturhist. Hof. Mus. XIX. p. 67 pl. III. (1904).

BUNÆA Hübn.
Verz. Bek. Schmett. p. 154 (1826).

1949 B. alcinoe Stoll.
Pap. Exot. IV. t. 322 f. A. B. (1780).

1950 B. caffraria Stoll.
Pap. Exot. Suppl. t. 31 f. 2 (1791).

1951 B. (?) angasana Westw.

1952 B. cervina Westw.
Oates Matabeleland p. 357 (1881).

NUDAURELIA Roths.
Nov. Zool. II. p. 41 (1895).

1953 N. arabella Aur.
Ent. Tidskr. p. 203 (1893).

1954 N. gueinzii. Staud.
Stett. ent. Zeit. XXXIII. p. 120 (1872).

1955 N. cytherea Fabr.
Syst. Ent. V. p. 557 (1775)

1956 N. wahlbergi Boisd.
Del. Voy. Afr. Austr. II. p. 600 (1847).

1957 N. arata Westw.
Proc. Zool. Soc. Lond. p. 41 pl. VII. f. 2 (1849).

1958 N. oubié Guen.
Lefebvre Voy. en Abys. p. 387 pl. XII. f. 1,2 (1849).

LOBOBUNÆA Pack.
J. N. York ent. Soc. IX. figured pl. XII. p. 191 (1901).

1959 L. tyrrhena Westw.
Proc. Zool. Soc. Lond. p. 51 pl. VIII. f. 1 (1849).

1960 L. natalensis Aur.
Ent. Tidskr. p. 203 (1893).

1961 L. epithyrena Maassen & Weym.
(var.) Beitr. Schmett. V. ff. 86, 87 (1886).

CIRINA Wlk.
Cat. VI. p. 1382 (1855).

1962 C. forda Westw.
Proc. Zool. Soc. Lond. p. 52 (1849).

1963 C. similis Dist.
A.M.N.H. (6) XIX. p. 393 (1897).

1964 C. semicæca Wlk.
Cat. VI. p. 1277 (1855).

MELANOCERA Sonth.
Ess. Classif. Lép. prod. de. Soie. (III.) p. 58 (1901).
1965 M. menippe. Westw.
Proc. Zool. Soc. Lond. p. 43 pl. IX. f. 2 (1849)

GYNANISA Wlk.
Cat. VI. p. 1267 (1855).
1966 G. maia Klug.
Neue Schmett. t. V. f. 1 (1836).

ATHLETES Karsch.
Ent. nachr. XXII. p. 249 (1896).
1967 A. semialba Sonth.
L'Echange, Revue Linn., org. des Nat. de la rég. Lyonnaise XVI. p. 23 (1899).

HENIOCHA Hübn.
Verz. Bek. Schmett. p. 157 (1822).
1968 H. lindti Grünb.
Denkschr. med. Ges. Jena 16 p. 118 (1910).
1968a H. flavida Butl.
A.M.N.H. (4) XX. p. 462 (1877).
1969 H. dewitzi. Maas. & Weym.
Beitr. Schmett, v. ff. 90, 91 (1886).
1970 H. dyops Maasen & Weym.
Beitr. Schmett. V. ff. 113, 114 (1886).
1971 H. terpsichorina Westw.
Oates Matabeleland p. 357 (1881).
1972 H. appolonia Cram.
Exot. III. p. 97 pl. 250 f. A. (1779).
1973 H. bioculata Aur.
Öfv. K. Vet. Ak. Förh. VII. p. 50 (1879).
1974 H. grimmia Hübn.
Exot. Schmett. ff. 3, 4 (1826).
1975 H. (?) terpsichore Maassen & Weym.
Beitr. Schmett ff. 113, 114 (1886).

EOCHRA Feld.
Reise Nov. IV. pl. 85 f. 6 (1874).
1976 E. trimeni Feld.
Reise Nov. IV. pl. 85 f. 6 (1874).

PSEUDAPHELIA Kirby.
Syn. Cat. Lep. Het. p. 771 (1892).
1977 Ps. apollinaris Boisd.
Del. Voy. Afr. Austr. II. p. 601 (1847).

CYRTOGONE Wlk.
Cat. VI. p. 1344 (1855).
1978 C. cana. Aur.
Ent. Tidskr. p. 202 (1893).
1979 C. bilineata Roths. & Jord.
A.M.N.H. (7) XX. p. 8 (1907).
1980 C. nenia Westw.
Proc. Zool. Soc. Lond. No. 26 t. 9 f. 3 (1849).

LUDIINÆ.

GOODIA Holl.
Ent. News. Philad. p. 178 (1893).
1981 G. kuntzei Dew.
Verh. Leop. Carol. Akad. XLII. p. 70 t. III (2) f. 14 (1881).

LUDIA Wllgrn.
Bih. Svensk. Akad. Handl. (2) V. no. 4 p. 25 (1865).
1982 L. delegorguei Boisd.
Voy. Afr. Austr. II. p. 601 (1847).
1983 L. goniata Roths.
A.M.N.H. (7) XX. p. 9 (1907).

UROTA Westw.
Proc. Zool. Soc. Lond. p. 60 (1849).
1984 U. sinope Westw.
Proc. Zool. Soc. Lond. t. 10 f. 3 (1849).

HOLOCERA Feld.
Reise Nov. pl. LXXXVIII. ff. 4. 5 (1868).
1985 H. smilax Westw.
Proc. Zool. Soc. Lond. p. 59 (1849).

CINABRA Sonth.
Ess. Clas. Lep. prod. de Soie p. 61 (1901).
1986 C. pygmæa Maass. & Weym.
Beitrag. Schmett. V. f. 100 (1886).
1987 C. hyperbius Westw.
Oates' Matabeleland 1st ed. p. 357 (1881).
1988 C. bracteata Dist.
A.M.N.H. (6) XIX. p. 393 (1897).

TAGOROPSIS Feld.
Reise Nov. pl. 88 f. 2 (1874).
1989 T. dentifera Maassen & Weym.
Beitr. Schmett. V. f. 115 (1886).
var. conspersa Aur.
Ent. Tidskr. p. 203 (1893).
1990 T. flavinata Wlk.
Cat. XXXII. p. 373 (1865).
1991 T. (?) flavivitta Wlk.
Tr. Ent. Soc. Lond. (3) I. p. 755 (1862).

USTA Wllgrn.
Wien. ent. Mon. VII. p. 142 (1863).
1992 U. wallengrenii Feld.
Wien. ent. Mon. III. p. 323 pl. 6 f. 2 (1859).
1992a U. biplaga Rebel.
Fauna exot. 2 p. 13 (1912).

BOMBYCIDÆ.

TRILOCHA Moore.
Cat. Lep. Mus. E. I. House II. p. 382 (1858).
1993 Tr. ficicolor Westw. & Orm.
Inj. Ins. S. Africa p. 44 f. 20 (1889).
1994 Tr. ianthe Druce.
Proc. Zool. Soc. Lond. p. 683 (1887).

RHINOBOMBYX Aur.
Öfv. af. K. Vet. Akad. Förh. 7 p. 52 (1879)
1995 Rh. cuneata Aur.
l.c. p. 52 (1879).

SIMYRA Ochs.
Schmett. Eur. IV. p. 81 (1816).
1996 S. capillata Wllgrn.
Öfv. af. K. Vet. Akad. Förh. p. 104 (1875).

OCINARA Wlk.
Cat. VII. p. 1768 (1856).
1997 O. pallicornis Strand.
Berl. Ent. Zeitschrift. LV. p. 155 (1910).

URANIADÆ.

(Including EPIPLEMIDÆ).

URAPTEROIDES Moore.
Lep. Atk. p. 258 (1888).
1998 U. recurva Warr.

DIRADES Wlk.
Cat. XXXV. p. 1650 (1866).
1999 D. lactea Warr.
Nov. Zool. IV. p. 385 (1897).

EPIPLEMA H.-S.
Samml. aussereur. Schmett. p. 26 (1850).
2000 E. illineata Warr.
Nov. Zool. V. p. 9 (1898).
2001 E. asinina Warr.
Nov. Zool. XII. p. 380 (1905).
2002 E. fumigera Warr.
Nov. Zool. XII. p. 381 (1905).

PSYCHIDÆ.

CLANIA Wlk.
Cat. IV. p. 963 (1855).
2003 Cl. moddermanni Heyl.
Ann. Soc. Ent. Belg. XXXII. p. LIX. (1888).
2004 Cl. cervina Druce.
Proc. Zool. Soc. Lond. p. 684 (1887).

ACANTHOPSYCHE Heyl.
Ann. Soc. Ent. Belg. p. 66 (1881).

2005 A. junodi Heyl.
Ann. Soc. Ent. Belg. XXIV. p. CXXX (1890).

2006 A. tristis Janse.
Ann. Nat. Mus. Vol. III. prt. 3 p. 597 (1917).

2007 A. alba Janse.
Ann. Nat. Mus. Vol. III. prt. 3 p. 598 (1917).

PSYCHE Schrank. Fauna.
Boica II. 2 Abthl. p. 87 (1802).

sub-genus MANATHA Moore.
A.M.N.H. (4) XX. p. 346 (1887).

2008 M. æthiops Hmpsn.
A.M.N.H. (8) VI. p. 116 (1910).

2009 M. subhyalina Janse.
Ann. Nat. Mus. Vol. III. prt. 3 p. 601 (1917).

CHALIA Moore.
A.M.N.H. (4) XX. p. 345 (1877).

2009a Ch. maledicta Scheben.
Arch. Schiffshyg. 14 p. 697 (1910).

MONDA Wlk.
Cat. XXXII. p. 406 (1865).

2010 M. delicatissima Wlk.
Cat. XXXII. p. 407 (1865).

2011 M. rogenhoferi Heyl.
C.R. Soc. Ent. Belg. XXXIV. p. CLXXXI. (1891).

2012 M. major Heyl.
C.R. Soc. Ent. Belg. XXXIV. p. CLXXXI. (1891).

2013 M. heylærtsi Junod.
Bull. Soc. Neuch. des Science Nat. XXVII. p. 249 pl. IV. f. 7c. (1898).

ARBELIDÆ.

LEBEDODES Holl.
Psyche. VI. p. 534 (1893).

2014 L. rufithorax Hmpsn.
A.M.N.H. (8) VI. p. 118 (1910).

2015 L. natalica Hmpsn.
A.M.N.H. (8) VI. p. 118 (1910).

2016 L. durbanica Hmpsn.
A.M.N.H. (8) VI. p. 118 (1910).

PARALEBEDA Hmpsn.
A.M.N.H. (8) VI. p. 119 (1910).

2017 P. carnescens Hmpsn.
A.M.N.H. (8) VI. p. 119 (1910).

SELAGENA Wlk.
Cat. XXXII. p. 590 (1865).
2018 S. tessellata Dist.
A.M.N.H. (6) XX. p. 210 (1897).
2019 S. obsolescens Hmpsn.
A.M.N.H. (8) VI. p. 120 (1910).

MARSHALLIANA Aur.
Ent. Tidskr. p. 126 (1901).
2020 M. bivittata Aur.
Ent. Tidskr. p. 126 (1901).

ARBELODES Karsch.
Ent. Nachr. XXII. p. 141 (1896).
2021 A. meridialis Karsch.
Ent. Nachr. XXII. p. 141 (1896).
2022 A. albivenata Hmpsn.
A.M.N.H. (8) VI. p. 122 (1910).

METARBELODES Strand.
Iris. p. 119 (1909).
2023 M. umtaliana Aur.
Ent. Tidskr. p. 127 (1901).

METARBELA Holl.
Psyche VI. p. 525 (1893).
2024 M. cymaphora Hmpsn.
A.M.N.H. (8) VI. p. 124 (1910).
2025 M. tuckeri Butl.
A.M.N.H. (4) p. 400 (1875).
2026 M. albitorquata Hmpsn.
A.M.N.H. (8) VI. p. 125 (1910).

TERAGRA Wlk.
Cat. V. p. 1064 (1855).
2027 T. leucostigma Hmpsn.
A.M.N.H. (8) VI. p. 125 (1910).
2028 T. stictieosta Hmpsn.
A.M.N.H. (8) VI. p. 126 (1910).
2029 T. nemosticta Hmpsn.
A.M.N.H. (8) VI. p. 127 (1910).
2030 T. guttifera Hmpsn.
A.M.N.H. (8) VI. p. 127 (1910).
2031 T. conspersa Wlk.
Cat. V. p. 1064 (1855).

ARBELA Moore.
Proc. Zool. Soc. Lond. p. 411 (1879).
2032 A. tegula Dist.
A.M.N.H. (6) XX. p. 209 (1897).

HOLLANDELLA Gill.
Science XIII. p. 949 (1901).
2032a H. wichgrafi Grünb.
D. ent. zs. p. 289 (1910).

COSSIDÆ.

BRACHYLIA Feld.

Reise. Nov. IV. pl. 82 f. 7 (1874).

2033 Br. terebroides Feld.
l.c. pl. 82 f. 7 (1874).

PHRAGMATŒCIA Newm.

Zoologist. VIII. p. 2931 (1850).

2034 Phr. irrorata Hmpsn.
A.M.N.H. (8) VI. p. 128 (1910).

2035 Phr. reticulata Hmpsn.
A.M.N.H. (8) VI. p. 128 (1910).

2036 Phr. atrireta Hmpsn.
A.M.N.H. (8) VI. p. 129 (1910).

CORYPHODEMA Feld.

Reise Nov. IV. pl. 82 f. 8 (1874).

2037 C. albifasciata Hmpsn.
A.M.N.H. (8) VI. p. 133 (1910).

2038 C. capensis Feld.
Reise Nov. IV. pl. 82 f. 8 (1874).

EULOPHONOTUS Feld.

Reise Nov. pl. 82 f. 9 (1874).

2042 Eu. myrmeleon Feld.
Reise Nov. pl. 82 f. 9 (1874).

CHRYSOTYPUS Butl.

A.M.N.H. (5) IV. p. 240 (1879).

2044 Chr. dawsoni Dist.
A.M.N.H. (6) XX. p. 210 (1897).

AZYGOPHLEPS Hmpsn.

Moths of India I. p. 309 (1892).

2044a A. borchmanni Grünb.
Denkschr. med. Ges. Jen. 16 p. 140 (1910).

COSSUS Fabr.

Ent. Syst. III. (2) p. 3 (1794).

2045 C. tristis Drury.
Exot. Ins. III. p. 27 pl. 21 f. 1 p. 28 (1837).

2045a C. seineri Grünb.
Denkschr. med. Ges. Jen. 16 p. 139 (1910).

2045b C. windhoekensis Strand.
Arch. Naturges 78 A. II. p. 87 (1912).

ARCTIOCOSSUS Feld.

Reise Nov. IV. t. 82 f. 10 (1874).

2046 A. antargyreus Feld.
l.c. t. 82 f. 10 (1874).

2047 A. impeditus Wlk.
Cat. XXXII. p. 583 (1865).

ZEUZERA Latr.

Nouv. Dict. d' Hist. Nat. XXIV. p. 186 (1804)

2048 Z. strigulosa Wlk.
Cat. VII. p. 1534 (1856).

2049 Z. sponda Wllgrn.
Ofv. af. K. Vet. Akad. Förh. p. 96 (1875).

2050 Z. aurivillii. Kirby.
Cat. I. p. 872 (1892).

2051 Z. asylas Cram.
Pap. Exot. II. p. 137 f. C. (1777).

XYLEUTES Hübn.

Verz. Bek. Schmett, p. 195 (1822?).

2052 X. inclusus Wlk.
Cat. VII. p. 1534 (1856).

2053 X. capensis Wlk.
Cat. VII. p. 1533 (1856).

DUOMITUS Butl.

A.M.N.H. (5) VI. p. 68 (1880).

2054 D. squameus Dist.
Entom. p. 213 (1902).

COSSIDÆ. (??)

TRICHOCOSSUS Hmpsn.

A.M.N.H. (8) VI. p. 133 (1910).

2055 Tr. albiguttata Hmpsn.
A.M.N.H. (8) VI. p. 134 (1910).

2056 Tr. arvensis Janse.
Ann. Nat. Mus. vol. III. prt. 3 p. 613 (1917)

GYMNELEMA Heyl.

Ann. Soc. Ent. de Belg. XXXV. p. CCCLXXV. (1891).

2057 G. stygialis Hmpsn.
A.M.N.H. (8) VI. p. 134 (1910).

2058 G. rougemonti Heyl.
Ann. Soc. Ent. de Belg. XXXV. p. CCCLXXV. (1891).

2059 G. vinctus Wlk.
Cat. XXXII. p. 583 (1865).

2059a G. leucopasta Hmpsn.
A.M.N.H. (8) VI. p. 135 (1910).

2060 G. pelverulenta Hmpsn.
A.M.N.H. (8) VI. p. 135 (1910).
2061 G. imitata Janse.
Ann. Nat. Mus. vol. III. prt. 3 p. 611 (1917).
2062 G. stibarodes Meyr.
Ann. S.A. Mus. V. p. 378 (1909).

LASIOCAMPIDÆ.

ANADIASA Aur.
Lep. of the Swed. Zool. exp. to Egypt and the White Nile p. 8 (1904).
2063 A. cervina Aur.
Trans. Ent. Soc. Lond. pl. XVI. f. 5 p. 314 (1905).
2064 A. affinis Aur.
Trans. Ent. Soc. Lond. p. 167 (1911).
2065 A. distincta Dist.
A.M.N.H. (7) IV. p. 362 (1899).
2066 A. punctifascia Wlk.
Cat. VI. p. 1472 (1855).
2067 A. jansei Aur.
(? ined.)

TARAGAMA Moore.
Cat. Lep. Ins. p. 427 (1859).
2068 T. mirabilis Dist.
A. M. N. H. (6) XX. p. 208 (1897).
2069 T. distinguenda Aur.
Trans. Ent. Soc. Lond. p. 315 pl. XVI. f. 13 (1905).
2070 T. cuprea Dist.
A. M. N. H. (6) XX. p. 209 (1897).
2071 T. micha Druce.
A. M. N. H. (7) III. p. 473 (1899).
2072 T. cuneata Dist.
A. M. N. H. (6) XX. p. 207 (1897).
2073 T. carinata Wllgrn.
Wien. ent. Mon. IV. p. 165 (1860).
2074 T. polydora Druce.
Proc. Zool. Soc. Lond. p. 678 pl. LV. f. 11 (1887).
2074a T. picturata Grünb.
Denkschr. med. Ges. Jena. 16 p. 137 (1910).
2075 T. bimaculata Wlk.
Cat. XXXII. p. 565 (1865).

METADULA Wlk.
Cat. XXXII. p. 514 (1865).
2076 M. indecisa Wlk.
Cat. XXXII. p. 514 (1865).

TRICHIURA Steph.
Ill. Brit. Ent. Haust. II. p. 42 (1828).
2077 T. (?) albiplaga Wlk.
Tr. Ent. Soc. Lond. (3) I. p. 86 (1862).

NADIASA Wlk.
Cat. V. p. 1014 (1855).

2078 N. (?) sanguicincta Aur.
Ent. Tidskr. p. 124 (1901).

2079 N. (?) cinerea Aur.
Ent. Tidskr. p. 124 (1901).

2080 N. concolor Wlk.
Cat. V. p. 1015 (1855).

PACHYPASA Wlk.
Cat. VI. p. 1422 (1855).

2081 P. (?) phocea Druce.
Proc. Zool. Soc. Lond. p. 680 (1887).

2082 P. marshalli Aur.
Ent. Tidskr. p. 281 (1902).

2083 P. pithyocampa Cram.
Pap. Exot. IV. p. 29 pl. 304 f. E.F. (1781).

2084 P. auriflua Aur.

2085 P. capensis Aur.
Trans. Ent. Soc. Lond. p. 315 pl. XVI. f. 11 (1904).
var. obscura Wlk.
Cat. VI. p. 1452 (1855).

2086 P. truncata Wlk.
Cat. VI. p. 1451 (1855).

2087 P. ferruginea Feld.
Reise Nov. IV. t. 85 f. 1 (1874).

2088 P. scapulosa Feld.
Reise Nov. IV. t. 85 ff. 2, 3 (1874).

HAPLOPACHA Aur.
Trans. Ent. Soc. Lond. p. 323 fig. in text (1905).

2089 H. cinerea Aur.
Trans. Ent. Soc. Lond. p. 324 fig. in text (1905).

PACHYMETA Aur.
Uppsala. Arkiv. Zool. 3 No. 1 p. 8 (1906).

2090 P. robusta Aur.
Archiv. för Zool. V. No. 5 p. 22 (1905).

2091 P. purpurascens Aur.
Arkiv. för Zool. V. No. 5 p. 23 (1905).

2092 P. clarki Aur.
Arkiv. för Zool. V. No. 5 p. 23 (1905).

2093 P. argenteoguttata Aur.
Arkiv. för Zool. V. No. 5 p. 24 (1905).

GONOMETA Wlk.
Cat. IV. p. 971 (1855).

2094 G. postica Wlk.
Cat. IV. p. 971 (1855).

2095 G. cuprea Dist.
A. M. N. H. (6) XX. p. 209 (1897).

PSEUDOMETA

2096 Ps. viola Aur.
Ent. Tidskr. p. 125 (1901).

2097 Ps. basalis Wlk.
Cat. XXXII. p. 559 (1865).

TRICHOPISTHIA Aur.
Archiv. för Zool. V. No. 5 p. 15 (1905).

2098 T. monteiroi Druce.
Proc. Zool. Soc. Lond. p. 677 (1887).

DENDROLIMUS Germ.
Syst. Gloss. Prod. p. 48 (1812).

2099 D. aculeata Wlk.
Cat. XXXII. p. 565 (1865).

2100 D. metallicus Dist.
A. M. N. H. (7) I. p. 118 (1898).

2101 D. capensis L. Syst.
Nat. I. (2) p. 813 (1767).

CATALEBEDA Aur.
Ent. Tidskr. XXIII. p. 275 (1902).

2102 C. violascens Aur.
Arkiv. för. Zool. V. No. 5 p. 14 (1905).

2103 C. cuneilinea Wlk.
Trans. Ent. Soc. Lond. (2) IV. p. 58 t. 16 (1856).

LEBEDA Wlk.
Cat. VI. p. 1453 (1855).

2104 L. köllikerii Dew.
Verh. Lep. Carol. Deutsch. Akad. Naturf. XLII. p. 78 pl. 1. f. 15 (1881).

2105 L. bipars Wlk.
Cat. VI. p. 1455 (1855).

2106 L. mustelina Dist.
A. M. N. H. (7) III. p. 464 (1899).

2107 L. morosa Wlk.
Cat. XXXII. p. 568 (1865).

TRABALA Wlk.
Cat. VII. p. 1785 (1856).

2108 Tr. pallida Fawcet.
Tr. Zool. Soc. Lond. XVII. p. 181 pl. VIII. ff. 1, 2. 3. 4 (1903).

2109 Tr. rosa Druce.
Proc. Zool. Soc. Lond. p. 678 (1887).

2110 Tr. guttularis Wlk.
Cat. VI. p. 1413 (1855).

2111 Tr. rennei Dew.
Nova Acta. Deut. Akad. p. 71 pl. 2 ff. 12. 16 (1881).

LENODORA Moore.
Lep. Ceyl. II. p. 144 (1883).
2112 L. nigrolineata Aur.
Ent. Tidskr. p. 115 (1895).

LÆLIOPSIS Aur.
Trans. Ent. Soc. Lond. p. 165 (1911).
2113 L. punctuligera Aur.
Trans. Ent. Soc. Lond. p. 165 (1911).

LEIPOXAIS Holl.
Psyche. VI. p. 531 (1893).
2114 L. emarginata Aur.
Trans. Ent. Soc. Lond. p. 166 (1911).

GASTROPLAKÆIS Möschl.
Abhandl. Senckenb. nat. Ges. XV. p. 78 (1887).
2115 G. meridionalis Aur.
Ent. Tidskr. p. 125 (1901).

BOMBYCOMORPHA Feld.
Reise Nov. IV. t. 100 f. 1 (1874.)
2116 B. pallida Dist.
A. M. N. H. (6) XX. p. 207 (1897).
2117 B. bifascia Wlk.
Cat. VI. p. 1448 (1855).

CERATOPACHA Aur.
Ark. Zool. 5 No. 5 pp. 14-15 f. 45 (1909).
2118 C. gemmata Dist.
A. M. N. H. (6) XX. p. 207 (1897).
2119 C. salambo Quill.

ODONTOCHEILOPTERYX Wllgrn.
Wien. ent. Mon. IV. p. 165 (1860).
2120 O. myxa Wllgrn.
Wien. ent. Mon. IV. p. 165 (1860).

CRASPIA Aur.
Arkiv. för Zool. V. No. 5 p. 20 f. 48 (1905).
2121 C. wahlbergi Aur.
Arkiv. för Zool. V. No. 5 p. 20 f. 48 (1905).
2122 C. marshalli Aur.
Arkiv. för Zool. V. No. 5 p. 21 (1905).

BERALADA Wlk.
Cat. IV. p. 852 (1855).
2123 B. prompta Wlk.
Cat. VI. p. 1437 (1855).
var. rufitincta Strand.
Arkiv. für Naturgesch. Jahrg. 75 p. 374 (1909).
2124 B. marshalli Aur.
Ent. Tidskr. p. 123 (1901).
2125 B. perobliqua Wlk.
Cat. IV. p. 853 (1855).

2126 B. famosa Dist.
A. M. N. H. (6) XX. p. 208 (1897).
2127 B. simplex Aur.
Trans. Ent. Soc. Lond. p. 322 pl. XVI. f. 6 (1905).
2128 B. levenna Wllgrn.
Öfv. Vet. Akad. Förh. XXXII. p. 98 (1876).
2129 B. pygmula Strand.
Ann. Soc. ent. Belg. 55 p. 147 (1911).
2130 B. interjecta Aur.
Arkiv. för Zool. V. No. 5 p. 11 (1909).

ODENESTIS Steph.
Ill. Brit. Ent. Haus. II. p. 51 (1831).
2131 O. reducta Wlk.
Cat. VI. p. 1411 (1855).

BOMBYCOPSIS Feld.
Reise Nov. pl. 84 f. 6 (1874).
2132 B. indecora Wlk.
Cat. XXXII. p. 561 (1865).

MESOCELIS Hübn.
Verz. bek. Schmett. p. 191 (1822?).
2133 M. montana Stoll.
Pap. Exot. IV. t. 356 f. E. (1782).

LASIOCAMPA Schrank.
Fauna Boica II. (2) pp. 147-154 (1802).
2134 L. pœcilosticta Grünb
Denkschr. med. Ges. Jena. 16. pp. 135-136 (1910).
2134a L. angulifera Wlk.
Cat. XXXII. p. 651 (1865).
2134b L. regia Grünb.
Denkschr. med. Ges. Jena. 16 pp. 135-136 (1910).

OLYRA Wllgrn.
Vet. Akad. Handl. (2) V. (4) p. 32 (1865).
2135 O. rectilineata Aur.
Trans. Ent. Soc. Lond. p. 323 pl. XVI. f. 7 (1905).
2136 O. reducta Wlk.
Cat. VI. p. 1411 (1855).
2137 O. caffra Wllgrn.
Wien. ent. Mon. IV. p. 166 (1860).

ERIOGASTER Germ.
Prod. Syst. Lep. p. 6 (1811).
2138 E. punctifascia Wlk.
Cat. VI. p. 1472 (1855).
2139 E. incompta Wlk.
Cat. VI. p. 1473 (1855).

CONCOADES Wllgrn.
Vet. Akad. Handl. (2) V. p. 31 (1865).
2140 C. cristata Stoll.
Pap. Exot IV. t. 398 I. (1782).

CHONDROSTEGOIDES Aur.
Trans. ent. Soc. Lond p. 324 fig. in text (1905).
2141 Ch. capensis Aur.
Trans. Ent. Soc. Lond. p. 325 fig. in text (1905).

CAPHARA Wlk.
Trans. Ent. Soc. Lond. (3) I. p. 85 (1862).
2142 C. fulvida Dist.
A. M. N. H. (6) XX. p. 209 (1897).
2143 C. marginata Wlk.
Trans. Ent. Soc. Lond. (3) I. p. 85 (1862).

OCINAROPSIS Aur.
Trans. Ent. Soc. Lond. p. 317 (1905).
2144 O. obscura Aur.
Trans. Ent. Soc. Lond. p. 317. fig. in text (1905).

PHILUDORIA Kirby.
Cat. I. p. 820 (1892).
2145 Ph. aluco Fabr.
Spec. Ins. II. p. 174 no. 36 (1781).

SENA Wlk.
Trans. Ent. Soc. Lond. (3) I. p. 278 (1862).
2146 S. plusioides Wlk.
Trans. Ent. Soc. Lond. (3) I. p. 278 (1862).

STENOPHATNA Aur.
Arkiv. för Zool. 5 No. 5 p. 27 (1905).
2147 St. marshalli Aur.
Arkiv. för. Zool. V. No. 5 p. 28 (1905).

CHRYSOPOLOMIDÆ.

CHRYSOPOLOMA Druce.
Proc. Zool. Soc. Lond. p. 410 (1886).
2148 Chr. bicolor Dist.
A. M. N. H. (6) XX. p. 206 (1897).
2149 Chr. flaviceps Aur.
Ent. Tidskr. p. 125 (1901).
2150 Chr. isabellina Aur.
Ent. Tidskr. p. 119 (1895).
2151 Chr. restricta Dist.
A. M. N. H. (7) IV. p. 362 (1899).
2152 Chr. rudis Wlk.
Cat. XXXII. p. 561 (1865).
2153 Chr. varia Dist.
A. M. N. H. (7) IV. p. 362 (1899).

2154 Chr. rosea Druce.
Proc. Zool. Soc. Lond. p. 410 pl. XXXVIII. f. 3 (1886).

ECTROPA Wllgrn.
Wien. ent. Mon. 7 p. 141 (1863).

2155 E. ancilis Wllgrn.
Wien. ent. Mon. 7 p. 142 (1863).

MEGALOPYGIDÆ.

PSYCHARIUM H.-S.
Aussereur. Schmett. p. 76 (1850).

2156 Ps. pellucens H.-S.
Aussereur. Schmett. f. 461 (1850).

LIMACODIDÆ.

PROBALINTHA Wlk.
Cat. XXXII. p. 504 (1865).

2157 Pr. inclusa Wlk.
Cat. XXXII. p. 504 (1865).

HETEROLEPIS Feld.
Reise Nov. IV. t. 83. f. 17 (1874).

2158 H. leprosa Feld.
Reise Nov. IV. pl. 83 f. 17 (1874).

ADRALLIA Wlk.
Cat. XXXII. p. 509 (1865).

2159 A. bipunctata Wlk.
Cat. XXXII. p. 509 (1865.)

APODA Haw.
Brit. Lep. II. p. 137 (1809).

2160 A. arenacea L.
Syst. Nat. I. 2 p. 828 (1767).

TÆDA Wllgrn.
Wien. ent. Mon. VII. p. 141 (1863).

2161 T. ætitis Wllgrn.
Wien. ent. Mon. vii. p. 141 (1863).

2162 T. pusilla Aur.
Ent. Tidskr. p. 255 (1899).

CROTHÆMA Butl.
A. M. N. H. (5) V. p. 388 (1880).

2163 Cr. sericea Butl.
A. M. N. H. (5) V. p. 388 (1880).

2164 Cr. decorata Dist
A Naturalist in the Transvaal p. 237 pl. II. f. 6 (1892).

SUSICA Wlk.
Cat. V. p. 1113 (1855).

2165 S. pyrocausta Hmpsn.
Proc. Zool. Soc Lond. p. 184 pl. 39 f. 10 (1910).

ALTHA Wlk.
Journ. Lin. Soc. Lond. Zool. VI. p. 173 (1862).

2166 A. chionostola Hmpsn.
Proc. Zool. Soc. Lond. p. 486 pl. 39 f. 28 (1910).

COENOBASIS Feld.
Reise Nov. IV. pl. 82 f. 14 (1874).

2167 C. amœna Feld.
Reise Nov. IV. pl. 82 f. 14 (1874).

2168 C. argentilinea Aur.
Ent. Tidskr. p. 250 (1899).

2169 C. albiramosa Wlk.
Cat. XXXII. p. 483 (1865).

2169a C. hemichlora Grünb.
Denkschr. med. Ges. Jena. 16 p. 139 (1910).

PARASA Moore.
Cat. Lep. Mus. East Ind. Co. II. p. 113 (1859).

2170 P. latistriga Wlk.
Cat. V. p. 1141 (1855).

2171 P. johannes Dist.
A. M. N. H. (7) I. p. 118 (1898).

2172 P. similis Feld.
Reise Nov. t. 82 f. 15 (1874).

2173 P. (?) intermissa Wlk.
Cat. XXXII. p. 479 (1865).

2174 P. vivida Wlk.
Cat. XXXII. p. 478 (1865).

2175 P. chapmanni Kirby.
Cat. I. p. 544 (1892).

APLUDA Wllgrn.
Wien. ent. Mon. VII. p. 140 (1863).

2176 A. invitabilis Wllgrn.
Wien. ent. Mon. p. 44 (1860).

2177 A. similis Dist.
A. M. N. H. (6) XX. p. 204 (1897).

MACROPLECTRA Hmpsn.
Moths of India I. p. 376 (1892).

2178 M. tripunctata Mab.
Ann. Soc. ent. France LXVIII. p. 724 (1900).

2179 M. obliquilinea Hmpsn.
A. M. N. H. (8) VI. p. 136 (1910).

PARYPHANTA Karsch.
Ent. Nachr. XXII. p. 267 (1896).

2180 P. biumbrata Hmpsn.
A. M. N. H. (8) VI. p. 137 (1910).

2181 P. hisceta Butl.

THOSEA Wlk.
Cat. V. p. 1068 (1855).

2182 Th. albiviata Hmpsn.
A. M. N. H. (8) VI. p. 138 (1910).

2183 Th. albilineata Hmpsn.
A. M. N. H. (8) VI. p. 138 (1910).

NATADA Wlk.
Cat. V. p. 1108 (1855).

2184 N. chrysaspis Hmpsn.
A. M. N. H. (8) VI. p. 138 (1910).

MIRESA Wlk.
Cat. V. p. 1123 (1855).

2185 M. hæmatœssa Hmpsn.
A. M. N. H. (8) VI. p. 139 (1910).

SOMARA Wlk.
Cat. V. p. 1125 (1855).

2186 S. viridicosta Hmpsn.
A. M. N. H. (8) VI. p. 140 (1910).

2187 S. albicosta Hmpsn.
A. M. N. H. (8) VI. p. 145 (1910).

PANTOCTENIA Feld.
Reise Nov. pl. 82 f. 16 (1874).

2188 P. albipuncta Druce.
Proc. Zool. Soc. Lond. p. 682 pl. LV. f. 2 (1887).

2189 P. gemmans Feld.
Reise Nov. pl. 82 f. 16 (1874).

EPIPYROPS Westw.
Proc. & Trans. Ent. Soc. Lond. pp. XXIV. 522 (1876).

2190 E. fulvipuncta Dist.
Zoologist p. 281 (1912).

NAROSA Wlk.
Cat. V. p. 1151 (1855).

2191 N. flaccidia Druce.

GAVARA Wlk.
Cat. XII. p. 771 (1857).

2192 G. velutina Wlk.
Cat. XII. p. 771 (1857).

OMOCENA Karsch.
Ent. Nachr. XXII. p. 268 (1896).
2193 O. syrtis Schaus.
On a coll. of Sierra Leone Lep. Lond. p. 28 pl. II. f. 3 (1893).

CTENOLITA Karsch.
Ent. Nachr. XXII. p. 267 (1896).
2193a C. habenichti Wichgraf.
Int. ent. Zeitschr. 7 p. 9 (1913).

LIMACODIDÆ (?)

THAUMETOPŒA Hübn.
Verz. bek. Schmett. p. 185 (1822?.)
2194 Th. apologetica Strand.

ZYGÆNIDÆ.

TASCIA Wlk.
Cat. VII. p. 1600 (1856).
2195 T. chrysotelus Wlk.
Cat. VII. p. 1600 (1856).
2196 T. finalis Wlk.
Cat. I. p. 245 (1854).
2197 T. virescens Butl.
Journ. Linn. Soc. Lond. Zool. XII. p. 357 (1876).

DIANEURA Butl.
A. M. N. H. (6) I. p. 49 (1888).
2198 D. goochii Butl.
A. M. N. H. (6) I. p. 49 (1888).

SALIUNCA Wlk.
Cat. XXXI. p. 108 (1864).
2199 S. glennia Jord.
Entomologist XL. p. 123 (1907).
2199a S. styx Fabr.
Syst. ent. p. 556 (1775).

SALIUNCELLA Jord.
Entomologist XL. p. 124 (1907).
2199b S. marshalli Jord.
L. c. p. 124 (1907).

ANTHROCERA Scop.
Introd. Hist. Nat. p. 454 (1777).
2200 A. (?) nebulosa Guer.
Icon. Régne Anim. Ins. pl. 64 f. 5 texte 479 (1829—1844).

ARICHALCA Wllgrn.
Vet. Akad. Förhandl. XV. p. 137 (1858).
2201 A. melanopyga Wllgrn.
Wien. ent. Mon. IV. p. 38 (1860).

2202 A. erythropyga Wllgrn.
Wien. ent. Mon. IV. p. 38 (1860).
2203 A. zambesina Wlk.
Cat. XXXV. p. 1862 (1866).

NEUROSYMPLOCA Wllgrn.
Vet. Akad. Förh. p. 136 (1858).
2204 N. hottentota H.-S. Aussereur.
Schmett. I. f. 218 (1854).
2205 N. wallengreni Kirby.
Cat. I. p. 80 (1892).
2206 N. concinna Dalm.
Anal. Ent. p. 49 (1823).
2207 N. caffra Lin.
Mus. Ulr. p. 362 (1764).
2208 N. pagana Kirby.
Cat. I. p. 80 (1892).
2209 N. (?) ochreipennis Butl.
Cist. Ent. I. p. 215 (1874).
2210 N. (?) subdiaphana Feld.
Reise Nov. IV. t. 82 f. 18 (1874).
2211 N. agria Dist.
A Naturalist in the Transvaal p. 236 pl. II f. 9 (1892).
2211a N. affinis Jord.
Entomologist XL. p. 123 (1907).

ZUTULBA Kirby.
Cat. I. p. 80 (1892).
2212 Z. zelleri Wllgrn.
Wien. ent. Mon. IV. p. 39 (1860).
2213 Z. ampla Wlk.
Cat. I. p. 101 (1854).
2214 Z. ocellaris Feld.
Reise Nov. IV. pl. 82 f. 19 (1874).
2215 Z. ochroptera Feld.
Reise Nov. IV. pl. 82 f. 20 (1874).
2216 Z. namaqua Boisd.
Voy. Del. II. p. 596 (1847).
2217 Z. octo Mab.

ORNA Kirby.
Cat. I. p. 81 (1892).
2218 O. zygaenoides Feld.
Reise Nov. IV. pl. 82 f. 21 (1874).
2219 O. contraria Wlk.
Cat. I. p. 113 (1854).
2220 O. pectinicornis Schauf.
Nunquam Otiosus I. p. 11 (1870).

CRAMERIA Hübn.
Verz. bek. Schmett. p. 168 (1822?).
2221 Cr. clœckneria Stoll.
Pap. Exot. IV. t. 348 A. (1781).

ZYGÆNA Fabr.
Syst. Ent. p. 550 (1775).
2222 Z. polydamon Cram.
Pap. Exot. III. t. 237 B. (1780).
2223 Z. (?) caffra Fabr.
Spec. Ins. p. 159 (1777).
2224 Z. muræna Druce.
A. M. N. H. (7) III. p. 231 (1899).
2225 Z. myodes Druce.
A. M. N. H. (7) III. p. 232 (1899).

EPIZYGÆNA Seitz.
Grosschmett. X. p. 52 (1908).
2225a E. microsticha Jord.
Entomologist 40 p. 121 (1907).
2225b E. lateralis Jord.
Entomologist 40 p. 121 (1907).

PARASYNTOMIS Hmpsn.
(ined).
2226 P. (?) æthiops Dist.
A. M. N. H. (6) XX. p. 16 (1897).

BRACHARTONA Hmpsn.
Ill. Het. VIII. p. 44 (1891).
Moths of India I. p. 233.
2227 Br. titæa Druce.
A. M. N. H. (6) XVII. p. 351 (1896).

ARNIOCERA Hopff.
Monatsb. Akad. Berl. p. 421 (1857).
2228 A. auxiguttata Hopff.
Monatsb. Akad. Berl. p. 421 (1857).

MALAMBLIA Jord.
Entomologist XL. p. 124 (1907).
2228a M. durbanica Jord.
l.c. p. 125 (1907).

SEMIOPTILA Butl.
A. M. N. H. XX. p. 180 (1887).
2228b S. torta Butl.
l.c. p. 180 (1887).
subspec. mashuna Roths.
Nov. Zool. 14 p. 508 (1907).
2228c S. marshalli Roths.
Nov. Zool. 14 p. 507 (1907).

ANOMŒOTES Feld.
Reise Nov. IV. pl. 100 f. 5 (1874).
2229 A. levis Feld.
Reise Nov. IV. pl. 100 f. 5 (1874).

DREPANULIDÆ.

NEGERA Wlk.
Cat. V. p. 1171 (1855).
2230 N. confusa Wlk.
Cat. V. p. 1171 (1855).

THYRIDIDÆ.

DYSODIA Clem.
Proc. Acad. N. Sc. Phil. p. 349 (1860).
2231 D. intermedia Wlk.
Cat. XXXIII. p. 827 (1865).
ab. flavidula Warr.
Nov. Zool. XV. p. 333 (1908).
2232 D. binoculata Warr.
Nov. Zool. VIII. p. 203 (1901).
2233 D. subsignata Warr.
Nov. Zool. XV. p. 335 (1908).

RHODONEURA Guen.
Ur. & Phal. II. pl. I. f. 8 (1857).
2234 Rh. nigropunctula Pag.
Iris. V. p. 109 (1892).
2235 Rh. myrsusalis Wlk.
Cat. XIX. p. 892 (1859).
2236 Rh. squamigera Pag.
Iris. V. p. 72 (1892).
2237 Rh. bastialis Wlk.
Cat. XIX. p. 902 (1859).
2238 Rh. rostrifera Warr.
Nov. Zool. V. p. 6 (1898).
2239 Rh. discata Warr.
Nov. Zool. XII. p. 380 (1905).
2240 Rh. multipunctata Hmpsn.
Moths of India I. p. 356 (1892).

PROTEROZEUXIS Warr.
Nov. Zool. VI. p. 7 (1899).
2241 P. splendida Warr.
Nov. Zool. VI. p. 8 (1899).
2242 P. brunnea Warr.
Nov. Zool. XV. p. 346 (1908).

PYRALIDINA.

GALLERIINÆ.

LAMORIA Wlk.
Cat. XXVII. p. 87 (1863).
2243 L. planalis Wlk.
Cat. XXVII. p. 88 (1863).
2244 L. imbella Wlk.
Cat. XXX. p. 955 (1864).
2245 L. anella Schiff.
Wien. Verz. p. 135 (——).

TUGELA Rag.
Nouv. Gen. p. 51 (1888).
2246 T. cafrella Rag.
Nouv. Gen. p. 51 (1888).

GALLERIA Fabr.
Ent. Syst. Suppl. p. 462 (1798).
2247 G. mellonella L.
Syst. Nat. (ed. X.) I. p. 537 (1759).

PARAPHOMIA Hmpsn.
Rag. Mem. VIII. p. 501 (1901).
2248 P. natalensis Hmpsn.
Rag. Mem VIII. p. 502 pl. LV. f. 5 (1901).

CRAMBINÆ.

CULLADIA Moore
Lep. Ceyl. III. p. 382 (1886).
2249 C. achroella Mab.

CRAMBUS Fabr.
Ent. Syst. Suppl. p. 464 (1798).
2250 C. anticellus Wlk.
Cat. XXXV. p. 1751 (1866).
2251 C. decolorellus Wlk.
Cat. XXVII. p. 164 (1863).
2252 C. fulvitinctellus Hmpsn.
Proc. Zool. Soc. Lond. p. 929 (1895).
2253 C. sparsellus Wlk.
Cat. XXXV. p. 1755 (1866).
2254 C. malacellus Dup.
Lep. Fr. VII. p. 61 pl. 270 f. 5 (1829).
2255 C. leucoschalis Hmpsn.
A.M.N.H. (VII.) I. p. 159 (1898).
2256 C. tenuistriga Hmpsn.
A.M.N.H. (VII.) 1. p. 158 (1898).
2257 C. flavipedellus Zell.
Lep. Caffra. p. 73 (1852).
2258 C. heliocaustus Wllgrn.
Œfv. Ak. Förh. XXII. I. p. 126 (1875).
2259 C. recalvus Wllgrn.
Œfv. Akad. Förh. XXII. 1. p. 126 (1875).
2260 C. carpherus Hmpsn.
A.M.N.H. (VII.) I. p. 159 (1898).
2261 C. contaminellus Hübn.

PLATYTES Guen.
Ind. Meth. p. 86 (1845).
2262 P. albipenella Hmpsn.
Proc. Zool. Soc. Lond. p. 946 (1895).
2263 P. tritonella Hmpsn.
A.M.N.H. (VII.) I. p. 159 (1898).

2264 P. auriplumbea Warr.
Ann. S.A. Mus. X. p. 499 pl. XLI. f. 16 (1914).

EROMENE Hübn.
Verz. p. 366 (?1818).
2265 E. ocellea Haw.
Lep. Brit. p. 486 (1812).
2266 E. zonella Feld.
Reise Nov. pl. CXXXVI. f. 2 (1875).

CHILO Zinck.
Germ. Mag. II. p. 36 (1817).
2267 Ch. suppresalis Wlk.
Cat. XXVII. p. 166 (1863).

SURATTHA Wlk.
Cat. XXVII. p. 75 (1863).
2268 S. africalis Hmpsn.

(I do not know if the description of this species has ever been published, but I have a specimen in my collection identified by Hampson and it certainly comes in this genus).

CHARLTONA Swinh.
Proc. Zool. Soc. Lond. p. 879 (1885).
2269 Ch. discella Wlk.
Cat. XXVII. p. 141 (1863).
2270 Ch. plurivittalis Hmpsn.
Proc. Zool. Soc. Lond. p. 492 pl. 40 f. 6 (1910)

ANCYLOLOMIA Hübn.
Verz. p. 363 (?1818).
2271 A. chrysographella Kollar.
Hüg. Reise Kaschmir. IV. p. 494 (1842).
2272 A. prepiella Hmpsn.
(Remark at No. 2268 also applies here).
2273 A. uniformella Hmpsn.
Proc. Zool. Soc. Lond. p. 967 (1895).
2274 A. melanella Hmpsn.
(Remark at No. 2268 also applies here).
2275 A. mirabilis Wllgrn.
Oefv. af. K. Vet. Akad. Förh. p. 125 (1875).
2276 A. pectinifera Hmpsn.
Proc. Zool. Soc. Lond. p. 492 pl. 40 f. 7 (1910).

TALIS Guen.
Ind. Micr. p. 86 (1845).
2277 T. nigriquamalis Hmpsn.
(Remark at No. 2268 also applies here).

SCHŒNOBIINÆ.

OBTUSIPALPIS Hmpsn.
Proc. Zool. Soc. Lond. p. 906 (1895).
2278 O. pardalis Hmpsn.
Proc. Zool. Soc. Lond. p. 906 (1895).

BRIHASPA Moore.
Proc. Zool. Soc. Lond. p. 666 (1867).
2279 Br. frontalis Wlk.
Cat. XXXIV. p. 1361 (1865).

PATISSA Moore.
Lep. Ceyl. III. p. 388 (1886).
2280 P. virginea Zell.
Mon. Chil. & Cram. p. 2 (1863).

SCIRPOPHAGA Treits.
Schmett. Eur. p. IX. I. p. 55 (1832).
2281 Sc. gilviberbis Zell.
Mon. Chil. & Cram. p. 2 (1863).

SCHOENOBIUS Dup.
Cat. Lep. Eur. p. 312 (1844).
2283 S. porrectellus Wlk.
Cat. XXVII. p. 140 (1863).
2284 S. caminarius Zell.
Micr. Caffr. p. 68 (1852).
2285 S. chrysostomus Zell.
Micr. Caffr. p. 68 (1852).

EURYCEROTA Hmpsn. ?
med. (?)
2286 Eu. stictalis Hmpsn.
ined. (?)

(Specimens in my collection identified by Hampson under this name.)

ANERASTIINÆ.

POLYOCHA Zell.
Isis. p. 876 (1848).
2287 P. sanguarinella Zell.
Isis. p. 876 (1848).
2287a P. rhodesiæ Strand.
Arch. Naturg. 75 I. p. 384 (1909).

BIAFRA Rag.
Nouv. Gen. p. 40 (1888).
2288 B. concinella Rag.
Nouv. Gen. p. 40 pl. XXXVIII. f. 2 (1888)
2289 B. rhodinella Rag.

EMATHEUDES Zell.
Stett. ent. Zeit. p. 385 (1867).
2290 E. straminella Snell.
Tijds. voor Ent. p. 107 pl. 8 f. 9 (1872).
2291 E. quinquepunctella Warr.
Ann. S.A. Mus. X. p. 500 pl. XLI. f. 17 (1914)
2292 E. paleatella Rag.
Nouv. Gen. p. 40 (1888).

2293 E. crassinotella Rag.
Nouv. Gen. p. 41 (1888).

DISCOFRONTIA Hmpsn.
Rag. Mem. VIII. p. 350 (1901).
2294 D. normella Hmpsn.
Rag. Mem. VIII. p 350 pl. LII. f. 20 (1901).

PECTINIGERIA Rag.
Nouv. Gen. p. 43 (1888).
2295 P. subcarnella Rag.
Nouv. Gen. p. 44 (1888).
2296 P. devylderi Rag.
Nouv. Gen. p. 43 (1888).
2297 P. macrella Rag.
Nouv. Gen. p. 44 (1888).

SALURIA Rag.
Ann. Soc. ent. Fr. p. 258 (1887).
2298 S. tripartitella Rag.
Mem. VIII. p. 359 pl. XXXIX. 19 (1901).

AMBALA Rag.
Nouv. Gen. p. 45 (1888)
2299 A. contrastella Rag.
Nouv. Gen. p. 45 (1888).

HYPSOTROPA Zell.
Isis. p. 591 (1848).
2300 H. infumatella Rag.
Mem. VIII. p. 377 pl. XXXIX. f. 8 (1901).
2301 H. adumbratella Rag.
Nouv. Gen. p. 47 (1888).

ANERASTIA Hübn.
Verz. p. 367 (? 1818).
2302 A. ablutella Zell.
Isis. p. 177 (1839).
2303 A. nigricostalis Wlk.
Cat. XXVII. p. 40 (1863).

(Originally described from Borneo, but I have specimens in my collection from S. Africa, placed by Hampson in this species).

POUJADIA Rag.
Nouv. Gen. p. 42 (1888).
2304 P. inficita Wlk.
Cat. XXVII. p. 30 (1863).

(Originally described from Ceylon, but S.A. specimens in my collection identified by Hampson as inficita.)

HEOSPHORA Meyr.
Proc. Lin. Soc. N.S. Wales VII. p. 158 (1882).
2305 H. sabuletella Zell.
Micr. Caff. p. 73 (1852).

2306 H. polyactina Hmpsn.
Rag. Mem. VIII. p. 384 pl. LII. f. 2 (1901).
2307 H. leucophlebiella Rag.
Nouv. Gen. p. 47 (1888).

RHODOCHRYSA Rag.
Mem. VIII. p. 387 (1901).
2308 Rh. superbella Rag.
Mem. VIII. p. 387 pl. XXXIX. f. 25 (1901).

HOSIDIA Rag.
Mem. VIII. p. 408 (1901).
2309 H. ochrineurella Rag.
Mem. VIII. p. 409 pl. XLV. f. 1 (1901).

SPHINCTOCERA Warr.
Nov. Zool. IV. p. 128 (1897).
2310 Sph. crassisquama Warr.
Nov. Zool. IV. p. 128 (1897).

PHYCITINÆ.

DYSPHYLIA Rag.
Mem. VII. p. 2 (1893).
2311 D. viridella Rag.
Rag. Nouv. Gen. p. 5 pl. V. f. 1a., b., c., (1888).
2312 D. asperella Rag.
Mem. VII. p. 620 pl. XLVII. f. 14 (1893).

MABILLIA Rag.
Mem. VII. p. 8 (1893).
2313 M. cerostomella Rag.
Nouv. Gen. p. 6 (1888).

BREPHIA Hein.
Die Schmett. Deut. u. der Schw. p. 173 (1865).
2314 Br. incongruella Warr.
Ann. S.A. Mus. X. p. 501 pl. XLI. f. 21 (1914).

MYELOIS Hübn.
Verz. p. 371 (1827).
2315 M. ceratoniæ Zell.
Isis. p. 176 (1839).

DIDIA Rag.
Mem. VII. p. 60 (1893).
2316 D. subramosella Rag.
Mem. VII. p. 61 pl. XI. f. 6 (1898)

EURHODOPE Hübn.
Verz. p. 371 (1827).
2317 E. confusella Wlk.
Cat. XXXV. p. 1718 (1866).
2318 E. infixella Wlk.
Cat. XXXV. p. 1710 (1866).

2319 E. notulella Rag.
Nouv. Gen. p. 8 (1888).
2320 E. basiferella Wlk.
Cat. XXXV. p. 1729 (1866).
2321 E. ebeniella Rag.
Nouv. Gen. p. 8 (1888).

ACROBASIS Zell.
Isis. p. 606 (1848).
2322 A. diversicolor Rag.
Mem. VII. p. 114 pl. XI. f. 13 (1893).

METŒCIS Mab.
Ann. Soc. Ent. Fr. p. 340 (1879).
2323 M. carnifex Coq.
Ann. Soc. ent. Fr. p. 534 (1855).

MUSSIDIA Rag.
Mem. VII. p 140 (1893).
2324 M. melanoneura Rag.
Mem. VII. p. 142 pl. VI. f. 13 (1893).

PIESMOPODA Zell.
Isis. p. 863 (1848).
2325 P. notandella Rag.
Mem VII. p. 164 pl. XVIII. f. 5 (1893).

TRACHONITIS Zell.
Isis. p. 641 (1848).
2326 T. capensis Hmpsn.
Mem. VIII. p. 536 pl. LVI. f. 19 (1901).

CANDIOPE Rag.
Nouv. Gen. p. 14 (1888).
2327 C. joannisella Rag.
Nouv. Gen. p. 14 (1888).

DITRACHYPTERA Rag.
Mem. VII. p. 227 —(1893).
2328 D. verruciferella Rag.
Nouv. Gen. p. 14 (1888).

CANTHELEA Wlk.
XXXV. p. 1726 (1866).
2329 C. saturatella Mab.
Comptes rend. de la Soc. ent. Belg. XXIII. p. XXVI. (1879).
2330 C. stibiella Snell.
Tijd. voor ent. p. 104 pl. VIII. ff. 7-8 (1872).

NEPHOPTERYX Hübn.
Verz. p. 370 (1827).
2331 N. emussitatella Rag.
Mem. VII. p. 291 pl. XIV. f. 4 (1893)
2332 N. divisella Dup.
Suppl. IV. p. 126 pl. 60 f. 9 (1842)

2333 N. laticostella Rag.
Nouv. Gen. p. 15 (1888).
2334 N. natalensis Rag.
Nouv. Gen. p. 16 (1888).
2335 N. caradrinella Rag.
Mem. VII. p. 622 pl. XLVII. f. 16 (1893).
2336 N. subdivisella Rag.
Mem. VII. p. 621 pl. XLVII. f. 15 (1893)
2337 N. nigricans Rag.
Nouv. Gen. p. 16 (1888).
2338 N. grapholithella Rag.
Nouv. Gen. p. 18 (1888).
2339 N. ferrealis Hmpsn.
A. M. N. H. (VII.) 1 p. 160 (1898).
2340 N. apotomella Meyr.

2341 N. subgenistella Hmpsn.
Rag. Mem. VIII. p. 541 pl. LVII. f. 1 (1906)

PRETORIA Rag.
Mem. VII. p. 624 (1893).
2342 P. hutchinsoni Rag.
Mem. VII. p. 624 pl. XLVII. f. 17 (1893).

POGONONEURA Rag.
Nouv. Gen. p. 17 (1888).
2343 P. hirticostella Rag.
Nouv. Gen. p. 17 (1888).

MICROTHRIX Rag.
Nouv. Gen. p. 25 (1888).
2344 M. inconspicuella Rag.
Nouv. Gen. p. 17 (1888).
2345 M. insulsella Rag.
Mem. VII. p. 325 pl. XIV. f. 13 (1893)

PRISTARTHRIA Rag.
Mem. VII. p. 326 (1893).
2346 P. caustella Hmpsn.
Rag. Mem. VIII. p. 548 pl. LVIII. f. 13 (1901)

SALEBRIA Zell.

2347 S. morosalis Saalm.
Jahr. Senckenb. naturfors. Gesell p. 307 (1879-1880).

OLIGOCHROA Rag.
Nouv. Gen. p. 20 (1888).
2348 O. atratella Rag.
Nouv. Gen. p. 22 (1888).
2349 O. siderella Rag.
Nouv. Gen. p. 22 (1888).
2350 O. ochreomelanella Rag.
Nouv. Gen. p. 21 (1888).

2351 O. coriacella Rag.
Nouv. Gen. p. 21 (1888).
2352 O. terrella Rag.
Nouv. Gen. p. 20 (1888).
2353 O. dionysia Zell.
Isis. p. 760 (1846).
2354 O. piliferella Rag.
Nouv. Gen. p. 20 (1888).
2355 O. ignicepsalis Hmpsn.

OLIGOCHROIDES Strand.
Arch. Natg. 75 p. 385 (1909).
2355a O. nigritella Strand.
l.c. p. 385 (1909).

LAODAMIA Rag.
Nouv. Gen. p. 22 (1888).
2356 L. africanella Rag.
Nouv. Gen. p. 18 (1888).

GETULIA Rag.
Nouv. Gen. p. 26 (1888).
2357 G. semifuscella Rag
Mem. VII. p. 625 pl. XLVII. f. 18 (1893).
2358 G. fulviplagella Hmpsn.
Mem. VIII. p. 556 pl. LVI. f. 22 (1901).

SYNORIA Rag.
Nouv. Gen. p. 27 (1888).
2359 S. euglyphella Rag.
Nouv. Gen. p. 27 (1888).

MEGASIS Guen.
Index. Micr. p. 71 (1845).
2360 M. barrettæ Hmpsn.
Rag. Mem. VIII. p. 557 pl. LVII. f. 17 (1901).

TRACHYPTERYX Rag.
Mem. VII. p. 566 (1893).
2361 Tr. magella Zell.
Isis. p. 870 (1848).
2362 Tr. rubripictella Hmpsn.
Rag. Mem. VIII. p. 558 pl. LVII. f. 23 (1901).

ETIELLA Zell.
Isis. p. 733 (1846).
2363 E. sincerella Meyr.

2364 E. zinckenella Treit.
Eur. Schmett. IX. p. 201 (1835).

EUZOPHERA Zell.
Trans. Ent. Soc. Lond. (3) V. p. 456 (1865-67).
2365 E. neomeniella Rag.
Nouv. Gen. p. 33 (1888).

2366 E. villora Feld.
Reise. Nov. pl. CXXXVII. f. 20 (1874).
2367 E. stramentella Rag.
Nouv. Gen. p. 32 (1888).

(Most probably female of villora Feld).

URBANIA Rag.
Mem. VIII. p. 81 (1901).
2368 U. lophopterella Rag.
Mem. VIII. p. 81 pl. XLVIII. f. 2 (1901).

ALISPOIDES Rag.
Nouv. Gen. p. 30 (1888).
2369 A. vermiculella Rag.
Nouv. Gen. p. 31 (1888).

ALISPA Zell.
Isis. p. 606 et 643 (1848).
2370 A. angustella Hübn.
Tin. p. 68 ( ).

STAUDINGERIA Rag.
Ann. Soc. ent. Fr. p. 249 (1887).
2371 St. magnifica Butl.
A. M. N. H. (4) XVI. p. 414 (1875).

HETEROGRAPHIS Rag.
Ent. Month. Mag. XXII. p. 31 (1885).
2372 H. albipunctella Warr.
Ann. S.A. Mus. X. p. 502 pl. XLI. f. 23 (1914).
2373 H. interjectella Rag.
Nouv. Gen. p. 29 (1888).
2374 H. bohemanni Zell.
Microlep. Caffr. p. 75 (1852).
2375 H. subpyrethrella Rag.
Nouv. Gen. p. 29 (1888).
2376 H. ustocapitella Rag.
Mem. VIII. p. 172 pl. XXX. f. 12 (1901).
2377 H. ocellella Rag.
Mem. VIII. p. 173 pl. XLVIII. f. 13 (1901).
2378 H. convexella Led.
Verh. Zool.-bot. Ges. p. 222 pl. 4 f. 9 (1855).

HYPOGRYPHIA Rag.
Bull. Soc. ent. Fr. p. CXIX (1890).
2379 H. atrisparsella Hmpsn.
Rag. Mem. VIII. p. 193 pl. LV. f. 7 (1901).

POGONOTROPHA Zell.
Microlep. Caffr. p. 76 (1852).
2380 P. wahlbergi Zell.
Microlep. Caffr. p. 76 (1852).

ELEUSINA Rag.
Mem. VIII. p. 210 (1901).
2381 E. homoeosomella Hmpsn.
Rag. Mem. VIII. p. 211 pl. LI. f. 1 (1901).

ANCYLOSIS Zell.
Isis. p. 178 (1839).
2382 A. inangulella Warr.
Ann. S.A. Mus. X. p. 501 pl. XLI. f. 25 (1914).
2383 A. capensis Rag.
Nouv. Gen. p. 30 (1888).

HOMŒOSOMA Curt.
Ent. Mag. I. p. 190 (1833).
2384 H. mucidella Rag.
N. Am. Phyc. p. 15 (1887).
2385 H. angulilinea Warr.
Ann. S.A. Mus. X. p. 502 pl. XLI. f. 20 (1914).
2386 H. terminella Rag.
Mem. VIII. p. 234 pl. XLIX. f. 6 (1901).
2387 H. botydella Rag.
Nouv. Gen. p. 35 (1888).
2388 H. scopulella Rag.
Nouv. Gen. p. 35 (1888).

EPHESTIA Guen.
Ind. meth. p. 81 (1845).
2389 E. cautella Wlk.
Cat. XXVII. p. 73 (1863).

EPIPASCHIINÆ.

LEPIDOGMA Meyr.
Tr. S. S. L. p. 472 (1890).
2390 L. rubricalis Hmpsn.
A. M. N. H. XVII. p. 131 (1906).

MACALLA Wlk.
Cat. XVI. p. 155 (1858).
2391 M. fasciculata Hmpsn.
A. M. N. H. XVII. p. 137 (1906).
2392 M. melanobasis Hmpsn.
A. M. N. H. XVII. p. 139 (1906).

ISOLOPHA Hmpsn.
A. M. N. H. (6) XVI. p. 346 (1895).
2393 I. albicristata Warr.
Ann. S.A. Mus. X. p. 28 (1911).

RHYNCHOPASCHIA Hmpsn.
A. M. N. H. 17 p. 190 (1906).
2394 Rh. melanolopha Hmpsn.
A. M. N. H. 17 p. 190 (1906).

CHRYSAUGINÆ.

MACNA Wlk.

Cat. XVI. p. 78 (1855).

2395 M. hampsoni Dist.

A. M. N. H. (6) XX. p. 17 (1897).

MURGISCA Wlk.

Cat. XXVII. p. 11 (1863).

2396 M. marshalli Hmpsn.

A. M. N. H. XVII. p. 204 (1906).

ENDOTRICHINÆ.

ENDOTRICHA Zell.

Isis p. 593 (1847).

2397 E. consobrinalis Zell.

Microlep. Caffr. p. 24 (1852).

PYRALINÆ

AGLOSSA Latr.

Préc. Char. Gen. Ins. p. 145 (1796).

2398 A. ferrealis Hmpsn.

A. M. N. H. XVII. p. 220 (1906).

2399 A. incultalis Zell.

Microlep. Caffr. p. 21 (1852).

2400 A. infuscalis Hmpsn.

A. M. N. H. XVII. p. 219 (1906).

2401 A. basalis Wlk.

Cat. XXXIV. p. 1250 (1865).

2402 A. ocularis Butl.

A. M. N. H. (IV.) 16 p. 412 (1875).

2403 A. phæalis Hmpsn.

A. M. N. H. XVII. p. 218 (1906).

2404 A inconspicua Butl.

A. M. N. H. (IV.) 16 p. 413 (1875).

2405 A. formosa Butl.

A. M. N. H. (IV.) 16 p. 413 (1875).

2406 A. rhodalis Hmpsn.

A. M. N. H. XVII. p. 218 (1906).

PYRALIS Lin.

Syst. Nat. (ed. XII.) p. 881 (1767).

2407 P. digonialis Hmpsn.

A. M. N. H. XVII. p. 257 (1906).

2408 P. farinalis L.

Syst. Nat. (ed. XII.) p. 881 (1767).

2409 P. rubellalis Zell.

Micro lep. Caffr. p. 20 (1852).

2410 P. illutalis Zell.

2411 P. secretalis Wllgrn.

Œfv. Akad. Förh. XXII. 1 p. 122 (1875).

2412 P. smaragdina Butl.

A. M. N. H. (IV.) 16 p. 411 (1875).

2413 P. dentibasalis Warr.
Ann. S.A. Mus. X. p. 502 pl. XLI. f. 21 (1914).
2414 P. effulgens Warr.
Ann. S.A. Mus. X. p. 503 (1914).

TEGULIFERA Saalm.
Ber. Senck. Ges. p. 305 (1879-80)
2415 T. zonalis Warr.

2416 T. holothermalis Hmpsn.
A. M. N. H. XVII. p. 260 (1906).

STEMMATOPHORA Gueń.
Delt. & Pry. p. 129 (1854).
2417 S. xanthozonalis Hmpsn.
A. M. N. H. XVII. p. 261 (1906).
2418 S. oleagina Warr.
A. M. N. H. (6) VII. p. 497 (1891).
2419 S. rubicundalis Hmpsn.
A. M. N. H. XVII. p. 261 (1906).

HERCULIA Wlk.
Cat. XIX. p. 807 (1859).
2420 H. tenuis Butl.
Proc. Zool. Soc. Lond. p. 681 (1888).
2421 H. cœsalis Zell.
Lep. Micro. Caffr. p. 22 (1852).

TRIPHASSA Hübn.
Samml. Exot. Schmett. p. 26 (1818).
2422 T. stalachtis Hübn.
Exot. Schmett. pp. 26, 75 ff. 149-150 (1818).
2423 T. albialis Wlk.
Cat. XVIII. p. 640 (1859).

SACADA Wlk.
Cat. Journ. Lin. Soc. VI. ? p. 136 (1862).
2424 S. rhodinalis Hmpsn.
A. M. N. H. XVII. p. 266 (1906).
2425 S. rosealis Hmpsn.
A. M. N. H. XVII. p. 266 (1906).

PARACTENIA Rag.
Ann. ent. Soc. Fr. p. 642 (1891).
2426 P. allutalis Zell.
Lep. Micro. Caffr. p. 18 (1852).
2427 P. thermalis Hmpsn.
A. M. N. H. XVII. p. 267 (1906).
2428 P. atriparsalis Hmpsn.
A. M. N. H. XVII. p. 268 (1906).

PROSARIS Meyr.
Tr. ent. Soc. L. p. 12 (1894).
2429 P. rufalis Hmpsn.
A. M. N. H. XVII. p. 269 (1906).

2430 P. pulverea Hmpsn.
A. M. N. H. XVII. p. 268 (1906).

NEOBOSTRA Hmpsn.
A. M. N. H. XVII. p. 344 (1906).
2431 N. ferruginealis Hmpsn.
A. M. N. H. XVII. p. 344 (1906).

BOSTRA Wlk.
Cat. XXVII. p. 123 (1863).
2432 B. rufimarginalis Hmpsn.
A. M. N. H. XVII. p. 347 (1906).
2433 B. noctuina Butl.
A. M. N. H. (IV.) 16 p. 411 (1875).
2434 B. conflualis Hmpsn.
A. M. N. H. XVII. p. 347 (1906).
2435 B. albilineata Warr.
A. M. N. H. (6) VII. p. 437 (1891).
2436 B. pyroxanthia Hmpsn.
A. M. N. H. XVII. p. 345 (1906).
2437 B. vetustalis Zell.
Lep. Micr. Caffr. p. 17 (1852).
2438 B. dipectinialis Hmpsn.
A. M. N. H. XVII. p. 345 (1906).
2439 B. exustalis Guen.
Delt. & Pyr. p. 130 pl. 10 f. 1 (1854).
2440 B. xanthorhodalis Hmpsn.
A. M. N. H. XVII. p. 350 (1906).
2441 B. lateritialis Guen.
Delt. & Pyr. p. 130 (1854).
2442 B. sentalis Hmpsn.
A. M. N. H. XVII. p. 346 (1906).
2443 B. ferrealis Hmpsn.
A. M. N. H. XVII. p. 348 (1906).
2444 B. puncticostalis Hmpsn.
A. M. N. H. (7) I. p. 161 (1898).
2445 B. conspicualis Warr.
Ann. S.A. Mus. X. p. 29 (1914).
2446 B. flavicostalis Warr.
Ann. S.A. Mus. X. p. 503 pl. XLI. f. 22 (1914).
2447 B. carnicolor Warr.
Ann. S.A. Mus. X. p. 504 pl. XLI. f. 19 (1914).

ZITHA Wlk.
Cat. XXXIV. p. 1264 (1865).
2448 Z. ignalis Guen.
Delt. & Pyr. p. 129 (1854).
2449 Z. laminalis Guen.
Delt. & Pyr. p. 129 (1854).
2450 Z. subcupralis Zell.
Lep. Micr. Caffr. p. 20 (1852).

SINDRIS Boisd.
Faun. Madag. p. 122 (1833).
2451 S. sganzini Boisd.
Faun. Madag. p. 122 pl. 16 f. 10 (1833).

2452 S. albimaculalis Rag.
Ann. ent. Soc. Fr. p. 113 (1891).

LORYMA Wlk.
Cat. XIX. p. 890 (1859).
2453 L. althalialis Wlk.
Cat. XVII. p. 258 (1859).

CONSTANIA Rag.
Bull. Soc. ent. Fr. p. CXXXVII. (1887).
2454 C. bolinalis Wlk.
Cat. XVII. p. 266 (1859).
2455 C. aglossalis Hmpsn.
A. M. N. H. XVII. p. 354 (1906).
2456 C. pallidicarnea Warr.
Ann. S.A. Mus. X. p. 504 pl. XLI. f. 15 (1914).
2457 C. grisescens Warr.
Ann. S.A. Mus. X. p. 505 pl. XLI. f. 18 (1914).
2458 C. phæagonalis Hmpsn.
A. M. N. H. XVII. p. 353 (1906).

ACTENIA Guen.
Delt. & Pyr. p. 135 (1854)
2459 A. obliquisignalis Hmpsn.
A. M. N. H. XVII. p. 354 (1906).
2460 A. achromalis Hmpsn.
A. M. N. H. XVII. p. 355 (1906).
2461 A. rhodesialis Hmpsn.
A. M. N. H. XVII. p. 355 (1906).

CLEDEOBIA Steph.
Cat. Brit. Ins. II. p. 159 (1829).
2462 C. styphlotricha Hmpsn.
A. M. N. H. XVII. p. 356 (1906).

TYNDIS Rag.
Ann. ent. Soc. Fr. p. 83 (1891).
2463 T. proteanalis Hmpsn.
A. M. N. H. XVII. p. 357 (1906).
2463a T. rubrovittata Grünb.
Denkschr. med. Ges. Jena. 16 p. 142 (1910).

PITHYLLIS Grünberg.
Denkschr. med. Ges. Jena. 16 pp. 142-143 (1910).
2463b P. ornata Grünb.
l.c. 16 p. 143 (1910).

MELANALIS Hmpsn.
A. M. N. H. XVII. p. 359 (1906).
2464 M. perfusca Hmpsn.
A. M. N. H. XVII. p. 359 (1906).

AGLOSSODES Rag.
Ann. ent. Soc. Fr. p. 63 pl. 8 f. 5 (1890).
2465 A. prionophoralis Rag.
Ann. ent. Soc. Fr. p. 63 pl. 8 f. 5 (1890).

HYPOTIANÆ.

HYPOTIA Zell.
Iris. p. 593 (1847).

2465a H. dinteri Grünb.
Denkschr. med. Ges. Jena. XVI. p. 141 (1910).

HYDROCAMPINÆ.

ARGYRACTIS Hmpsn.
Trans. Ent. Soc. Lond. p. 135 (1897)

2466 A. capensis Hmpsn.
A. M. N. H. XVIII. p. 383 (1906).

2467 A. nymphulalis Hmpsn.
A. M. N. H. XVIII. p. 389 (1906).

NYMPHULA Schrank.
Fauna Boica. II. p. 162 (1802).

2468 N. fœdalis Guen.
Delt. & Pyr. p. 228 pl. 4 f. 7 (1854).

2469 N. circealis Wlk.
Cat. XVII. p. 460 (1859).

2470 N. fluctuosalis Zell.
Lep. Mirc. Caffr. p. 27 (1852).

2471 N. depunctalis Guen.
Delt. & Pyr. p. 272 (1854).

CATACLYSTA Hübn.
Verz. p. 363 (1827).

2472 C. fraterna Butl.
A. M. N. H. (IV.) 16 p. 415 (1875).

AMBIA Wlk.
Cat. XIX. p. 957 (1859).

2473 A. melanalis Hmpsn.
A. M. N. H. XVIII. p. 458 (1906).

2474 A. chalcichroalis Hmpsn.
A. M. N. H. XVIII. p. 457 (1906).

DAULIA Wlk.
Cat. XIX. p. 975 (1859).

2475 D. subaurealis Wlk.
Cat. XXXIV. p. 1343 (1865).

DUPONCHELIA Zell.
Isis. p. 588 (1847).

2476 D. fovealis Zell.
Isis. p. 588 (1847).

STEGOTHYRIS Led.
Wien. ent. Mon. p. 427 (1863)

2477 St. fasciularis Zell.
Lep. Micr. Caffr. p. 63 (1852).

HYMENOPTYCHIS Zell.
Lep. Micr. Caffr. p. 64 (1852).
2478 H. sordida Zell.
Lep. Micr. Caffr. p. 65 (1852).

BRADINA Led.
Wien. ent. Mon. p. 424 (1863).
2479 Br. admixtalis Wlk.
Cat. XVIII. p. 665 (1859).

STENIA Guen.
Dup. Cat. Meth. p. 201 (1844).
2480 St. pœdiusalis Wlk.
Cat. XVIII. p. 208 (1859).
2480a St. desertalis Hmpsn.
A. M. N. H. (19) p. 8 (1907)

PILETOCERA Led.
Wien. ent. Mon. p. 431 (1863).
2481 P. signiferalis Wllgrn.
Wien. ent. Mon. p. 175 (1860).
2482 P. lanceolalis Guen.
Delt. & Pyr. p. 246 (1854).

ZEBRONIA Hübn.
Verz. p. 361 (1827).
2483 Z. phenice Cram.
Pap. Exot. IV. p 185 pl. 382 f G. (1781)

LUMA Wlk.
Cat. XXVII. p. 121 (1863).
2483a L. holoxantha Hmpsn.
A. M. N. H. 19 p. 2 (1907).
2483b L. flavimarginalis Hmpsn.
A. M. N. H. (19) p. 2 (1907).

SCOPARIANÆ.

SCOPARIA Haw.
Lep. Brit. p. 491 (1803).
2484 Sc. contemptalis Wlk.
Cat. XXXIV. p. 1499 (1865).
2485 Sc. nolalis Feld.
Reise Nov. pl. 134 f. 41 (1875).

PYRAUSTINÆ.

ENTEPHRIA Led.
Wien. ent. Mon. p. 428 (1863).
2486 E. diaphana Cram.
Pap. Exot. II. p. 26 pl. 113 f. G. (1779)
2487 E. caberalis Guen.
Delt. & Pyr. p. 284 (1854).

ZINCKENIA Zell.
Lep. Micr. Caffr. p. 55 (1852).

2488 Z. perspectalis Hübn.
Schmett. Eur. Pyr. p. 101 (—).

2489 Z. fascialis Cram.
Pap. Exot. IV. pl. 398 f. O. (1781).

EURRHYPARODES Snell.
Tijd. voor Ent. p. 215 (1880).

2490 Eu. bracteolalis Zell.
Lep. Micr. Caffr. p. 30 (1852).

2491 Eu. tricoloralis Zell.
Lep. Micr. Caffr. p. 31 (1852).

PAGYDA Wlk.
Cat. XVIII. p. 487 (1859).

2492 P. salvalis Wlk.
Cat. XVII. p. 489 (1859).

2493 P. traducalis Zell.
Lep. Micr. Caffr. p. 54 (1852).

CHALCIDOPTERA Butl.
A. M. N. H. (II.) p. 120 (1883).

2494 Ch. thermographa Hmpsn.
Proc. Zool. Soc. Lond. p. 497 pl. XL. f. 23 (1910).

2494a Ch. argyrophoralis Hmpsn.
A. M. N. H. (9) p. 322 (1912).

2494b Ch. trogobasalis Hmpsn.
l.c. p. 321 (1912).

ERCTA Wlk.
Cat. XVII. p. 425 (1859).

2495 E. ornatalis Dup.
Lép. France VII. p. 207 pl. 223 f. 8 (1829).

MARASMIA Led.
Wien. ent. Mon. p. 385 (1863).

2496 M. venilialis Wlk.
Cat. XVII. p. 373 (1859).

2497 M. trapezalis Guen.
Delt. & Pyr. p. 200 (1854).

SYNGAMIA Guen.
Delt. & Pyr. p. 187 (1854).

2498 S. floridalis Zell.
Lep. Micr. Caffr. p. 60 (1852).

2499 S. fervidalis Zell.
Lep. Micr. Caffr. p. 59 (1852).

BOCCHORIS Moore.
Lep. Ceyl. III. p. 271 (1886).

2500 B. onychinalis Guen.
Delt. & Pyr. p. 205 pl. 6 f. 9 (1852).

2501 B. flavibrunnea Hmpsn.
Proc. Zool. Soc. Lond. p. 651 pl. XLIX. f. 30 (1898).
2502 B. inspersalis Zell.
Lep. Micr. Caffr. p. 33 (1852).

PILOCROSIS Led.
Wien. ent. Mon. VII. p. 430 (1863).
2502a P. pterygodia Hmpsn.
A. M. N. H. (IX.) p. 263 (1912).
2502b P. melastictalis Hmpsn.
l.c. IX. p. 264 (1912).
2502c P. glaucitalis Hmpsn.
l.c. IX. p. 265 (1912).
2502d P. dichocrosialis Hmpsn
l.c. IX. p. 266 (1912).

ULOPEZA Zell.
Lep. Micr. Caffr. p. 58 (1852).
2503 U. conigeralis Zell.
Lep. Micr. Caffr. p. 58 (1852).
2503a U. denticulalis Hmpsn.
A. M. N. H. (9) p. 269 (1912).

NOSOPHORA Led.
Wien. ent. Mon. p. 407 (1863).
2504 N. latiferalis Wlk.
Cat. XXXIV. p. 1401 (1865).

FILODES Guen.
Delt. & Pyr. p. 317 (1854).
2505 F. productalis Hmpsn.
Proc. Zool. Soc. Lond. p. 671 pl. L. f. 14 (1898).

DICHOCROSIS Led.
Wien. ent. Mon. p. 447 (1863).
2506 D. amyntalis Wllgrn.

2506a D. usticinctalis Hmpsn.
A. M. N. H. (9) p. 334 (1912).

NACOLEIA Wlk.
Cat. XIX. p. 934 (1859).
2507 N. indicata Fabr.
Syst. Ent. p. 640 (1775).
2507a N. fusalis Hmpsn.
A. M. N. H. (9) p. 441 (1912).
2508 N. diemenalis Guen.
Delt. & Pyr. p. 203 (1854)

BOTYODES Guen.
Delt. & Pyr. p. 321 (1854).
2509 B. asialis Guen.
Delt. & Pyr. p. 321 (1854).
2510 B. hirtusalis Wlk.
Cat. XVIII. p. 642 (1859).

SYLEPTA Hübn.
Verz. p. 356 (1827).

2511 S. orbiferalis Hmpsn.
Proc. Zool. Soc. Lond. p. 715 (1898).

2512 S. straminea Butl.
A. M. N. H. (4) XVI. p. 416 (1875).

2513 S. nasonalis Hmpsn.
Proc. Zool. Soc. Lond. p. 724 (1898).

2514 S. mesoleucalis Hmpsn.
Proc. Zool. Soc. Lond. p. 724 (1898).

2514a S. xylocraspis Hmpsn.
A. M. N. H. (X.) p. 9 (1912).

LYGROPIA Led.
Wien. ent. Mon. p. 381 (1863).

2515 L. muscerdalis Zell.
Lep. Micr. Caffr. p. 43 (1852).

2516 L. quaternalis Zell.
Lep. Micr. Caffr. p. 44 (1852).

2517 L. amyntusalis Wlk.
Cat. XVIII. p. 662 (1859).

AGATHODES Guen.
Delt. & Pyr. p. 207 (1854).

2518 A. musivalis Guen.
Delt. & Pyr. p. 210 (1854).

NEOSTEGE Hmpsn.
Proc. Zool. Soc. Lond. p. 499 (1910).

2519 N. holoxutha Hmpsn.
Proc. Zool. Soc. Lond. p. 499 pl. XL. f. 25.
(1910).

GLYPHODES Guen.
Delt. & Pyr. p. 292 (1854).

2520 G. negatalis Wlk.
Cat. XVII. p. 468 (1859).

2521 G. sericea Drury.
Ins. II. p. 9 pl. 6 f. 1 (1837).

2522 G. baldersalis Wlk
Cat. XVIII. p. 527 (1859).

2523 G. hyalinata Lin.
Syst. Nat. (I.) p. 874 No. 279 (1735).

2524 G. angustimargo Warr.
Ann. S.A. Mus. X. p. 505 (1914).

2525 G. indica Saund.
Trans. Ent. Soc. Lond. p. 163 (1851).

2526 G. elealis Wlk.
Cat. XVIII. p. 516 (1859).

2527 G. unionalis Hübn.
Eur. Schmett. Pyr. f. 138 (——).

2528 G. bicolor Swains.
Zool. M. (1) II. pl. 77 f. 2 (——).

2529 G. sinuata Fabr.
Spec. Ins. II. p. 267 (1781).

2529a G. prasinophila Hmpsn.
A. M. N. H. (X.) p 571 (1912).

EUCLASTA Led.
Verh. Zool.-bot. Ges. Wien. p. 252 (1855).

2530 Eu. warreni Dist.
Nat. Transvaal p. 241 pl. II. f. 5 (1892).

POLYTHLIPTA Led.
Wien. ent. Mon. p. 389 (1863).

2531 P. annulifera Wlk.
Cat. XXXIV. p. 1344 (1865).

LEPYRODES Guen.
Delt. & Pyr. p. 277 (1854).

2532 L. geometralis Guen.
Delt. & Pyr. p. 278 pl. 8 f. 6 (1854).

2533 L. capensis Wlk.
Cat. XXXIV. p. 1344 (1865).

2534 L. piabilis Wllgrn.
Öfv. Ak. Förh. XXXII. p. 124 (1875).

LEUCINODES Guen.
Delt. & Pyr. p. 221 (1854).

2535 L. orbonalis Guen.
Delt. & Pyr. p. 223 (1854).

2536 L. vagans Tutt.
Ent. Rec. I. p. 203 (—).

CROCIDOLOMIA Zell.
Lep. Micr. Caffr. p. 65 (1852).

2537 C. binotalis Zell.
Lep. Micr. Caffr. p. 66 (1852).

HELLULA Guen.
Delt. & Pyr. p. 415 (1854).

2538 H. undalis Fabr.
Ent. Syst. III. p. 226 (? 1798).

SAMEODES Snell.
Tijds. voor ent. p. 217 (1880).

2539 S. roseocinctalis Hmpsn.
A. M. N. H. XI. p. 331 (1913).

2539a S. cancellalis Zell.
Lep. Micr. Caffr. p. 34 (1852).

2539b S. microspilalis Hmpsn.
A. M. N. H. XI. p. 324 (1913).

THLIPTOCERAS Swinh.
Trans. Ent. Soc. Lond. p. 274 (1890).

2540 Thl. octoguttale Feld.
Reise Nov. pl. 135 f. 38 (1875).

2540a Thl. xanthocraspia Hmpsn.
A. M. N. H. XI. p. 331 (1913).

2541 Thl. polygrammodes Hmpsn.
Proc. Zool. Soc. Lond. p. 180 (1899).

ARCHERNIS Meyr.
Proc. Lin. Soc. N.S. Wales. II. 1 p. 254 (1886).
2542 A. flavidalis Hmpsn.
A. M. N. H. I. p. 491 (1908).

TERASTIA Guen.
Delt. & Pyr. p. 211 (1854).
2543 T. meticulosalis Guen.
Delt. & Pyr. p. 212 (1854).
2544 T. margaritis Feld.
Reise Nov. pl. 136 f. 40 (1875).

ISCHNURGES Led.
Wien. ent. Mon. p. 418 (1863).
2545 I. lancinalis Guen.
Delt. & Pyr. p. 169 (1854).

MARUCA Wlk.
Cat. XVIII. p. 540 (1859).
2546 M. testulalis Geyer.
Hübn. Samml. Exot. Schmett. IV. p. 12 ff. 629-630 (1855).

PASCHIODES Hmpsn.
A. M. N. H. XI. p. 509 (1913).
2546a P. mesoleucalis Hmpsn.
l.c. p. 509 (1913).

NOMOPHILA Hübn.
Verz. p. 168 (1827).
2547 N. noctuella Schiff.
Wien. Verz. p. 136. ( ).

PACHYZANCLA Meyr.
Trans. Ent. Soc. Lond. p. 315 (1884).
2548 P. phæopteralis Guen.
Delt. & Pyr. p. 349 (1854).
2549 P. bipunctalis Fabr.
Ent. Syst. III. part 2 p. 227 (? 1798).

PHLYCTÆNODES Guen.
Delt. & Pyr. p. 173 (1854).
2550 Phl. fulvalis Warr.
A. M. N. H. (6) IX. p. 301 (1892).
2551 Phl. frustalis Zell.
Lep. Micr. Caffr. p. 48 (1852).
2552 Phl. massalis Wlk.
Cat. XVIII. p. 732 (1859).
2553 Phl. venustalis Cram.
Exot. Schmett. IV. pl. 371 f. I. (1782).
2554 Phl. zaide Stoll.
Suppl. Exot. Schmett. pl. 36 f. 6 (1791).
2555 Phl. plumbatalis Zell.
Lep. Micr. Caffr. p. 51 (1852).
2556 Phl. oblinalis Feld.
Reise Nov. pl. 134 f. 38 (1875).

2557 Phl. euprepialis Hmpsn.
A. M. N. H. XI. p. 521 (1913).

DIASEMIA Guen.
Delt. & Pyr. p. 233 (1854).
2558 D. trigonalis Hmpsn.
A. M. N. H. XI. p. 522 (1913).
2558a D. ramburialis Dup.
Lep. France VIII. p. 343 pl. 233 f. 6 (1830).
2559 D. disjectalis Zell.
Lep. Micr. Caffr. p. 16 (1852).
2559a D. monostigma Hmpsn.
A. M. N. H. XI. p. 523 (1913).

ANTIGASTRA Led.
Wien. ent. Mon. p. 419 (1863).
2560 A. catalaunalis Dup.
Lép. France VIII. p. 330 pl. 232 f. 8 (1830).
2561 A. morysalis Wlk.
Cat. XVIII. p. 641 (1859).

NOORDA Wlk.
Cat. XIX. p. 978 (1859).
2562 N. fessalis Swinh.
Proc. Zool. Soc. Lond. p. 459 pl. 41 f. 13 1886).
2563 N. sinualis Hmpsn.
Proc. Zool. Soc. Lond. p. 221 (1899).
2564 N. rubricostalis Hmpsn.
Proc. Zool. Soc. Lond. p. 504 pl. 41 f. 8 (1910).

CYBOLOMIA Led.
Wien. ent. Mon. VII. p. 420 (1863).
2564a C. apicalis Hmpsn.
A. M. N. H. XI. p. 529 (1913).

MECYNA Guen.
Delt. & Pyr. p. 406 (1854).
2565 M. gilvata Fabr.
Ent. Syst. p. 290 (? 1798).

CRIOPHTHONA Meyr.
Tr. E. S. L. p. 339 (1884).
2565a C. aridalis Hmpsn.
A. M. N. H. XII. p. 2 (1913).

METASIA Guen.
Delt. & Pyr. p. 251 (1854).
2566 M. profanalis Wlk.
Cat. XXXIV. p. 1403 (1865).
2567 M. holoxanthia Hmpsn.
Proc. Zool. Soc. Lond. p. 239 (1899).

PIONEA Guen.
Delt. & Pyr. p. 367 (1854).
2568 P. ferrugalis Hübn.
Schmett. Eur. Pyr. ff. 54-150 ( ).

2569 P. prolausalis Wlk.
Cat. XIX. p. 990 (1859).
2570 P. africalis Guen.
Delt. & Pyr. p. 370 (1854).
2571 P. infuscalis Zell.
Lep. Micr. Caffr. p. 41 (1852).
2572 P. muscosalis Hmpsn.
A. M. N. H. XII. p. 13 (1913).
2572a P. erythrialis Hmpsn.
A. M. N. H. XII. p. 19 (1913).

PYRAUSTA Schrank.
Faun. Boica. II. 2. p. 163 (1802).
2573 P. impunctata Warr.
Nov. Zool. IV. p. 129 (1897).
2574 P. incoloralis Guen.
Delt. & Pyr. p. 333 (1854).
2575 P. procillusalis Wlk.
Cat. XVIII. p. 641 (1859).
2576 P. aurea Butl.
A. M. N. H. (4) XVI. p. 414 (1875).
2577 P. lithosialis Hmpsn.
Proc. Zool. Soc. Lond. p. 263 (1899).
2578 P. phœnicealis Hübn.
Verz. p. 348 (1827).
2579 P. tetraplagalis Hmpsn.
Proc. Zool. Soc. Lond. p. 268 pl. L. f. 25 (1899).
2580 P. adsocialis Zell.
Lep. Micr. Caffr. p. 41 (1852).
2580a P. diatoma Hmpsn.
A. M. N. H. 12 p. 35 (1913).
2581 P. cinnamomealis Wllgrn.
Wien. ent. Mon. p. 175 (1860).
2581a P. rufitincta Hmpsn.
A. M. N. H. 12 p. 27 (1913).
2582 P. lacunalis Zell.
Lep. Micr. Caffr. p. 42 (1852)
2582a P. atricinctalis Hmpsn.
A. N. M. H. 12 p. 24 (1913)
2583 P. diniasalis Wlk.
Cat. XVIII. p. 649 (1859).

SCELIODES Guen.
Delt. & Pyr. p. 100 (1854).
2584 Sc. laisalis Wlk.
Cat. XVII. p. 382 (1859).

TEGOSTOMA Zell.
Isis. p. 581 (1847).
2585 T. subditalis Zell.
Lep. Micr. Caffr. p. 25 (1852).
2586 T. bipartalis Hmpsn.
Proc. Zool. Soc. Lond. p. 274 (1896).
2587 T. florilegaria Guen.
Phal. X. p. 175 (1857).

CROCIDOPHORA Led.
Wien. ent. Mon. p. 386 (1863).
2588 Cr. caffralis Hmpsn.
Proc. Zool. Soc. Lond. p. 502 pl. 41 f. 4 (1910).

NOCTUELIA Guen.
Delt. & Pyr. p. 113 (1854).
2589 N. annuliferalis Hmpsn.
A. M. N. H. XII. p. 300 (1913).

ESSINA Rag.
Ann. Soc. Ent. Tr. p. 28 (1891).
2590 E. atribasalis Rag.

HYMENIA Hübn.
2591 H. griseata Butl.
A. M. N. H. (IV.) 16 p. 415 (1875)

MELISSOBLAPTES Zell.
2592 M. murinus Wllgrn.
Öfv. af. K. Vet. Akad. Förh. p. 127 (1875).

Species position uncertain.

2593 Botys orbitalis Feld.
Reise Nov. pl. CXXXIV. f. 32 (1875).
2594 Botys rufinalis Feld.
Reise Nov. pl. CXXXV. f. 39 (1875).

ORNEODIDÆ.

ORNEODES Latr.
Précis Caract. Ins. p. 148 (1796).
2595 O. ferruginea Wlshm.
Tr. Ent. Soc. Lond. p. 285 (1881).
2596 O. huebneri Wllgrn.
Skand. Fjädermott. p. 24 (1859).
2597 O. certifica Meyr.
Ann. Transv. Mus. II. p. 4 pl. II. f. 4 (1908).
2598 O. libraria Meyr.
Ann. Transv. Mus. II. p. 221 (1911).
2599 O. spicifera Meyr.
Ann. Transv. Mus. II. p. 221 (1911).
2600 O. capensis Feld.
Reise Nov. pl. 140 f. 63 (1877).
2601 O. butleri Wllgrn.
Oefv. Vet.-Akad. Förh. p. 130 (1875).
2602 O. acalyptra Meyr.
Ann. Transv. Mus. III. p. 269 (1913).

MICROSCHISMUS Fletcher.
The Entomologist p. 253 (1909).
2603 M. fortis Walsingham.
Trans. Ent. Soc. Lond. p. 284 pl. 13 f. 49 (1881).

2604 M. antennatus Fletcher.
The Entomologist p. 253 (1909).
2605 M. sceletias Meyr.
Ann. Transv. Mus. II. p. 222 (1911).
2606 M. ctenias Meyr.
Ann. Transv. Mus. II. p. 222 (1911).
2607 M. premnias Meyr.
Ann. Transv. Mus. III. p. 269 (1913).
2608 M. serricornis Meyr.
Ann. Transv. Mus. IV. p. 187 (1914).

PTEROPHORIDÆ.

DIACROTRICHA Zell.
Linn. Ent. vol. VI. p 399 (1851).
2609 D. pesseuta Meyr.
Journ. Bombay Nat. Hist. Soc. p. 134 (1906).

TRICHOPTILUS Walsingham.
Pteroph. Calif. p. 62 (1880).
2610 Tr. wahlbergi Zell.
Linn. Ent. vol. VI. p. 346 (1851).
2611 Tr. defectalis Wlk.
Cat. XXX. p. 943 (1864).
2612 Tr. congrualis Wlk.
Cat. XXX. p. 943 (1864).
2613 Tr. cryphias Meyr.
Ann. S.A. Mus. X. p. 53 (1912).
2614 Tr. vivax Meyr.
Ann. Transv. Mus. II. p. 1 pl. I. f. 2 (1909).
2615 Tr. varius Meyr.
Ann. Transv. Mus. II. p. 2 pl. I. f. 2 (1909).
2616 Tr. maceratus Meyr.
Ann. Transv. Mus. II. p. 1 pl. I. f. 3 (1909).

SPHENARCHUS Meyr.
Trans. Ent. Soc. Lond. p. 8 (1886).
2617 Sph. caffer. Zell.
Lep. Microp. p. 118 (1852).

OXYPTILUS Zell.
Isis. X. p. 765 (1841).
2618 O. secutor Meyr.
Ann. Transv. Mus. II. p. 218 (1911).
2619 O. epidectes Meyr.
Trans. Ent. Soc. Lond. p. 476 (1907).

TITANOPTILUS Hmpsn.
Trans. Ent. Soc. Lond. p. 248 (1905).
2620 T. (?) patellatus Meyr.
Exot. Micro. Lep. vol. I. p. 109 (1913).

PLATYPTILIA Hübn.
Verz. bek. Schmett. p. 429 (1826).
2621 P. brachymorpha Meyr.
Trans. Ent. Soc. Lond. p. 240 (1888).

2622 P. direptalis Wlk.
Cat. XXX. p. 934 (1864).
2623 P. molopias Meyr.
Journ. Bomb. Nat. Hist. Soc. p. 135 (1906).
2624 P. periacta Meyr.
Ann. S. A. Mus. V. p. 411 (1910).
2625 P. patriarcha Meyr.
Ann. S.A. Mus. X. p. 54 (1912).
2626 P. maligna Meyr.
Exot. Micro. Lep. Vol. I. p. 110 (1913).
2627 P. sabia Feld.
Reise Nov. pl. CXL. f. 60 (1877).
2628 P. empedota Meyr.
Trans. Ent. Soc. Lond. p. 487 (1908).
2629 P. amphiloga Meyr.
Ann. S.A. Mus. V. p. 365 (1909).
2630 P. corniculata Meyr.
Ann. Transv. Mus. III. p. 268 (1913).
2631 P. (?) africae Wlshm.
Trans. Ent. Soc. Lond. p. 278 pl. XIII. f. 45 (1881).

MACROTINACTIS Meyr.
Ann. S.A. Mus. X. p. 55 (1912).
2632 M. stenodactyla Fletch.
Entom. p. 282 (1911).

DEUTEROCOPUS Zell.
Lin. Ent. vol. 6 p. 402 (1852).
2633 D. rubrodactylus Pag.
Zoologica. vol. 29 p. 241 (1900).
2634 D. tengstroemi Zell.
Lin. Ent. p. vol. 6 p. 402 (1852).

ALUCITA L.
Syst. Nat. vol. I. p. 542 (1758).
2635 A. rhyparias Meyr.
Trans. Ent. Soc. Lond. p. 489 (1908).
2636 A. candidalis Wlk.
Cat. XXX. p. 948 (1864).
2637 A. albida Zell.
Lin. Ent. VI. p. 397 (1851).
2638 A. adumbrata Wlshm.
Trans. Ent. Soc. Lond. p. 282 pl. 13 f. 47 (1881).
2639 A. tripunctata Wlshm.
Trans. Ent. Soc. p. 283 pl. 13 f. 48 (1881).

PSELNOPHORUS Wllgrn.
Ent. Tidsk. II. p. 96 (1881).
2640 P. aulotes Meyr.
Ann. Transv. Mus. II. p. 219 (1911).
2641 P. astragalotes Meyr.
Ann. S.A. Mus. V. p. 366 (1909).
2642 P. catharotes Meyr.
Trans. Ent. Soc. Lond. p. 491 (1907).

ADAINA Tutt.
Ent. Record. vol. 17 p. 37 (1905).

2643 A. gentilis Meyr.
Ann. Transv. Mus. II. p. 219 (1911).

2644 A. periarga Meyr.
Ann. Transv. Mus. III. p. 268 (1913).

MARASMARCHA Meyr.
Trans. Ent. Soc. Lond. p. 41 (1886).

2645 M. bonæspei Wlshm.
Trans. Ent. Soc. Lond. p. 281 pl. 13 f. 46 (1881).

2646 M. pacifica Meyr.
Ann. Transv. Mus. II. p. 220 (1911).

2647 M. pavida Meyr.
Trans. Ent. Soc. Lond. p. 493 (1908).

2648 M. crepuscularis Meyr.
Ann. Transv. Mus. II. p. 4 pl. II. f. 2 (1908).

2649 M. verax Meyr.
Ann. Transv. Mus. II. p. 3 pl. I. f. 5 (1908).

2650 M. atomosa Wlshm.
Proc. Zool. Soc. Lond. p. 885 (1885).

2651 M. tenax Meyr.
Ann. Transv. Mus. III. p. 268 (1913).

PTEROPHORUS Geoffr.
Hist. Nat. Ins. (1762).

2652 P. orchatias Meyr.
Trans. Ent. Soc. Lond. p. 511 (1908).

2653 P. lienigianus Zell.
Lin. Ent. vol. 6 p. 380 (1851).

2654 P. colubratus Meyr.
Ann. Transv. Mus. II. p. 3 pl. I. f. 4 (1911).

2655 P. ammonias Meyr.
Ann. Transv. Mus. II. p. 3 pl. I. f. 6 (1911).

2656 P. furfurosus Meyr.
Ann. Transv. Mus. II. p. 220 (1911).

2657 P. ambitiosus Meyr.
Ann. Transv. Mus. II. p. 220 (1911).

2658 P. serpens, Meyr.
Ann. S.A. Mus. V. p. 366 (1909).

2659 P. invidiosus Meyr.
Ann. Transv. Mus. II. p. 220 (1911).

2660 P. purus Meyr.
Ann. Transv. Mus. III. p. 268 (1913).

2661 P. timidus Meyr.
Trans. Ent. Soc. Lond. p. 494 (1907)

2662 P. sphenites Meyr.
Exot. Micro. Lep. I. p. 112 (1913).

2663 P. callidus Meyr.
Ann. Trans. Mus. III. p. 268 (1913).

2664 P. sordidatus Meyr.
Ann. S.A. Mus. X. p. 54 (1912)

2665 P. laqueatus Meyr.
Ann. Trans. Mus. III. p. 268 (1913).

STENOPTILIA Hübn.
Verz. bek. Schmett. p. 430 (1826).
2666 S. longalis Wlk.
Cat. XXX. p. 943 (1864).
2667 S. zophodactyla Dup.
Pap. de France II. p. 314 (1838).
2668 S. petræa Meyr.
Trans. Ent. Soc. Lond. p. 504 (1907).

AGDISTIS Hübn.
Verz. bek. Schmett. p. 429 (1826).
2669 A. pustulalis Wlk.
Cat. XXX. p. 927 (1864).
2670 A. malitiosa Meyr.
Ann. Transv. Mus. II. p. 4 pl. II. f. 3 (1908).
2671 A. criocephala Meyr.
Ann. S.A. Mus. V. p. 349 (1909).
2672 A. cretifera Meyr.
Ann. S.A. Mus. V. p. 367 (1909).
2673 A. infumata Meyr.
Ann. S.A. Mus. X. p. 55 (1912).

ÆGERIDÆ.

MELITTIA Wlk.
Cat. VIII. p. 66 (1856).
2674 H. rufodorsa Hmpsn.
A.M.N.H. (8) VI. p. 150 (1910).
2675 M. ignidiscata Hmpsn.
Proc. Zool. Soc. Lond. p. 507 pl. 41 f. 19 (1910)

TINTHIA Wlk.
Cat. XXXI. p. 23 (1864).
2676 T. vitrifasciata Hmpsn.
A.M.N.H. (8) VI. p. 150 (1910).
2677 T. xanthophora Hmpsn.
A.M.N.H. (8) VI. p. 150 (1910).
2678 T. endopyra Hmpsn.
A.M.N.H. (8) VI. p. 150 (1910).

SCIAPTERON Staud.
Stett. Ent. Zeit. p. 195 (1856).
2679 S. pyrocraspis Hmpsn.
A.M.N.H. (8) VI. p. 153 (1910).
2680 S. pyrethra Hmpsn.
A.M.N.H. (8) VI. p. 154 (1910).
2681 S. xanthosoma Hmpsn.
A.M.N.H. (8) VI. p. 154 (1910).

ÆGERIA Fabr.
Illig. Mag. Ins. VI. p. 288 (1807).
2682 Æ. monozona Hmpsn.
A.M.N.H. (8) VI. p. 156 (1910).
2683 Æ. elymais Druce.
A.M.N.H. (7) IV. p. 202 (1899).

2684 Æ. tiresa Druce.
A.M.N.H. (7) IV. p. 202 (1899).
2685 Æ. critheis Druce.
A.M.N.H. (7) IV. p. 202 (1899).
2686 Æ. rhodia Druce.
A.M.N.H. (7) IV. p. 203 (1899).
2687 Æ. sophax Druce.
A.M.N.H. (7) IV. p. 203 (1899).
2688 Æ. (?) taylori Druce.
A.M.N.H. (7) IV. p. 204 (1899).
2689 Æ. pythes Druce.
A.M.N.H. (7) IV. p. 204 (1899).
2690 Æ. marisa Druce.
A.M.N.H. (7) IV. p. 205 (1899).

AUSTROSETIA Feld.
Reise Nov. pl. LXXXII. f. 22 (1874).
2691 Au. semirufa Feld.
Reise Nov. pl. LXXXII. f. 22 (1874).

NETROCERA Feld.
Reise Nov. pl. LXXXIII. f. 5 (1874).
2692 N. setioides Feld.
Reise Nov. pl. LXXXIII. f. 5 (1874).

TORTRICINA.

PHALONIADÆ.

PHARMACIS Hübn.
Zutr. Exot. Schmett. II. p. 10 (1823).
2693 Ph. stigmatica Meyr.
Ann. S.A. Mus. V. p. 369 (1909).
2694 Ph. assecula Meyr.
Ann. Transv. Mus. II. p. 5 pl. II. f. 5 (1909).
2695 Ph. trimeni Feld.
Reise Nov. pl. CXXXVII. ff. 48, 51 (1874).
2696 Ph. feriata Meyr.
Ann. Transv. Mus. III. p. 270 (1913).
2697 Ph. replicata Meyr.
Ann. Transv. Mus. III. p. 270 (1913).

CARPOSINIDÆ.

CARPOSINA H.-S.
Syst. Bearb. Schmett. Eur. V. p. 38 (1853).
2698 C. brachycentra Meyr.
Ann. Transv. Mus. IV. p. 188 (1914).
2699 C. irata Meyr.
Ann. Transv. Mus. IV. p. 187 (1914).
2700 C. siturga Meyr.
Ann. S.A. Mus. X. p. 55 (1912).

TORTRICIDÆ.

CACŒCIA Hübn.
Verz. bek. Schmett. p. 388 (1826).

2701 C adustana Wlshm.
Trans. Ent. Soc. Lond. p. 222 pl. X. f. 1 (1881).

2702 C. heliaspis Meyr.
Ann. S.A. Mus. V. p. 349 (1909).

2703 C. pronubana Hübn.
Samml. Eur. Schmett. ff. 332, 333 (1830).

2704 C. occidentalis Wlshm.
Trans. Ent. Soc. Lond. p. 64 pl. 3 f. 1 (1891).

TORTRIX. L.
Syst. Nat. I. p. 496 (1758).

2705 T. cedrota Meyr.
Proc. Zool. Soc. Lond. p. 722 (1908).

2706 T. hedrastis Meyr.
Proc. Zool. Soc. Lond. p. 722 (1908).

2707 T. africana Wlshm.
Trans. Ent. Soc. Lond. p. 227 pl. X. f. 6 (1881)

2708 T. capensana Wlk.
Cat. XXVIII. p. 295 (1863).

2709 T. simplecta Meyr.
Ann. S.A. Mus. V. p. 412 (1910).

2710 T. agrœca Meyr.
Proc. Zool. Soc. Lond. p. 723 (1908).

2711 T. diluticiliana Wlshm.
Trans. Ent. Soc. Lond. p. 224 pl. X. f. 3 (1881)

2712 T. elegans Wlshm.
Trans. Ent. Soc. Lond. p. 224 pl. X. f. 4 (1881)

2713 T. pharetrata Meyr.
Ann. Transv. Mus. II. p. 6 pl. II. f. 7 (1909).

2714 T. psoricodes Meyr.
Ann. Transv. Mus. II. p. 223 (1911).

2715 T. mensaria Meyr.
Ann. S.A. Mus. X. p. 56 (1912).

2716 T. prona Meyr.
Ann. Transv. Mus. II. p. 223 (1911).

2717 T. furtiva Meyr.
Ann. Transv. Mus. II. p. 223 (1911).

2718 T. crispata Meyr.
Ann. S.A. Mus. X. p. 56 (1912).

2719 T. simplecta Meyr.
Ann. S.A. Mus. V. p. 412 (1910).

2720 T. albescens Meyr.
Exot. Micro. Lep. I. p. 6 (1912).

2721 T. intrepida Meyr.
Exot. Micro. Lep. I. p. 7 (1912).

2722 T. acerbella Wlk.
Cat. XXIX. p. 561 (1864).

EPICHORISTA Meyr.
Ann. Transv. Mus. II. p. 5 (1909).

2723 E. geræas Meyr.
Ann. Transv. Mus. II. p. 5 pl. 2 f. 6 (1909).

2724 E. iocoma Meyr.
Proc. Zool. Soc. Lond. p. 723 (1908).
2725 E. ionephela Meyr.
Ann. S.A. Mus. V. p. 350 (1909).
2726 E. chloradelpha Meyr.
Exot. Mirco Lep. I. p. 8 (1912).
2727 E. tortuosa Meyr.
Exot. Micro. Lep. I. p. 8 (1912).
2728 E. perversa Meyr.
Exot. Micro. Lep. I. p. 9 (1912).
2729 E. vestigialis Meyr.
Ann. S.A. Mus. X. p. 243 (1914).

CNEPHASIA Curt.
Brit. Ent. III. p. 100 (1826).
2730 C. opsarias Meyr.
Ann. Transv. Mus. II. p. 224 (1911).
2731 C. captiva Meyr.
Ann. Transv. Mus. II. p. 224 (1911).
2732 C. ergastularis Meyr.
Ann. Transv. Mus. II. p. 225 (1911).
2733 C. incepta Meyr.
Exot. Micro. Lep. I. p. 10 (1912).
2734 C. olearis Meyr.
Exot. Micro. Lep. I. p. 10 (1912).
2735 C. temulenta Meyr.
Exot. Micro. Lep. I. p. 11 (1912).
2736 C. tigrina Wlshm.
Trans. Ent. Soc. Lond. p. 66 pl. 3 f. 2 (1891).

ARGYROTOXA Steph.
Cat. Brit. Ins p. 189 (1829).
2737 A. hectæa Meyr.
Ann. Transv. Mus. II. p 224 (1911).

EBODA Wlk.
Cat. XXXV. p. 1804 (1866).
2738 E. obstinata Meyr.
Journ. Bomb. Nat. Hist. Soc. XVIII. p. 624 (1908).

PERONEA Curt.
Brit. Ent. I. p. 15 (1824).
2739 P. algoana Feld.
Reise Nov. pl. CXXXVII. f. 50 (1875).

EUCOSMIDÆ.

LOBESIA Guen.
Europ. Micr. Index Method. p. 59 (1845).
2740 L. æolopa Meyr.
Journ. Bomb. Nat. Hist. Soc. XVII. p. 976 (1907).

EUDEMIS Hübn.
Verz. p. 382 (1826).

2741 Eu. botrana Schiff.
Syst. Verz. p. 131 (1776).

ANCYLIS Hübn.
Verz. p. 376 (1826).

2742 A. natalana Wlshm.
Trans. Ent. Soc. Lond. p. 233 (1881).

2743 A. halisparta Meyr.
Ann. Trans. Mus. II. p. 6 pl. II. f. 8 (1909).

2744 A. falsicoma Meyr.
Ann. Transv. Mus. IV. p. 188 (1914).

SPILONOTA Steph.
Cat. Brit. Ins. p. 173 (1829).

2745 S. conica Meyr.
Ann. Transv. Mus. II. p. 225 (1911).

2746 S. ejectana Wlk.
Cat. XXVIII. p. 350 (1863).

EUCOSMA Hübn.
Zutr. Exot. Schmett. II. p. 28 (1823).

2747 Eu. leucopetra Meyr.
Proc. Zool. Soc. Lond. p. 719 (1908).

2748 Eu. tremula Meyr.
Ann. Transv. Mus. II. p. 6 pl. III. f. 1 (1909).

2749 Eu. monitrix Meyr.
Ann. Transv. Mus. II. p. 7 pl. III. f. 2 (1909).

2750 Eu. siccescens Meyr.
Ann. S.A. Mus. X. p. 57 (1912).

2751 Eu. insolens Meyr.
Ann. S.A. Mus. V. p. 367 (1909).

2752 Eu. symbola Meyr.
Ann. Transv. Mus. II. p. 7 pl. III. f. 3 (1909).

2753 Eu. isogramma Meyr.
Proc. Zool. Soc. Lond. p. 720 (1908).

2754 Eu. calliarma Meyr.
Ann. Transv. Mus. II. p. 8 pl. III. f. 6 (1909).

2755 Eu. marmara Meyr.
Ann. Transv. Mus. II. p. 8 pl. III. f. 6 (1909).

2756 Eu. malacodes Meyr.
Ann. Transv. Mus. II. p. 226 (1911).

2757 Eu. plebeiana Zell.
Isis. p. 721 (1847).

2758 Eu. riciniata Meyr.
Ann. Transv. Mus. II. p. 226 (1911).

2759 Eu. scenica Meyr.
Ann. Transv. Mus. II. p. 227 (1911).

2760 Eu. nasuta Meyr.
Ann. Transv. Mus. III. p. 63 (1911).

2761 Eu. chlorotermia Meyr.
Ann. Transv. Mus. III. p. 272 (1912).

2762 Eu. spiculifera Meyr.
Ann. Transv. Mus. III. p. 271 (1912)

2763 Eu. salticola Meyr.
Ann. Transv. Mus. III. p. 271 (1913).
2764 Eu. calculosa Meyr.
Ann. Transv. Mus. III. p. 271 (1913).
2765 Eu. sollennis Meyr.
Ann. Transv. Mus. III. p. 272 (1913).
2766 Eu. inscita Meyr.
Ann. Transv. Mus. III. p. 272 (1913).
2767 Eu. rufescens Meyr.
Ann. Transv. Mus. III. p. 273 (1913).
2768 Eu. passiva Meyr.
Ann. Transv. Mus. III. p. 273 (1913).
2769 Eu. amara Meyr.
Ann. Transv. Mus. III. p. 273 (1913).
2770 Eu. accipitrina Meyr.
Ann. Transv. Mus. III. p. 274 (1913).
2771 Eu. actuosa Meyr.
Ann. Transv. Mus. III. p. 274 (1913).
2772 Eu. clarifica Meyr.
Ann. Transv. Mus. III. p. 274 (1913).
2773 Eu. paracremna Meyr.
Ann. Transv. Mus. III. p. 275 (1913).
2774 Eu. galactitis Meyr.
Ann. S.A. Mus. X. p. 57 (1912).
2775 Eu. lutrocopa Meyr.
Ann. Transv. Mus. IV. p. 188 (1914).

BACTRA Steph.
Ill. Brit. Ent. IV. p. 124 (1834).
2776 B. stagnicolana Zell.
Lep. Micr. p. 84 (1852).
2777 B. scrupulosa Meyr.
Ann. Transv. Mus. II. p. 227 (1911).
2778 B. hebetata Meyr.
Ann. Transv. Mus. II. p. 227 (1911).
2779 B. quadratica Meyr.
Ann. Transv. Mus. III. p. 63 (1911).
2780 B. harmonia Meyr.
Proc. Zool. Soc. p. 716 (1908).
2781 B. lanceolana Hübn.
Wocke Cat. No. 1006 (1797).

COCCOTHERA Meyr.
Ann. Transv. Mus. IV. p. 189 (1914).
2782 C. spissana Zell.
Lep. Micr. p. 82 (1852).

POLYCHROSIS Rag.
Ann. Soc. Ent. Fr. (1894).
2783 P. scorpiodes Meyr.
Proc. Zool. Soc. p. 717 (1908).
2784 P. primaria Meyr.
Ann. Transv. Mus. II. p. 9 pl. III. f. 8 (1909).
2785 P. incultana Wlk.
Ann. Transv. Mus. II. p. 228 (1911).

2786 P. stericta Meyr.
Ann. Transv. Mus. III. p. 63 (1911).
2787 P. metachlora Meyr.
Ann. Transv. Mus. III. p. 275 (1912).

COSMORRHYNCHA Meyr.
Ann. Transv. Mus. III. p. 276 (1913).
2788 C. ocellata Mab.
Ann. Soc. Ent. Fr. LXVIII. p. 750 (1899).

ECCOPSIS Zell.
Lep. Micr. p.p. 79, 80 (1852).
2789 E. fluctuatana Wlshm.
Trans. Ent. Soc. Lond. p. 230 pl. X. f. 7 (1881)

ARGYROPLOCE Hübn.
Verz. p. 376 (1826).
2790 A. wahlbergiana Zell.
Lep. Micro. p. 80 (1852).
2791 A. brevibasana Wlshm.
Trans. Ent. Soc. Lond. p. 71 pl. III. f. 8 (1891).
2792 A. orthacta Meyr.
Proc. Zool. Soc. Lond. p. 718 (1908).
2793 A. sistrata Meyr.
Ann. Trans. Mus. II. p. 228 (1911).
2794 A. leucotreta Meyr.
Ann. Transv. Mus. III. p. 276 (1913).
2794a A. batrachopa Meyr.
Proc. Zool. Soc. Lond. p. 718 (1908).
2795 A. carceraria Meyr.
Ann. Transv. Mus. III. p. 276 (1913).
2796 A. sagata Meyr.
Ann. Transv. Mus. III. p. 277 (1913).
2797 A. prodroma Meyr.
Ann. Transv. Mus. III. p. 277 (1913).
2798 A. nucleata Meyr.
Ann. Transv. Mus. III. p. 278 (1913).
2799 A. trophiodes Meyr.
2800 A. diremptana Wlk.
Cat. XXVIII. p. 409 (1863).
2801 A. globigera Meyr.
Ann. S.A. Mus. X. p. 243 (1914).
2802 A. illepida Butl.
Trans. Ent. Soc. Lond. p. 42 (1882).
2803 A. præcedens Wlshm.
Trans. Ent. Soc. Lond. p. 56 pl. III. f. 21 (1897).

PAMPLUSIA Guen.
Europ. Micr. Index Method. p. 46 (1845).
2804 P. sardonia Meyr.
Proc. Zool. Soc. Lond. p. 718 (1908).

CYDIA Hübn.
Verz. p. 375 (1826).

2806 C. tumulata Meyr.
Proc. Zool. Soc. Lond. p. 720 (1908).

2807 C. isogramma Meyr.
Proc. Zool. Soc. Lond. p. 720 (1908).

LASPEYRESIA Hübn.
Verz. p. 381 (1826).

2808 L. delineana Wlk.
Cat. XXVIII. p. 389 (1863).

2809 L. tricentra Meyr.
Proc. Zool. Soc. Lond. pp. 721, 722 (1908).

2810 L. halmyris Meyr.
Ann. Transv. Mus. II. p. 9 pl. III. f. 9 (1909).

2811 L. chelias Meyr.

2812 L. leptogramma Meyr.
Ann. Transv. Mus. III. p. 278 (1913).

2813 L. anthracotis Meyr.
Ann. Transv. Mus. III. p. 279 (1913).

2814 L. choleropa Meyr.
Ann. Transv. Mus. III. p. 279 (1913).

2815 L. psamminitis Meyr.
Ann. Transv. Mus. III. p. 279 (1913).

2816 L. periculosa Meyr.
Ann. Transv. Mus. III. p. 280 (1913).

2817 L. modica Meyr.
Ann. Transv. Mus. III. p. 280 (1913).

2818 L. campestris Meyr.
Ann. Transv. Mus. IV. p. 189 (1914).

2819 L. ocnogramma Meyr.
Ann. S.A. Mus. V. p. 412 (1910).

2820 L. crocopa Meyr.
Journ. Bomb. Nat. Hist. Soc. XVIII. p. 146 (1907).

2821 L. parastrepta Meyr.
l.c. p. 147 (1907).

2822 L. ptychora Meyr.
l.c. p. 147 (1907).

2823 L. pomonella L. Syst.
Nat. Ed. X. pl. 270 (1759).

ANTHOZELA Meyr.
Ann. Transv. Mus. III. p. 280 (1913).

2824 A. chrysoxantha Meyr.
Ann. Transv. Mus. III. p. 280 (1913).

ATYCHIA Latr.
Gen. Crust. Ins. IV. p. 214 (1809).

2825 A. quiris Feld.
Reise Nov. pl. CXXXIX. f. 36 (1875).

2825a A. albiciliata Wlshm.
Tr. Ent. Soc. Lond. p. 78 pl. III. f. 17 (1891).

CHLIDANOTIDÆ.

TRYMALITIS Meyr.
Journ. Bomb. Soc. XVI. p. 590 (1905).

2826 T. scalifera Meyr.
Ann. S.A. Mus. X. p. 58 (1912).

TINEINA.

GELECHIADÆ.

METZNERIA Zell.
Isis p. 202 (1839).

2827 M. heptacentra Meyr.
Ann. Transv. Mus. III. p. 64 (1911).

PYCNOSTOLA Meyr.
Ent. Mon. Mag. p. 113 (1917).

(All species placed before in the genus **Paltodora,** have now to be placed in **Pycnostola).**

2828 P. psacasta Meyr.
Proc. Zool. Lond. p. 723 (1908).

2829 P. melanatracta Meyr.
Ann. S.A. Mus. V. p. 413 (1910).

2830 P. operosa Meyr.
Ann. Transv. Mus. II. p. 10 pl. IV. f. 1 (1909)

2831 P. iospila Meyr.
Ann. Transv. Mus. II. p. 10 pl. IV. f. 2 (1909)

2832 P. suffusella Wlshm.
Trans. Ent. Soc. Lond. p. 109 pl. V. f. 47 (1891).

2833 P. invida Meyr.
Ann. Transv. Mus. III. p. 64 (1911).

2834 P. semnochroa Meyr.
Ann. Transv. Mus. III. p. 281 (1913).

2835 P. pammacha Meyr.
Ann. Transv. Mus. III. p. 281 (1913).

2836 P. illuminata Meyr.
Ann. Transv. Mus. III. p. 281 (1913).

2837 P. magnanima Meyr.
Ann. S.A. Mus. X. p. 59 (1912).

2838 P. pentacentra Meyr.
Ann. S.A. Mus. X. p. 59 (1912).

2839 P. helicaula Meyr.
Ann. S.A. Mus. X. p. 59 (1912).

2840 P. hiberna Meyr.
Ann. S.A. Mus. X. p. 60 (1912).

SITOTROGA Hein.
Schmett. Deutsch. Tin. pp. 189, 287 (1870).

2841 S. cerealella Oliv.
Enc. Méth. IV. (Ins. I.) pp. 117, 121 (1789).

MEGACRASPEDUS Zell.
Isis 32 p. 189, 190 (1839).

2842 M. serica Meyr.
Ann. S.A. Mus. V. p. 369 (1909).

2843 M. incola Meyr.
Ann. S.A. Mus. X. p. 60 (1912).

ARISTOTELIA Hübn.
Verz. bek. Schmett. p. 424 (1826).

2844 A. acrena Meyr.
Proc. Zool. Soc. Lond. p. 724 (1908).

2845 A. peltosema Low.
Proc. Lin. Soc. of New S. Wales p. 50 (1900).

2846 A. sirota Meyr.
Proc. Zool. Soc. Lond. p. 724 (1908).

2847 A. ptilastis Meyr.
Ann. S.A. Mus. V. p. 369 (1909).

2848 A. prominula Meyr.
Ann. Transv. Mus. III. p. 282 (1913).

2849 A. trematias Meyr.
Ann. Transv. Mus. III. p. 282 (1913).

2850 A. comis Meyr.
Ann. Transv. Mus. III. p. 282 (1913).

2851 A. balanocentra Meyr.
Ann. Transv. Mus. IV. p. 190 (1914).

2852 A. fluidescens Meyr.
Ann. Transv. Mus. IV. p. 190 (1914).

2853 A. chlorographa Meyr.
Ann. Transv. Mus. IV. p. 190 (1914).

POLYHYMNO Chamb.
Can. Ent. VI. pp. 246-7 (1874).

2854 P. chionarcha Meyr.
Ann. Transv. Mus. III. p. 282 (1913).

2855 P. paracma Meyr.
Ann. Transv. Mus. II. p. 15 pl. V. f. 5 (1909).

2856 P. eurydoxa Meyr.
Ann. Transv. Mus. II. p. 15 pl. V. f. 6 (1909)

2857 P. tropæa Meyr.
Proc. Zool. Soc. Lond. p. 728 (1908).

2858 P. pausimacha Meyr.
Ann. Transv. Mus. II. p. 14 pl. V. f. 3 (1909).

2859 P. palinorsa Meyr.
Ann. Transv. Mus. II. p. 15 pl. V. f. 4 (1909).

2860 P. hieracitis Meyr.
Ann. Transv. Mus. III. p. 283 (1913).

2861 P. tetragrapha Meyr.
Ann. Transv. Mus. III. p. 283 (1913).

2862 P. deuteraula Meyr.
Ann. Transv. Mus. IV. p. 193 (1914).

2863 P. oxysfola Meyr.
Ann. Transv. Mus. III. p. 284 (1913).

2864 P. cleoderella Wlshm.
Trans. Ent. Soc. Lond p. 96 pl. 4 f. 32 (1891).

2865 P. inermis Meyr.
Ann. Transv. Mus. III. p. 284 (1913).

IDIOPHANTIS Meyr.
Proc. Lin. Soc. N.S. Wales p. 298 (1904).
2866 I. butyraula Meyr.
Ann. Transv. Mus. III. p. 285 (1913).

ANACAMPSIS Curt.
Brit. Ent. IV. pl. 189 (1827).
2867 A. oxyspila Meyr.
Ann. S.A. Mus. V. p. 351 (1909).
2868 A. nerteria Meyr.
Journ. Bomb. Soc. Nat. Hist. 17 p. 139 (1906).
2869 A. thoracica Meyr.
Ann. Transv. Mus. III. p. 67 (1911).
2870 A. circæa Meyr.
Ann. Transv. Mus. III. p. 67 (1911).
2871 A. oncodes Meyr.
Ann. Transv. Mus. III. p. 285 (1913).
2872 A. subsecivella Zell.
Lep. Microptera pp. 113, 114 (1852).
2873 A. inumbrata Meyr.
Ann. Transv. Mus. IV. p. 193 (1914).
2874 A. cirrhocoma Meyr.
Ann. Transv. Mus. IV. p. 193 (1914).
2875 A. faceta Meyr.
Ann. Transv. Mus. IV. p. 192 (1914).
2876 A. embrocha Meyr.
Ann. Transv. Mus. IV. p. 192 (1914).

EPIPHTHORA Meyr.
Trans. N.Z. Inst. XX. p. 77 (1888).
2877 E. crystallista Meyr.
Ann. Transv. Mus. II. p. 229 (1911).
2878 E. cirrhæa Meyr.
Ann. Transv. Mus. IV. p. 190 (1914).

PHOTODOTUS Meyr.
Ann. Transv. Mus. II. p. 229 (1911).
2879 Ph. prochalina Meyr.
Ann. Transv. Mus. II. p. 229 (1911).

EPITHECTIS Meyr.
Handb. Brit. Lep. p. 580 (1895).
2880 E. sordidula Meyr.
Ann. Transv .Mus. III. p. 285 (1913).
2881 E. farinata Meyr.
Ann. Transv .Mus. III. p. 285 (1913).
2882 E. ochrocosma Meyr.
Ann. Transv. Mus. II. p. 230 (1911).
2883 E. carinata Meyr.
Ann. Transv. Mus. III. p. 64 (1913).
2884 E. ptychophora Meyr.
Ann. S.A. Mus. X. p. 244 (1914).

TELPHUSA Chamb.
Canad. Entom. 4 pp. 132-3, 174 (1872).
2885 T. probata Meyr.
Ann. Transv. Mus. II. p. 11 pl. IV. f. 4 (1909)

2886 T. lathridia Meyr.
Ann. Transv. Mus. II. p. 11 pl. IV. ff. 5, 6 (1909).
2887 T. zymotis Meyr.
Ann. Transv. Mus. II. p. 11 pl. IV. f. 7 (1909).
2888 T. acrophylla Meyr.
Ann. Transv. Mus. III. p. 65 (1911).
2889 T. calathæa Meyr.
Ann. Transv. Mus. III. p. 286 (1913).
2890 T. amphichroma Meyr.
Ann. Transv. Mus. III. p. 286 (1913).
2891 T. sematica Meyr.
Ann. Transv. Mus. III. p. 286 (1913).
2892 T. castrigera Meyr.
Ann. Transv. Mus. III. p. 287 (1913).
2893 T. craterota Meyr.
Ann. Transv. Mus. III. p. 287 (1913).
2894 T. cælata Meyr.
Ann. Transv. Mus. III. p. 287 (1913).

GELECHIA Hübn.
Verz. bek. Schmett. p. 415 (1826).
2895 G. trisignis Meyr.
Proc. Zool. Soc. Lond. p. 725 (1908).
2896 G, zetterstedtiella Zell.
Lep. Micr. p. 111 (1852).
2897 G. hutchinsonella Wlshm.
Trans. Ent. Soc. Lond. p. 93 pl. IV. f. 30 (1891).
2898 G. peronectus Meyr.
Ann. Transv. Mus. II. p. 12 pl. IV. f. 9 (1909).
2899 G. extincta Meyr.
Ann. Transv. Mus. II. p. 231 (1911).
2900 G. cycota Meyr.
Ann. Trans. Mus. III. p. 65 (1911).
2901 G. prioleuca Meyr.
Ann. Transv. Mus. III. p. 66 (1911).
2902 G. naufraga Meyr.
Ann. Transv. Mus. III. p. 66 (1911).
2903 G. textifera Meyr.
Ann. Transv. Mus. III. p. 288 (1913).
2904 G. resecta Meyr.
Ann. Transv. Mus. III. p. 288 (1913).
2905 G. fornacaria Meyr.
Ann. Transv. Mus. III. p. 289 (1913).
2906 G. ferax Meyr.
Ann. Transv. Mus. III. p. 289 (1913).
2907 G. opaula Meyr.
Ann. Transv. Mus. III. p. 65 (1911).
2908 G. phœnaula Meyr.
Ann. Transv. Mus. III. p. 289 (1913).
2909 G. rhodochra Meyr.
Ann. Transv. Mus. III. p. 290 (1913).
2910 G. matutina Meyr.
Ann. Transv. Mus. III. p. 290 (1913).

2911 G. stasiarcha Meyr.
Ann. Transv. Mus. III. p. 290 (1913).

2912 G. devia Meyr.
Ann. Transv. Mus. III. p. 290 (1913).

2913 G. ophitis Meyr.
Ann. Transv. Mus. III. p. 291 (1913).

2914 G. ochnias Meyr.
Ann. Transv. Mus. III. p. 291 (1913).

2915 G. mesacta Meyr.
Ann. Transv. Mus. II. p. 12 pl. IV. f. 8 (1909).

2916 G. bletrias Meyr.
Ann. Transv. Mus. III. p. 292 (1913).

2917 G. cophias Meyr.
Ann. Transv. Mus. III. p. 292 (1913).

2918 G. epiphlœa Meyr.
Ann. Transv. Mus. III. p. 292 (1913).

2919 G. psimythota Meyr.
Ann. Transv. Mus. III. p. 293 (1913).

2920 G. trigella Zell.
Lep. Microptera pp. 112. 113 (1852).

2921 G. rescissella Zell.
Lep Microptera p. 110 (1852).

2922 G. flavipalpella Wlshm.
Trans. Ent. Soc. Lond. p. 262 pl. XII. f. 31 (1881).

2923 G. abjunctella Wlk.
Cat. XXIX. p. 629 (1864).

2924 G. aglossella Wlk.
Cat. XXXV. p. 1830 (1866).

2925 G. G. palpigera Wlshm.
Trans. Ent. Soc. Lond. p. 94 pl. IV. f. 31 (1891).

2926 G. arotrias Meyr.
Proc. Zool. Soc. Lond. p. 725 (1908).

2927 G. chersophila Meyr.
Ann. S. A. Mus. V. p. 351 (1909).

2928 G. epicentra Meyr.
Ann. S.A. Mus. V. p. 370 (1909).

2929 G. panaula Meyr.
Ann. S.A. Mus. V. p. 370 (1909).

2930 G. phelotris Meyr.
Ann. S.A. Mus. V. p. 371 (1909).

2931 G. liberata Meyr.
Ann. S.A. Mus. V. p. 414 (1910).

2932 G. polygramma Meyr.
Ann. Transv. Mus. IV. p. 192 (1914).

2933 G. triplacopis Meyr.
Ann. S.A. Mus. X. p. 61 (1912).

THRIOPHORA Meyr.
Ann. Transv. Mus. II. p. 231 (1911).

2934 Th. ovulata Meyr.
Ann. Transv. Mus. II. p. 231 (1911).

PARAPSECTRIS Meyr.
Ann. Transv. Mus. II. p. 230 (1911).
2935 P. tholæa Meyr.
Ann. Transv. Mus. II. p. 231 (1911).
2936 P. fastidiosa Meyr.
Ann. Transv. Mus. III. p. 66 (1911).
2937 P. mappigera Meyr.
Ann. Transv. Mus. IV. p. 191 (1914).
2938 P. neograpta Meyr.
Ann. Transv. Mus. IV. p. 192 (1914).

STEGASTA Meyr.
Proc. Linn. Soc. N.S. Wales 29 p. 313 (1904).
2939 S. variana Meyr.
Proc. Linn. Soc. N.S. Wales 29 pp. 258, 313 (1904).

EPHYSTERIS Meyr.
Proc. Zool. Soc. Lond. p. 724 (1908).
2940 E. chersæa Meyr.
Proc. Zool. Soc. Lond. p. 725 (1908).

GNORIMOSCHEMA Busck.
Proc. U.S. Nat. Mus. 23 p. 227-8 pl. 1. f. 3 (1900).
2941 G. synecta Meyr.
Ann. Transv. Mus. II. p. 12 pl. IV. f. 10 (1909).
2942 G. infirma Meyr.
Ann. S.A. Mus. X. p. 61 (1912).
2943 G. phalacrodes Meyr.
Ann. Transv. Mus. III. p. 293 (1913).
2944 G. heliopa Low.
Proc. Linn. Soc. N.S. Wales p. 417 (1900).

THYMOSOPHA Meyr.
Ann. S.A. Mus. X. p. 244 (1914).
2945 Th. antileuca Meyr.
Ann. S.A. Mus. X. p. 245 (1914).

PHTHORIMÆA Meyr.
Ent. Mon. Mag. 38 p. 103-4 (1902).
2946 Ph. operculella Zell.
Verh. k.-k. Zool.-bot. Ges. Wien. 23 p. 262 (1873).
2947 Ph. cretigena Meyr.
Ann. Transv. Mus. IV. p. 191 (1914).
2948 Ph. concreta Meyr.
Ann. Transv. Mus. IV. p. 191 (1914).
2949 Ph. ericinista Meyr.
Ann. S.A. Mus. X. p. 245 (1914).

LECITHOCERA H.-S.
Schmett. Eur. V. pp. 11, 45 pl. 12 ff. 10, 11 (1853).
2950 L. cholopis Meyr.
Journ. Bomb. Soc. Nat. Hist. 17 p. 149 (1906).

2951 L. officialis Meyr.
Ann. Transv. Mus. III. p. 67 (1911).
2952 L. craniota Meyr.
Ann. Transv. Mus. III. p. 293 (1913).
2953 L. propitia Meyr.
Ann. Transv. Mus. III. p. 293 (1913).
2954 L. myopa Meyr.
Ann. Transv. Mus. III. p. 294 (1913).
2955 L. lucernata Meyr.
Ann. Transv. Mus. III. p. 294 (1913).
2956 L. picrodora Meyr.
Ann. Transv. Mus. III. p. 294 (1913).
2957 L. furnaria Meyr.
Ann. Transv. Mus. III. p. 294 (1913).
2958 L. anthologella Wllgrn.
Öfv. af. Kongl. Vet. Akad. Förh. p. 129 (1875).
2959 L. flavipalpis Wlshm.
Trans. Ent. Soc. Lond. p. 105 pl. V. f. 40 (1891).

PTILOTHYRIS Walshm.
Trans. Ent. Soc. Lond. p. 37 pl. 2 f. 2 (1897).
2960 P. purpurea Wlshm.
l.-c. p. 38 pl. 2 f. 2 (1897).

HOMALOXESTIS Meyr.
Journ. Bomb. Nat. Hist. Soc. p. 440 (1910).
2961 H. cholopis Meyr.
Journ. Bomb. Nat. Hist. Soc. 17 p. 149 (1906).
2962 H. æstuosa Meyr.
Ann. Transv. Mus. III. p. 295 (1913).

DRAGMATUCHA Meyr.
Proc. Zool. Soc. Lond. p. 726 (1908).
2963 D. proaula Meyr.
Proc. Zool. Soc. Lond. p. 726 (1908).

PARISTHMIA Meyr.
Ann. Transv. Mus. II. p. 13 (1909).
2964 P. barathrodes.
Ann. Transv. Mus. II. p. 13 pl. V. f. 1 (1909).

ENCOLPOTIS Meyr.
Ann. S.A. Mus. V. p. 352 (1909).
2965 E. xanthoria Meyr.
Ann. S.A. Mus. V. p. 352 (1909).

BRACHMIA Hübn.
Verz. bek. Schmett. p. 419 (1826).
2966 B. musicopa Meyr.
Proc. Zool. Soc. Lond. p. 727 (1908).
2967 B. sterictis Meyr.
Proc. Zool. Soc. Lond. p. 727 (1908).
2968 B. serialis Meyr.
Proc. Zool. Soc. Lond. p. 727 (1908).

2969 B. maculata Wlshm.
Trans. Ent. Soc. Lond. p. 276 pl. XI. f. 18 (1881).
2970 B. lamprostoma Zell.
Isis. p. 851 (1847).
2971 B. malacogramma Meyr.
Ann. Transv. Mus. II. p. 14 pl. V. f. 2 (1909).
2972 B. panchlora Meyr.
Ann. Transv. Mus. II. p. 232 (1911).
2973 B. verberata Meyr.
Ann. Transv. Mus. III. p. 68 (1911).
2974 B. velitaris Meyr.
Ann. Transv. Mus. III. p. 295 (1913).
2975 B. apricata Meyr.
Ann. Transv. Mus. III. p. 295 (1913).
2976 B. ochrostoma Meyr.
Ann. Transv. Mus. III. p. 296 (1913).
2977 B. pantheropa Meyr.
Ann. Transv. Mus. III. p. 296 (1913).
2978 B. trigella Zell.
Lep. Microptera p. 112 (1852).
2979 B. subsecivella Zell.
Lep. Microptera p. 113 (1852).
2980 B. septella Zell.
Lep. Microptera p. 108 (1852).
2981 B. torrefacta. Meyr.
Ann. S.A. Mus. X. p. 245 (1914).
2982 B. graphicodes Meyr.
Ann. Transv. Mus. IV. p. 194 (1914).

STROBISIA Clem.
Proc. Ac. Nat. Sc. Phil. 12 p. 164-5 (1860).
2983 S. metallica Wlshm.
Trans. Ent. Soc. Lond. p. 97 pl. IV. f. 34 pl. VII. f. 79 (1891).

SCHEMATISTIS Meyr.
Ann. Transv. Mus. III. p. 67 (1911).
2984 S. analoxa Meyr.
Ann. Transv. Mus. III. p. 68 (1911).

PANICOTRICHA Meyr.
Ann. Transv. Mus. III. p. 296 (1913).
2985 P. prographa Meyr.
Ann. Transv. Mus. III. p. 296 (1913).

CHELARIA Haw.
Lep. Brit. (1829).
2986 Ch. triannulata Meyr.
Ann. Transv. Mus. III. p. 69 (1911).
2987 Ch. solutrix Meyr.
Ann. Transv. Mus. III. p. 69 (1911).
2988 Ch. tetraptila Meyr.
Ann. Transv. Mus. II. p. 16 pl. V. f. 7 (1909).
2989 Ch. mancipata Meyr.
Ann. Transv. Mus. III. p. 297 (1913).

2990 Ch. improba Meyr.
Ann. Transv. Mus. III. p. 297 (1913).
2991 Ch. antisaris Meyr.
Ann. Transv. Mus. III. p. 297 (1913).
2992 Ch. probolæa Meyr.
Ann. Transv. Mus. III. p. 298 (1913).
2993 Ch. albogrisea Wlshm.
Trans. Ent. Soc. Lond. p. 264 pl. XII. f. 34 (1881).
2994 Ch. melanecta Meyr.
Ann. S.A. Mus. X. p. 246 (1914).
2995 Ch. loxosaris Meyr.
(ined.)

ANARSIA Zell.
Isis. p. 190 (1839).
2996 A. agricola Wlshm.
Trans. Ent. Soc Lond. p. 111 pl. V. f. 48 (1891).
2997 A. gravata Meyr.
Ann. Transv. Mus. III. p. 69 (1911).
2998 A. amalleuta Meyr.
Ann. Transv. Mus. III. p. 298 (1913).
2999 A. ambitiosa Meyr.
Ann. Transv. Mus. III. p. 299 (1913).
3000 A. mitescens Meyr.
Ann. Transv. Mus. III. p. 299 (1913).
3001 A. carbonaria Meyr.
Ann. Transv. Mus. III. p. 299 (1913).
3002 A. nimbosa Meyr.
Ann. Transv. Mus. III. p. 300 (1913).
3003 A. subfulvescens Meyr.
(ined.)

NOTHRIS Hübn.
Verz. bek. Schmett. p. 411 (1826).
3004 N. rhyodes Meyr.
Ann. Transv. Mus. II. p. 16 pl. V. f. 8 (1909).
3005 N. (?) pycnodes Meyr.
Ann. Transv. Mus. II. p. 17 pl. V. f. 9 (1909).
3006 N. chionitis Meyr.
Ann. S.A. Mus. V. p. 414 (1910).
3007 N. tetrametra Meyr.
Ann. Transv. Mus. III. p. 300 (1913).
3008 N. cymotrocha Meyr.
Ann. Transv. Mus. III. p. 301 (1913).
3009 N. dissidens Meyr.
Ann. Transv. Mus. III. p. 301 (1913).
3010 N. siccifolii Wlshm.
Trans. Ent. Soc. Lond. p. 267 pl. XIII. f. 37 (1881).

TRICHOTAPHE Clem.
Proc. Ac. Nat. Sc. Phil. XII. p. 166 (1860).
3011 T. claviculata Meyr.
Ann. Transv. Mus. II. p. 17 pl. V. f. 10 (1909).

3012 T. ironica Meyr.
Ann. Transv. Mus. II. p. 17 pl. VI. f. 1 (1909).
3013 T. pyrrhitis Meyr.
Ann. Transv. Mus. III. p. 68 (1911).
3014 T. ligyra Meyr.
Ann. Transv. Mus. III. p. 301 (1913).
3015 T. physeta Meyr.
Ann. Transv. Mus. III. p. 302 (1913).
3016 T. plumbosa Meyr.
Ann. Transv. Mus. III. p. 302 (1913).
3017 T. oxygrapha Meyr.
Ann. Transv. Mus. III. p. 302 (1913).
3018 T. rubidula Meyr.
Ann. Transv. Mus. III. p. 303 (1913).
3019 T. externella Zell.
Lep. Microptera. p. 109 (1852).
3020 T. furvella Zell.
Lep. Microptera. p. 115 (1852).

MACHLOTRICHA Meyr.
Ann. S.A. Mus. X. p. 61 (1912).

3021 M. cæca Meyr.
Ann. S.A. Mus. X. p. 62 (1912).

YPSOLOPHUS (Fabr.) Zell.
Isis. p. 189-190 (1839).

3022 Y. tephrodes Meyr.
Ann. Transv. Mus. II. p. 18 pl. VI. f. 2 (1909).
3023 Y. meridionellus Wlshm.
Trans. Ent. Soc. Lond. p. 268 pl. XIII. f. 38 (1881).
3024 Y. furvellus Zell.
Lep. Microptera. p. 115 (1852).
3025 Y. scenites Meyr.
Ann. S.A. Mus. V. p. 371 (1909).

SYMMOCA Hübn.
Verz. bek. Schmett. p. 403 (1826).

3026 S. crocodesma Meyr.
Ann. Transv. Mus. III. p. 70 (1911).

DIOCOSMA Meyr.
Ann. S.A. Mus. V. p. 352 (1909).

3027 D. tricycla Meyr.
Ann. Transv Mus. II. p. 22 pl. VII. f. 7 (1909).
3028 D. calliehroa Meyr.
Ann. S.A. Mus. V. p. 353 (1909).
3029 D. ceramopis Meyr.
Ann. S.A. Mus. V. p. 353 (1909).

DICHOMERIS Hübn.
Zutr. Samml. exot. Schmett. I. p. 25 (1818).

3030 D. antizyga Meyr.
Ann. Transv. Mus. III. p. 303 (1913).

3031 D. metrodes Meyr.
Ann. Transv. Mus. III. p. 303 (1913).
3032 D. cotifera Meyr.
Ann. Transv. Mus. III. p. 303 (1913).
3033 D. ventosa Meyr.
Ann. Transv. Mus. III. p. 304 (1913).
3034 D. argentaria Meyr.
Ann. Transv. Mus. III. p. 304 (1913).
3035 D. picrophanes Meyr.
Ann. Transv. Mus. III. p. 304 (1913).
3036 D. oleata Meyr.
Ann. Transv. Mus. III. p. 305 (1913).
3037 D. impigra Meyr.
Ann. Transv. Mus. III. p. 305 (1913).
3038 D. xanthodeta Meyr.
Ann. Transv. Mus. III. p. 305 (1913).
3039 D. latipalpis Wlshm.
Trans. Ent. Soc. Lond. p. 265 pl. XII. f. 35 (1881).
3040 D. ianthes Meyr.
Trans. Ent. Soc. Lond. p. 273 (1887).

STRENOPHILA Meyr.
Ann. Transv. Mus. III. p. 306 (1913).
3041 S. hyptiota Meyr.
Ann. Transv. Mus. III. p. 306 (1913).

PARASPISTES Meyr.
Journ. Bomb. Nat. Hist. Soc. p. 600 (1905).
3042 P. palpigera Wlshm.
Trans. Ent. Soc. Lond. p. 94 pl. IV. f. 31 (1891).

SYMBATICA Meyr.
Ann. S.A. Mus. V. p. 413 (1910).
3043 S. cryphias Meyr.
Ann. S.A. Mus. V. p. 413 (1910).

ANORTHOSIA Clem.
Proc. Ac. Nat. Sc. Phil. XII. p. 161 (1860).
3044 A. straminis Wlshm.
Trans. Ent. Soc. Lond. p. 266 pl. XII. f. 36 (1881).

METACHANDIDÆ.

XENOPHANTA Meyr.
Ann. Transv. Mus. IV. p. 194 (1914).
3045 X. ecliptis Meyr.
Ann. Transv. Mus. IV. p. 194 (1914).

METACHANDA Meyr.
Trans. Lin. Soc. Lond. p. 275 (1911).
3046 M. citrodesma Meyr.
Ann. Transv. Mus. III. p. 74 (1911).

COSMOPTERYGIDÆ.

COSMOPTERYX Hübn.
Verz. bek. Schmett. p. 424 (1826).

3047 C. bactrophora Meyr.
Proc. Zool. Soc. Lond. p. 733 (1908).

3048 C. tabellaria Meyr.
Proc. Zool. Soc. Lond. p. 733-4 (1908).

3049 C. oxyglossa Meyr.
Ann. Transv. Mus. II. p. 18 pl. VI. f. 3 (1909).

3050 C. scaligera Meyr.
Ann. Transv. Mus. II. p. 18-19 pl. VI. f. 4 (1909).

3051 C. macroglossa Meyr.
Ann. Transv. Mus. III. p. 306 (1913).

3052 C. callinympha Meyr.
Ann. Transv. Mus. III. p. 307 (1913).

3053 C. ancistræa Meyr.
Ann. Transv. Mus. III. p. 307 (1913).

3054 C. cognita Wlshm.
Trans. Ent. Soc. Lond. p. 124 pl. VI. f. 64 (1891).

3055 C. antichorda Meyr.
Ann. S.A. Mus. V. p. 357 (1909).

3056 C. hamifera Meyr.
Journ. Bomb. Nat. Hist. Soc. XIX. p. 420 (1909).

3057 C. lienigiella Zell.
Isis. p. 298 (1846).

PYRODERCES H.-S.
Schmett. Eur. V. p.p. 12, 47 pl. 13 ff. 29, 30 (1853).

3058 P. stigmatophora Wlshm.
Proc. Zool. Soc. Lond. p. 104 (1897).

STAGMATOPHORA H.-S.
Schmett. Eur. V. pp. 13, 49 pl. 13 ff. 27, 28 (1853).

3059 S. narcota Meyr.
Ann. Transv. Mus. II. p. 19 pl. VI. f. 5 (1909).

3060 S. phalacra Meyr.
Ann. Transv. Mus. II. p. 20 pl. VI. f. 8 (1909).

3061 S. phanoptila Meyr.
Ann. Transv. Mus. III. p. 70 (1911).

3062 S. quinquecristata Wlshm.
Trans. Ent. Soc. Lond. p. 117 pl. VI. f. 55 (1891).

3063 S. pilana Meyr.
Ann. Transv. Mus. III. p. 307 (1913).

3064 S. trimitra Meyr.
Ann. Transv. Mus. III. p. 308 (1913).

3065 S. divitella Const.
Ann. Soc. ent. France p. 10 pl. I. f. 30 (1885).

3066 S. basanistis Meyr.
Ann. S.A. Mus. V. p. 358 (1909).

ERECHTHIODES Meyr.
Ann. Transv. Mus. IV. p. 195 (1914).
3067 E. audax Meyr.
Ann. Transv. Mus. IV. p. 195 (1914).

LIMNŒCIA Stt.
Cat. Br. Tin. Pter. Suppl. p. 4 (1851).
3068 L. ichnographa Meyr.
Proc. Zool. Soc. Lond. p. 734 (1908).
3069 L. neurogramma Meyr.
Ann. Transv. Mus. II. p. 20 pl. VI. f. 9 (1909).
3070 L. eretmota Meyr.
Ann. Transv. Mus. II. p. 20 pl. VI. f. 10 (1909).
3071 L. phragmitella Stt.
Cat. Tin. Pter. Suppl. p. 4 (1851).
3072 L. sclerodes Meyr.
Ann. Transv. Mus. II. p. 19 pl. VI. f. 7 (1909).
3073 L. antidesma Meyr.
Ann. Transv. Mus. III. p. 308 (1913).
3074 L. recidiva Meyr.
Ann. Transv. Mus. III. p. 71 (1911).

CHOLOTIS Meyr.
Trans. Linn. Soc. Lond. XIV. p. 284 (1911).
3075 Ch. nudicornis Meyr.
Ann. Transv. Mus. III. p. 308 (1913).
3076 Ch. pulverata Meyr.
Ann. Transv. Mus. III. p. 308 (1913).

PARATHYSTAS Meyr.
Ann. Transv. Mus. III. p. 309 (1913).
3077 P. porphyrantha Meyr.
Ann. Transv. Mus. III. p. 309 (1913).

IDIOGLOSSA Wlshm.
Trans. Ent. Soc. Lond. p. 272 (1881).
3078 I. bigemma Wlshm.
Trans. Ent. Soc. Lond. p. 273 pl. XIII. f. 42 (1881).

ŒDEMATOPODA Zell.
Lep. Microptera p. 96 (1852).
3079 Œ. princeps Zell.
Lep. Microptera pp. 96, 97 (1852)

ERETMOCERA Zell.
Lep. Microptera p. 96 (1852).
3080 E. scatospila Zell.
Lep. Microptera p. 99 (1852).
3081 E. florifera Meyr.
Ann. Transv. Mus. II. p. 21 pl. VII. f. 2 (1909).
3082 E. fuscipennis Zell.
Lep. Microptera p. 98 (1852).
3083 E. derogatella Wlk.
Cat. XXIX. p. 834 (1864).

3084 E. lunifera Zell.
Lep. Microptera p. 100 (1852).
3085 E. miniata Wlshm.
Trans. Ent. Soc. Lond. p. 30 pl. VI. f. 15 (1889).
3086 E. lætissima Zell.
Lep. Microptera p. 100 (1852).
3087 E. illucens Meyr.
Ann. Transv. Mus. IV. p. 200 (1914).

MOMPHIDÆ.

PAUROPTILA Meyr.
Ann. Transv. Mus. III. p. 309 (1913).
3089 P. galenitis Meyr.
Ann. Transv. Mus. III. p. 309 (1913).

MICROCOLONA Meyr.
Proc. Lin. Soc. N.S. Wales p. 370 (1897).
3090 M. omphalias Meyr.
Ann. Transv. Mus. III. p. 309 (1913).

TRACHYDORA Meyr.
Proc. Lin. Soc. N.S. Wales p. 390 (1897).
3091 T. rhachitis Meyr.
Ann. Transv. Mus. III. p. 310 (1913).

MOMPHA Hübn.
Verz. bek. Schmett. p. 401 (1826).
3092 M. bathrota Meyr.
Ann. Transv. Mus. III. p. 71 (1911).
3093 M. antibathra Meyr.
Ann. Transv. Mus. IV. p. 195 (1914).

STATHMOPODIDÆ.

PACHYRHABDA Meyr.
Proc. Lin. Soc. N.S. Wales. p. 312 (1897).
3094 P. triplecta Meyr.
Ann. Transv. Mus. III. p. 310 (1913).
3094a P. unctoria Meyr.
Ann. Transv. Mus. III. p. 71 (1911).

STATHMOPODA Stt.
Ins. Brit. Lep. Tin. p. 227 (1854).
3095 S. xanthoplitis Meyr.
Proc. Zool. Soc. Lond. p. 733 (1908).
3096 S. trichodora Meyr.
Ann. Transv. Mus. II. p. 21 pl. VII. f. 1 (1909).
3097 S. auriferella Wlk.
Cat. XXX. p. 1022 (1864).
3098 S. luminata Meyr.
Ann. Transv. Mus. II. p. 232 (1911).
3099 S. pomifera Meyr.
Ann. Transv. Mus. III. p. 310 (1913).

3100 S. arcata Meyr.
Ann. Transv. Mus. III. p. 311 (1913).
3101 S. autoxantha Meyr.
Ann. Transv. Mus. III. p. 311 (1913).
3102 S. tharsalea Meyr.
Ann. Transv. Mus. IV. p. 199 (1914).
3103 S. glyceropa Meyr.
Exot. Microlep. I. p. 337 (1915).

ÆOLOSCELIS Meyr.
Proc. Lin. Soc. N.S. Wales p. 326 (1897).
3104 Æ. tripoda Meyr.
Ann. Transv. Mus. III. p. 311 (1913).

SCYTHRIDÆ.

PARALOGISTIS Meyr.
Ann. Transv. Mus. III. p. 311 (1913).
3105 P. ochrura Meyr.
Ann. Transv. Mus. III. p. 312 (1913).

SCYTHRIS Hübn.
Verz. bek. Schmett. p. 414 (1826).
3106 Sc. cometa Meyr.
Ann. Transv. Mus. II. p. 21 pl. VII. f. 3 (1909).
3107 Sc. ochrantha Meyr.
Ann. Transv. Mus. II. p. 22 pl. VII. f. 4 (1909).
3108 Sc. pelochyta Meyr.
Ann. Transv. Mus. II. p. 22 pl. VII. f. 5 (1909).
3109 Sc. justifica Meyr.
Ann. Transv. Mus. II. p. 233 (1911).
3110 Sc. rivigera Meyr.
Ann. Transv. Mus. III. p. 71 (1911).
3111 Sc. melanodora Meyr.
Ann. S.A. Mus. X. p. 63 (1912).
3112 Sc. anthracodelta Meyr.
Ann. Transv. Mus. III. p. 72 (1911).
3113 Sc. fonticola Meyr.
Ann. Transv. Mus. III. p. 72 (1911).
3114 Sc. psamathota Meyr.
Ann. Transv. Mus. III. p. 312 (1913).
3115 Sc. farrata Meyr.
Ann. Transv. Mus. III. p. 312 (1913).
3116 Sc. canispersa Meyr.
Ann. Transv. Mus. III. p. 312 (1913).
3117 Sc. lactanea Meyr.
Ann. Transv. Mus. III. p. 313 (1913).
3118 Sc. sacharissa Meyr.
Ann. Transv. Mus. III. p. 313 (1913).
3119 Sc. fæculenta Meyr.
Ann. S.A. Mus. X. p. 64 (1912).
3120 Sc. cretiflua Meyr.
Ann. Transv. Mus. III. p. 313 (1913).
3121 Sc. stagnosa Meyr.
Ann. Transv. Mus. III. p. 313 (1913).

3122 Sc. aquaria Meyr.
Ann. Transv. Mus. III. p. 313 (1913).
3123 Sc. melanopleura Meyr.
Ann. S.A. Mus. X. p. 246 (1914).
3124 Sc. latebrosa Meyr.
Ann. Transv. Mus. III. p. 314 (1913).
3125 Sc. roseola Meyr.
Ann. S.A. Mus. X. p. 63 (1912).
3126 Sc. chloræma Meyr.
Trans. Ent. Soc. Lond. p. 279 (1887).
3127 Sc. glaphyropa Meyr.
Ann. Transv. Mus. IV. p. 196 (1914).
3128 Sc. fluctuosa Meyr.
Ann. Transv. Mus. IV. p. 197 (1914).
3129 Sc. accumulata Meyr.
Ann. Transv. Mus. IV. p. 197 (1914).
3130 Sc. vulgata Meyr.
Ann. Transv. Mus. IV. p. 197 (1914).

BLASTOBASIDÆ.

BLASTOBASIS Zell.
Linn. Entom. X. p. 171 (1855).
3131 B. irroratella Wlshm.
Trans. Ent. Soc. Lond. p. 122 pl. VI. f. 6? (1891).
3132 B. byrsodepta Meyr.
Ann. Transv. Mus. III. p. 314 (1913).
3133 B. industria Meyr.
Ann. Transv. Mus. III. p. 314 (1913).
3134 B. taricheuta Meyr.
Ann. S.A. Mus. V. p. 372 (1909).
3135 B. fatigata Meyr.
Ann. Transv. Mus. IV. p. 195 (1914).
3136 B. arguta Meyr.

ŒCOPHORIDÆ.

PROMALACTIS Meyr.
Journ. Bomb. Nat. Hist. Soc. p. 806 (1908).
3137 P. veridica Meyr.
Ann. Transv. Mus. III. p. 315 (1913).
3138 P. geometrica Meyr.
Ann. Transv. Mus. III. p. 315 (1913).
3139 P. recurva Meyr.
Ann. Transv. Mus. IV. p. 198 (1914).

SAROPLA Meyr.
Proc. Linn. Soc. N.S. Wales VII. p. 420 (1883)
3140 S. dryozona Meyr.
Ann. Transv. Mus. III. p. 315 (1913).

EULECHRIA Meyr.
Proc. Lin. Soc. N.S. Wales p. 508 (1882).
3141 Eu. paraphracta Meyr.
non descr.

3142 Eu. phæopsamma Meyr.
Ann. Transv. Mus. III. p. 316 (1913).
3143 Eu. drucella Wlshm.
Trans. Ent. Soc. Lond. p. 268 pl. XIII. f. 39 (1881).

EUCLEODORA Wlshm.
Trans. Ent. Soc. Lond. p. 263 (1881).
3144 Eu. chalybœella Wlshm.
Trans. Ent. Soc. Lond. p. 264 pl. XII. f. 33 (1881).
3145 Eu. ingrata Meyr.
Ann. Transv. Mus. III. p. 316 (1913).

EUTORNA Meyr.
Trans. N.Z. Inst. XXI. p. 157 (1889).
3146 Eu. diluvialis Meyr.
Ann. Transv. Mus. III. p. 316 (1913).

DEPRESSARIA Haw.
(Zell). Linn. Ent. IX. p. 195 (1839).
3147 D. trimenella Wlshm.
Trans. Ent. Soc. Lond. p. 251 pl. XI. f. 19 (1881).
3148 D. clausulata Meyr.
Ann. Transv. Mus. p. 74 (1911).
3149 D. acerbella Wlk.
Cat. XXIX. p. 564 (1864).
3150 D. compacta Meyr.
Ann. S.A. Mus. X. p. 249 (1914).
3151 D. applana Fabr.
Gen. Insect. p. 294 (1777).
3152 D. prospicua Meyr.
Ann. S.A. Mus. X. p. 249 (1914).
3153 D. melanarcha Meyr.
Ann. Transv. Mus. III. p. 316 (1913).

HARPELLA Schrk.
Fauna Boica II. 2 p. 117 (1802).
3154 H. scolopistis Meyr.
Ann. S.A. Mus. V. p. 354 (1909).

ŒCOPHORA Latr.
Préc. Gen. Ins. p. 146 (1796).
3155 Œ. obliquestrigella Wlshm.
Trans. Ent. Soc. Lond. p. 259 pl. 12 f. 27 (1881).

HYPERCALLIA Steph
Cat. Br. Ins. p. 192 (1829).
3156 H. sincera Meyr.
Ann. Transv. Mus. II. p. 22 pl. VII. f. 6 (1909).
3157 H. subreticulata Wlshm.
Trans. Ent. Soc. Lond. p. 269 pl. XIII. f. 6 (1881).

3158 H. hæmatella Feld.
Reise Nov. pl. 138 f. 61 (1875).

PROSAROTRA Meyr.
Ann. Transv. Mus. II. p. 23 (1909).

3159 P. sarcopa Meyr.
Ann. Transv. Mus. p. 23 pl. VII. f. 8 (1909).

CŒSYRA Meyr.
Proc. Linn. Soc. N.S. Wales. VII. p. 423 (1883).

3160 C. balantias Meyr.
Proc. Zool. Soc. Lond. p. 731 (1908).

3161 C. campylotis Meyr.
Ann. S.A. Mus. X. p. 248 (1914).

3162 C. centrobola Meyr.
Ann. S.A. Mus. X. p. 247 (1914).

3163 C. rutila Meyr.
Ann. S.A. Mus X. p. 64 (1912).

BORKHAUSENIA Hübn.
Verz. bek. Schmett. p. 420 (1826).

3164 B. galactæa Meyr.
Proc. Zool. Soc. Lond. p. 732 (1908).

3165 B. acida Meyr.
Ann. Transv. Mus. III. p. 72 (1911).

3166 B. endocentra Meyr.
Ann. S.A. Mus. X. p. 247 (1914).

ALLOCLITA Stgr.
Stett. ent. Zeit. p. 247 (1859).

3167 A. xylodesma Meyr.
Ann. Transv. Mus. III. p. 72 (1911).

CNEMIDOLOPHUS Wlshm.
Trans. Ent. Soc. Lond. p. 274 (1881).

3168 C. cyananthes Meyr.
Ann. Transv. Mus. III. p. 73 (1911).

3169 C. lavernellus Wlshm.
Trans. Ent. Soc. Lond. p. 275 pl. XIII. f. 43 (1881).

ENICOSTOMA Steph.
Cat. Brit. Ins. p. 296 (1829).

3170 E. coarctata Wlshm.
Trans. Ent. Soc. Lond. p. 252 pl. XI. f. 20 (1881).

OCYSTOLA Meyr.
Proc. Linn. Soc. N.S. Wales. Austr. Microlep. prt. XII. p. 14 (1888).

3171 O. proxena Meyr.
Ann. S.A. Mus. X. p. 247 (1914).

HEDNOPHORA Meyr.
Ann. Transv. Mus. II. p. 232 (1911).

3172 H. pyritis Meyr.
Ann. Transv. Mus. II. p. 233 (1911).

CRYPTOLECHIA Zell.
Lep. Microptera. p. 106 (1852).

3173 C. castella Zell.
Lep. Microptera. p. 107 (1852).

3174 C. transfuga Meyr.
Ann. Transv. Mus. III. p. 74 (1911).

3175 C. straminella Zell.
Lep. Microptera. p. 107 (1852).

3176 C. æriasella Wlk.
Cat. XXIX. p. 746 (1864).

3177 C. hæresiella Wllgrn.
Öfv. Vet. Ak. Förh. 32 p. 128 (1875).

3178 C. dilutella Wlshm.
Trans. Ent. Soc. Lond. p. 255 pl. XI. f. 23 (1881).

3179 C. roseoflavida Wlshm.
Trans. Ent. Soc. Lond. p. 256 pl. XII. f. 25 (1881).

3180 C. roseocostella Wlshm.
Trans. Ent. Soc. Lond. p. 257 pl. XII. f. 26 (1881).

PHILOBOTA Meyr.
Proc. Linn. Soc. N.S. Wales. VII. p. 422 (1883).

3181 Ph. virgo Wlshm.
Trans. Ent. Soc. Lond. p. 115 pl. V. f. 52 (1891).

3182 Ph. chalinitis Meyr.
Ann. S.A. Mus. V. p. 355 (1909).

3183 Ph. tectifera Meyr.
Ann. S.A. Mus. V. p. 373 (1909).

3184 Ph. erastis Meyr.
Ann. S.A. Mus. V. p. 414 (1909).

3185 Ph. dryinota Meyr.
Ann. S.A. Mus. X. p. 248 (1914).

IDIOPTERYX Wlshm.
Trans. Ent. Soc. Lond. p. 104 pl. VII. f. 81 (1891).

3186 I. obliguella Wlshm.
Trans. Ent. Soc. Lond. p. 254 pl. XI. f. 22 (1881).

CACOPHYIA Rbl.
Stgr.-Rbl. Cat. Lep. Pap. II. p. 175 (1901).

3187 C. tunicella Wlshm.
Trans. Ent. Soc. Lond. p. 260 pl. XII. f. 28 (1881).

XYLORYCTIDÆ.

EPORYCTA Meyr.
Proc. Zool. Soc. Lond. p. 728 (1908).

3188 E. tarbalca Meyr.
Proc. Zool. Soc. Lond. p. 729 (1908).

XYLORYCTA Meyr.
Tr. R. Soc. S. Austr. XIII. p. 57 (1890).

3189 X. artigena Meyr.
Ann. S.A. Mus X. p. 250 (1914).

NEPHANTIS Meyr.
Journ. Bomb. Soc. Nat. Hist. p. 603 (1905).

3190 N. xystopala Meyr.
Proc. Zool. Soc. Lond. p. 729 (1908).

ODITES Wlshm.
Trans. Ent. Soc. Lond. p. 99 pl. VII. f. 80 (1891).

3191 O. natalensis Wlshm.
Trans. Ent. Soc. Lond. p. 102 pl. IV. f. 36 (1891).

3192 O. balsamias Meyr.
Ann. Transv. Mus. III. p. 75 (1911).

3193 O. atropunctella Wlshm.
Trans. Ent. Soc. Lond. p. 265 pl. XI. f. 24 (1891).

3194 O. citrantha Meyr.
Proc. Zool. Soc. Lond. p. 729 (1908).

3195 O. metaphracta Meyr.
Ann. S.A. Mus. V. p. 354 (1909).

3196 O. inversa Meyr.
Ann. S.A. Mus. X. p. 250 (1914).

3197 O. carcharopa Meyr.
Ann. Transv. Mus. IV. p. 198 (1914).

3198 O. pedicata Meyr.
Ann. Transv. Mus. IV. p. 198 (1914).

3199 O. assidua Meyr.
Ann. Transv. Mus. IV. p. 199 (1914).

3200 O. crocota Meyr.
Ann. S.A. Mus. X. p. 62 (1912).

3201 O. insons Meyr.
Ann. S.A. Mus. X. p. 63 (1912).

3202 O. obvia Meyr.
Ann. S.A. Mus. X. p. 250 (1914).

3203 O. inversa Meyr.
Ann. S.A. Mus. X. p. 250 (1914).

3204 O. sucinea Meyr.
Exot. Microlepidoptera. I. p. 378 (1915).

PROCOMETIS Meyr.
Trans. R. Soc. S. Australia XIII. p. 71 (1890).

3205 P. oxypora Meyr.
Proc. Zool. Soc. Lond. p. 730 (1908).

3206 P. limitata Meyr.
Ann. Transv. Mus. III. p. 75 (1911).

3207 P. acharma Meyr.
Proc. Zool. Soc. Lond. p. 731 (1908).

3208 P. milvina Meyr.
Ann. Transv. Mus. IV. p. 199 (1914).

STENOMIDÆ.

PAREXAULA Meyr.
Ann. S.A. Mus. V. p. 356 (1909).

3209 P. isomima Meyr.
Ann. S.A. Mus. V. p. 356 (1909).

PALÆTHETA Meyr.
Ann. Transv. Mus. II. p. 23 (1909).

3210 P. ischnozena Meyr.
Ann. Transv. Mus. II. p. 24 pl. VII. f. 9 (1909).

3211 P. innocua Meyr.
Ann. Transv. Mus. III. p. 76 (1911).

STENOMA. Zell.
Isis. p. 195 (1839).

3212 S. ovata Wlshm.
Trans. Ent. Soc. Lond. p. 258 (1881).

3213 S. modicola Meyr.
Ann. Transv. Mus. III. p. 75 (1911).

3214 S. stolida Meyr.
Ann. Transv. Mus. III. p. 75 (1911).

3215 S. dicentra Meyr.
Ann. Transv. Mus. III. p. 317 (1913).

3216 S. simulatrix Meyr.
Ann. Transv. Mus. IV. p. 199 (1914).

HYPONOMEUTIDÆ.

EPERMENIA Hübn.
Verz. bek. Schmett. p. 418 (1826).

3217 E. præfumata Meyr.
Ann. Transv. Mus. II. p. 236 (1911).

3218 E. ochrodesma Meyr.
Ann. Transv. Mus. III. p. 317 (1913).

3219 E. criticodes Meyr.
Ann. Transv. Mus. III. p. 317 (1913).

3220 E. proserga Meyr.
Ann. Transv. Mus. III. p. 318 (1913).

ARGYRESTHIA Hübn.
Verz. bek. Schmett. p. 422 (1826).

3221 A. pentanoma Meyr.
Ann. Transv. Mus. III. p. 318 (1913).

3222 A. stilpnota Meyr.
Ann. Transv. Mus. III. p. 318 (1913).

ISOCRITA Meyr.
Ann. S.A. Mus. V. p. 372 (1909).

3223 I. stolarcha Meyr.
Ann. S.A. Mus. V. p. 372 (1909).

3224 I. psalactis Meyr.
Ann. S.A. Mus. X. p. 65 (1912).

3225 I. eremasta Meyr.
Ann. S.A. Mus. X. p. 251 (1914).

ABACISTIS Meyr.
Ann. Transv. Mus. III. p. 318 (1913).

3226 A. hexanoma Meyr.
Ann. Transv. Mus. III. p. 319 (1913).

3227 A teligera Meyr.
Ann. Transv. Mus. IV. p. 200 (1914).

LYTROPHILA Meyr.
Ann. Transv. Mus. III. p. 319 (1913).

3228 L. panarga Meyr.
Ann. Transv. Mus. III. p. 319 (1913).

3229 L. humida Meyr.
Ann. Transv. Mus. III. p. 319 (1913).

3230 L. ingeminata Meyr.
Ann. Transv. Mus. IV. p. 201 (1914).

GYMNOGRAMMA Zell.
Lep. Microptera. p. 104 (1852).

3231 G. flavivittella Wlshm.
Trans. Ent. Soc. Lond. p. 250 (1881).

3232 G. pyrozancla Meyr.
Ann. Transv. Mus. III. p. 77 (1911).

3233 G. hutchinsoni Wlshm.
Trans. Ent. Soc. Lond. p. 92 pl. 4 f. 29 (1891).

3234 G. rhodoneura Meyr.
Ann. S.A. Mus. V. p. 373 (1909).

3235 G. cyanea Meyr.
Ann. S.A. Mus. X. p. 66 (1912).

3236 G. rufiventris Zell.
Lep. Microptera p. 104 (1852).

PARAZELOTA Meyr.
Ann. Transv. Mus. III. p. 319 (1913).

3237 P. dryostoma. Meyr.
Ann. Transv. Mus. III. p. 320 (1913).

EXAULISTIS Meyr.
Ann. Transv. Mus. III. p. 77 (1911).

3238 E. trichogramma Meyr.
Ann. Transv. Mus. III. p. 77 (1911).

EXANTHICA Meyr.
Ann. Transv. Mus. III. p. 321 (1913).

3239 E. trigonella Feld.
Reise Nov. pl. CXXXIX. f. 39 (1875).

EPIPHRACTIS Meyr.
Proc. Zool. Soc. Lond. p. 732 (1908).

3240 E. rubricata Meyr.
Ann. Transv. Mus. III. p. 320 (1913).

3241 E. crocoplecta Meyr.
Ann. Transv. Mus. III. p. 321 (1913).

3242 E. aulica Meyr.
Ann. S.A. Mus. X. p. 66 (1912).

3243 E. imbellis Meyr.
Ann. S.A. Mus. X. p. 252 (1914).

TROCHASTICA Meyr.
Ann. Transv. Mus. III. p. 321 (1913).

3244 T. albifrenis Meyr.
Ann. Transv. Mus. III. p. 321 (1913).

THYESTARCHA Meyr.
Ann. S.A. Mus. X. p. 64 (1912).

3245 Th. edax. Meyr.
Ann. S.A. Mus. X. p. 65 (1912).

HYPONOMEUTA Latr.
Gen. Crust. Ins. IV. p. 222 (1796).

3246 H. africana Sttn.
Trans. Ent. Soc. Lond. (N.S.) V. p. 222 (1862)

3247 H. fumigatus Zell.
Lep. Microptera. p. 101 (1852).

3248 H. strigillatus Zell.
Lep. Microptera. p. 102 (1852).

3249 H. perficitellis Wlk.
Cat. XXVIII. p. 531 (1863).

3250 H. subplumbellus Wlshm.
Trans. Ent. Soc. Lond. p. 248 pl. XI. f. 16 (1881).

3251 H. puncticornis Wlshm.
Trans. Ent. Soc. Lond. p. 90 pl. IV. f. 27 (1891).

3252 H. glaphyropis Meyr.
Proc. Zool. Soc. Lond. p. 736 (1908).

3253 H. sistrophora Meyr.
Ann. S.A. Mus. V. p. 358 (1909).

3254 H. nigricola Meyr.
Ann. S.A. Mus. X. p. 66 (1912).

XYROSARIS Meyr.
Proc. Linn. Soc. N.S. Wales 32 p. 50 p. 71 (1907).

3255 X. secreta Meyr.
Ann. S.A. Mus. X. p. 67 (1912).

PLEXIPPICA Meyr.
Ann. S.A. Mus. X. p. 67 (1912).

3256 P. verberata Meyr.
Ann. S.A. Mus. X. p. 67 (1912).

SCYTHROPIA Hübn.
Verz. bek. Schmett. p. 413 (1826).
3257 Sc. crocostacta Meyr.
Ann. S.A. Mus. X. p. 68 (1912).

AMALTHINA Meyr.
Ann. Transv. Mus. IV. p. 200 (1914).
3258 A. lacteata Meyr.
Ann. Transv. Mus. IV. p. 200 (1914).

GRACILARIADÆ.

LITHOCOLLETIS Hübn.
Verz. bek. Schmett. p. 423 (1826).
3259 L. encaria Meyr.
Ann. Transv. Mus. II. p. 234 (1911).
3260 L. melanosparta Meyr.
Exot. Microlep. I. p. 21 (1912).

EPICEPHALA Meyr.
Proc. Linn. Soc. N.S. Wales p. 168 (1880).
3261 E. veneranda Meyr.
Ann. Transv. Mus. II. p. 24 pl. VIII. f. 1 (1909).
3262 E. barbitias Meyr.
Ann. Transv. Mus. II. p. 24 pl. VII. f. 10 (1909).
3263 E. pyrrhogastra Meyr.
Proc. Zool. Soc. Lond. p. 734 (1908).
3264 E. invita Meyr.
Exot. Microlep. I. p. 22 (1912).

ACROCERCOPS Wllgrn.
Ent. Tidskr. II. p. 95 (1881).
3265 A. dasmophora Meyr.
Proc. Zool. Soc. Lond. p. 735 (1908).
3266 A. hexalocha Meyr.
Exot. Micro-lep. I. p. 22 (1912).
3267 A. carcharota Meyr.
Exot. Micro-lep. I. p. 22 (1912).
3268 A. monodecta Meyr.
Exot. Micro-lep. I. p. 23 (1912).
3269 A. hormophora Meyr.
Exot. Micro-lep. I. p. 23 (1912).
3270 A. punctulata Wlshm.
Trans. Ent. Soc. Lond. p. 125 pl. VI. f. 66 (1891).
3271 A. heterodoxa Meyr.
Exot Micro-lep. I. p. 23 (1912).
3272 A. carbunculata Meyr.
Exot. Micro-lep. I. p. 24 (1912).
3273 A. gravissima Meyr.
Exot. Micro-lep. I. p. 24 (1912).
3274 A. procellaris Meyr.
Ann. Transv. Mus. IV. p. 201 (1914).

3275 A. conflua Meyr.
Ann. Transv. Mus. IV. p. 201 (1914).
3276 A. aptata Meyr.
Ann. Transv. Mus. IV. p. 202 (1914).

STOMPHASTIS Meyr.
Gen. Ins. 128 p. 19 (1912).
3277 S. plectica Meyr.
Gen. Ins. 128 p. 19 pl. I. f. 26 (1912).

PARECTOPA Clem.
Proc. Acad. Nat. Sc. Phil. p. 210 (1860).
3278 P. onychota Meyr.
Proc. Zool. Soc. Lond. p. 735 (1908).
3279 P. bathracma Meyr.
Exot. Micro-lep. I. p. 25 (1912).

GRACILARIA Haw.
Lep. Brit. p. 125 (1828).
3280 G. prosticta Meyr.
Ann. S.A. Mus. V. p. 374 (1909).
3281 G. citricula Meyr.
Exot. Micro-lep. I. p. 26 (1912).
3282 G. ligata Meyr.
Exot. Micro-lep. I. p. 26 (1912).
3282 G. filifera Meyr.
Exot. Microlep. I. p. 27 (1912).
3284 G. seriata Meyr.
Exot. Microlep. I. p. 27 (1912).
3285 G. octopunctata Turn.
Trans. Roy. Soc. S. Austral. p. 123 (1894).
3286 G. isotoma Meyr.
Ann. Transv. Mus. IV. p. 202 (1914).
3287 G. grypota Meyr.
Ann. Transv. Mus. IV. p. 202 (1914).

ELACHISTIDÆ.

MYRRHINITIS Meyr.
Ann. Transv. Mus. III. p. 322 (1913).
3288 M. sporenta Meyr.
Ann. Transv. Mus. III. p. 322 (1913).

ELACHISTA Treit.
Schmett. Eur. IX. 2 p. 177 (1833).
3289 E. crocogastra Meyr.
Proc. Zool. Soc. Lond. p. 733 (1908).
3290 E. nymphæa Meyr.
Ann. Transv. Mus. II. p. 233 (1911).
3291 E. gypsophila Meyr.
Ann. Transv. Mus. II. p. 233 (1911).
3292 E. nimbifera Meyr.
Ann. Transv. Mus. III. p. 322 (1913).
3293 E. epicœna Meyr.
Ann. Transv. Mus. IV. p. 196 (1914).

CLEROPTILA Meyr.
Exot. Micro-lep. I. p. 204 (1914).
3294 C. chelonitis Meyr.
Ann. Transv. Mus. II. p. 25 pl. VIII. f. 2 (1909).

MENDESIA Joann.
In: Mendes, Broteria pp. 249-251 (1904).
3295 M. aganopa Meyr.
Ann. Transv. Mus. II. p. 234 (1911).
3296 M. inscia Meyr.
Ann. Transv. Mus. III. p. 322 (1913).
3297 M. secutrix Meyr.
Ann. Transv. Mus. IV. p. 196 (1914).

PHTHINOSTOMA Meyr.
Ann. Transv. Mus. IV. p. 196 (1914).
3298 Ph. infumata Meyr.
Ann. Transv. Mus. IV. p. 196 (1914).

AUGASMA Herr.-Sch.
Schmett. Eur. V. p. 13, 50 (1853).
3299 Au. nidifica Meyr.
Ann. S.A. Mus. X. p. 68 (1912).

COLEOPHORIDÆ.

BATRACHEDRA Stt.
Ins. Brit. Lep. Tin. p. 230 (1854).
3300 B. granosa Meyr.
Ann. Transv. Mus. II. p. 235 (1911).
3301 B. epombra Meyr.
Exot. Micro-lep. I. p. 206 (1914).
3302 B. saurota Meyr.
Ann. Transv. Mus. II. p. 236 (1911).
3303 B. œmias Meyr.
Ann. S.A. Mus. V. p. 359 (1909).
3304 B. heliota Meyr.
Ann. Transv. Mus. III. p. 323 (1913).
3305 B. isochtha Meyr.
Ann. Transv. Mus. IV. p. 203 (1914).
3306 B. microbias Meyr.
Ann. Transv. Mus. IV. p. 203 (1914).

COLEOPHORA Hübn.
Tentamen (1806).
3307 C. triflua Meyr.
Ann. Transv. Mus. II. p. 235 (1911).
3308 C. scaleuta Meyr.
Ann. Transv. Mus. II. p. 235 (1911).
3309 C. halmodes Meyr.
Ann. Transv. Mus. II. p. 235 (1911).
3310 C. leucaula Meyr.
Ann. Transv. Mus. III. p. 78 (1911).

3311 C. efflua Meyr.
Ann. Transv. Mus. III. p. 78 (1911).
3312 C. scariphota Meyr.
Ann. Transv. Mus. III. p. 78 (1911).
3313 C. aphanombra Meyr.
Ann. Transv. Mus. III. p. 323 (1913).
3314 C. intensa Meyr.
Ann. Transv. Mus. III. p. 323 (1913).
3315 C. diffusa Meyr.
Ann. Transv. Mus. III. p. 323 (1913).
3316 C. illustrata Meyr.
Ann. Transv. Mus. III. p. 324 (1913).
3317 C. ordinaria Meyr.
Ann. Transv. Mus. III. p. 324 (1913).
3318 C. oxyphæa Meyr.
Ann. Transv. Mus. III. p. 324 (1913).
3319 C. megaloptila Meyr.
Ann. S.A. Mus. V. p. 360 (1909).
3320 C. eremodes Meyr.
Ann. S.A. Mus. X. p. 68 (1912).

POROTICA Meyr.
Ann. Transv. Mus. III. p. 324 (1913).
3321 P. astragalis Meyr.
Ann. Transv. Mus. III. p. 324 (1913).

IRIOTHYRSA Meyr.
Proc. Zool. Soc. Lond. p. 736 (1908).
3322 I. melanogma Meyr.
Proc. Zool. Soc. Lond. p. 736 (1908).

GLYPHIPTERYGIDÆ.

GLYPHIPTERYX Hübn.
Verz. bek. Schmett. p. 421 (1826).
3323 G. ditiorana Wlk.
Cat. XXVIII. p. 348 (1863)
3324 G. ? dimidiatella Wlk.
Cat. XXX. p. 829 (1864).
3325 G. grapholithoides Wlshm.
Trans. Ent. Soc. Lond. p. 116 pl. V. f. 53 (1891).
3326 G. medica Meyr.
Trans. Linn. Soc. Lond. XIV. p. 291 (1911).
3327 G. stelucha Meyr.
Ann. S.A. Mus. V. p. 375 (1909).

SIMÆTHIS Leach.
Edinburgh Enc. IX. p. 135 (1815).
3328 S. ægyptiaca Zell.
Stett. Ent. Zeit. XXVIII. p. 366 (1867).

BRENTHIA Clem.
Proc. Acad. Nat. Sc. Philad. p. 172 (1860).
3329 B. virginalis Meyr.
Exot. Micro-lep. I. p. 52 (1912).

CHOREUTIS Hübn.
Verz. bek. Schmett. p. 373 (1826).
3330 Ch. bjerkandrella Thnbg.
Diss. Ent. I. p. 36 (24) pl. III. f. 23, 24 (1784).

PLUTELLIDÆ.

LEPOCNEMIS Meyr.
Ann. Transv. Mus. III. p. 325 (1913).
3331 L. bascanopa Meyr.
Ann. Transv. Mus. III. p. 325 (1913).

ACROLEPIA Curt.
Brit. Ent. XV. p. 679 (1838).
3332 A. canachopis Meyr.
Ann. Transv. Mus. III. p. 325 (1913).

EPISTOMOTIS Meyr.
Journ. Bomb. Nat. Hist. Soc. p. 416 (1906).
3333 E. amphicentra Meyr.
Ann. Transv. Mus. III. p. 326 (1913).

GYPSOSARIS Meyr.
Ann. S.A. Mus. V. p. 375 (1909).
3334 C. coniata Meyr.
Ann. S.A. Mus. V. p. 375 (1909).

TEMELUCHA Meyr.
Ann. Transv. Mus. II. p. 25 (1909).
3335 T. xeropa Meyr.
Ann. Transv. Mus. II. p. 25 pl. VIII. f. 3 (1909).

PLUTELLA Schrk.
Fauna Boica II. 2 p. 169 (1802).
3336 P. macilipennis Curt.
Guide. p. 186 (1831).
3337 P. balanopis Meyr.
Ann. S.A. Mus. V. p. 376 (1909).

PLATYBATHRA Meyr.
Ann. Transv. Mus. III. p. 78 (1911).
3338 P. ganota Meyr.
Ann. Transv. Mus. III. p. 78 (1911).

NEPTICULIDÆ.

NEPTICULA Heyd.
Bericht. Vers. Naturf. Mainz. p. 201 (1842).
3339 N. grandinosa Meyr.
Ann. Transv. Mus. II. p. 236 (1911).
3340 N. fluida Meyr.
Ann. Transv. Mus. II. p. 236 (1911).

3341 N. insulata Meyr.
Ann. Transv. Mus. III. p. 70 (1911).
3342 N. nigrata Meyr.
Ann. Transv. Mus. III. p. 326 (1913).
3343 N. urbica Meyr.
Ann. Transv. Mus. III. p. 326 (1913).
3344 N. stimulata Meyr.
Ann. Transv. Mus. III p. 326 (1913).
3345 N. primaria Meyr.
Ann. Transv. Mus. III. p. 326 (1913).
3346 N. ingens Meyr.
Ann. Transv. Mus. III. p. 327 (1913).
3347 N. vannifera Meyr.
Ann. Transv. Mus. IV. p. 203 (1914).

ERECHTHIADÆ.

OPOSTEGA Zell.
Isis p. 214 (1839).
3348 O. bellicosa Meyr.
Ann. Transv. Mus. II. p. 236 (1911).
3349 O. cirrhacma Meyr.
Ann. Transv. Mus. II. p. 237 (1911).
3350 O. granifera Meyr.
Ann. Transv. Mus. III. p. 327 (1913).
3351 O. præfusca Meyr.
Ann. Transv. Mus. III. p. 327 (1913).
3352 O. radiosa Meyr.
Ann. Transv. Mus. III. p. 327 (1913).
3353 O. elastozona Meyr.
Ann. Transv. Mus. III. p. 327 (1913).
3354 O. amphimitra Meyr.
Ann. Transv. Mus. III. p. 328 (1913).
3355 O. symbolica Meyr.
Ann. Transv. Mus. IV. p. 203 (1914).

CYCLOPONYMPHA Meyr.
Ann. Transv. Mus. III. p. 328 (1913).
3356 C. julia Meyr.
Ann. Transv. Mus. III. p. 328 (1913).
3357 C. perspicua Meyr.
Ann. Transv. Mus. III. p. 328 (1913).

BUCCULATRIX Zell.
Linn. Ent. III. p. 286-7 f. 44-47 (1848).
3358 B. porthmis Meyr.
Proc. Zool. Soc. Lond. p. 737 (1908).
3359 B. frangulella Goeze.
Beitr. III. 4 p. 169 ( ).
3360 B. facilis Meyr.
Ann. Transv. Mus. II. p. 237 (1911).
3361 B. inchoata Meyr.
Ann. Transv. Mus. III. p. 329 (1913).

3362 B. galeodes Meyr.
Ann. Transv. Mus. III. p. 329 (1913).
3363 B. anticolona Meyr.
Ann. Transv. Mus. III. p. 329 (1913).
3364 B. quieta Meyr.
Ann. Transv. Mus. III p. 329 (1915).
3365 B. amara Meyr.
Ann. Transv. Mus. III. p. 273 (1913).
3366 B. lenis Meyr.
Ann. Transv. Mus. III. p. 330 (1913).
3367 B. dulcis Meyr.
Ann. Transv. Mus. III. p. 330 (1913).
3368 B. melipecta Meyr.
Ann. Transv. Mus. IV. p. 204 (1914).

OINOPHILA Steph.
Trans. Ent. Soc. Lond. V. p. XLI. (1848).
3369 O. v-flava Haw.
Lep. Brit. p. 530 (1829).

CROBYLOPHORA Meyr.
Proc. Linn. Soc. N.S.W. V. p. 177 (1882).
3370 C. metallifera Wlshm.
Trans. Ent. Soc. Lond. p. 127 pl. VI. f. 69 (1891).

OPOGONA Zell.
Bull. Soc. Imp. Nat. Mosc. IV. p. 504 (1853).
3371 O. chlorophanes Meyr.
Proc. Zool. Soc. Lond. p. 737 (1908).
3372 O. scaphopis Meyr.
Ann. S.A. Mus. V. p. 376 (1909).
3373 O. trophis Meyr.
Ann. Transv. Mus. III. p. 330 (1913).
3374 O. dimidiatella Wlk.
Cat. XXX. p. 839 (1864).
3375 O. cyrtomis Meyr.
Exot. Micro-lep. I. p. 360 (1915).

COPOBATHRA Meyr.
Ann. Transv. Mus. II. p. 238 (1911).
3376 C. menodora Meyr.
Ann. Transv. Mus. II. p. 238 (1911).

HIEROXESTIS Meyr.
Proc. Linn. Soc. N.S. Wales (2) VII. p. 482, 567 (1892).
3377 H. omoscopa Meyr.
Proc. Linn. Soc. N.S. Wales (2) VII. p. 567 (1892).
3378 H. pileigera Meyr.
Ann. Transv. Mus. III. p. 330 (1913).
3379 H. phæochalca Meyr.
Proc. Zool. Soc. Lond. p. 737 (1908).
3380 H. præmatura Meyr.
Ann. Transv. Mus. II. p. 26 pl. VIII. f. 5 (1909).

ETHMIADÆ.

ETHMIA Hübn.
Verz. bek. Schmett. p. 163 (1826).
3381 E. circumdatella Wlk.
Cat. XXVIII. p. 532 (1863).
3382 E. livida Zell.
Lep. Microptera. p. 103 (1852).
3383 E. coscinentis Meyr.
Ann. Transv. Mus. III. p. 76 (1911).
3384 E. dactylia Meyr.
Ann. Transv. Mus. III. p. 76 (1911).
3385 E. rhomboidella Wlshm.
Trans. Ent. Soc. Lond. p. 45 f. 15 (1897).

PSECADIA Hübn.
Verz. bek. Schmett. p. 413 (1826).
3386 Ps. sabiella Feld.
Reise Nov. pl. 139 f. 30 (1875).
3387 P. oculigera Möschl.
Verh. k. zool.-bot. Ges. Wien. XXXIII. p. 309 pl. 16 f. 25 (1884).

COPTOPROCTIS Zell.
Lep. Microptera. p. 105 (1852).
3388 C. languida Zell.
Lep. Microptera p. 105 (1852).

TINEIDÆ.

LYONETIA Hübn.
Verz. bek. Schmett. p. 423 (1826).
3389 L. cotifraga Meyr.
Ann. S.A. Mus. V. p. 360 (1909).

PHYLLOCNISTIS Zell.
Linn. Ent. III. p. 264-5 f. 31-5 (1848).
3390 Ph. citrella Sttn.
Trans. Ent. Soc. Lond. III. p. 301 (1856).

LEUCOPTERA Hübn.
Verz. bek. Schmett. p. 426 (1826).
3391 L. scammatias Meyr.
Ann. Transv. Mus. II. p. 26 pl. VIII. f. 4 (1909).

PHYLLOBROSTIS Stgr.
Stett. ent. Zeit. p. 357 (159).
3392 Ph. calcaria Meyr.
Ann. Transv. Mus. II. p. 237 (1911).
3393 Ph. argillosa Meyr.
Ann. Transv. Mus. II. p. 237 (1911).

PILOTOCOMA Meyr.
Ann. Transv. Mus. III. p. 331 (1913).
3394 P. tephroleuca Meyr.
Ann. Transv. Mus. III. p. 331 (1913).

BEDELLIA Sttn.
Cat. Brit. Tin. p. 23 (1849).
3395 C. cathareuta Meyr.
Ann. Transv. Mus. II. p. 237 (1911).
3396 B. somnulentella Zell.
Isis. p. 894 (1849).

TISCHERIA Zell.
Isis. p. 219 (1839).
3397 T. zestica Meyr.
Ann. Transv. Mus. II. p. 238 (1911).

CRITICONOMA Meyr.
Ann. S.A. Mus. V. p. 415 (1910).
3398 C. chelonæa Meyr.
Ann. S.A. Mus. V. p. 415 (1910).

DEMOBROTIS Meyr.
Proc. Linn. Soc. N.S. Wales p. 555 (1892).
3399 D. tricarpa Meyr.
Ann. Transv. Mus. III. p 231 (1913).

TRICHOPHAGA Rag.
Ann. Soc. entom. France LXIII. p. 120-124 (1894).
3400 T. bipartita Rag.
Bull. Soc. entom. France LXXXII. p. 122-4 (1892).

DICANICA Meyr.
Ann. Transv. Mus. III. p. 331 (1913).
3401 D. acrocentra Meyr.
Ann. Transv. Mus. III. p. 331 (1913).

TINEOLA H.-S.
Schmett, Eur. V. p. 7, 23 pl. 4 f. 30, pl. 10 ff. 24-26 (1853).
3402 T. leucastis Meyr.
Proc. Zool. Soc. Lond. p. 738 (1908).
3403 T. xanthastis Meyr.
Proc. Zool. Soc. Lond. p. 738 (1908).
3404 T. holopsana Meyr.
Proc. Zool. Soc. Lond. p. 729 (1908).
3405 T. phocina Meyr.
Proc. Zool. Soc. Lond. p. 740 (1908).
3406 T. chloristis Meyr.
Proc. Zool. Soc. Lond. p. 740 (1908).
3407 T. nesiastis Meyr.
Ann. Transv. Mus. II. p. 239 (1911).
3408 T. meretrix Meyr.
Proc. Zool. Soc. Lond. p. 739 (1908).
3409 T. purpurea Sttn.
Trans. Ent. Soc. Lond. V. p. 221 (1860).
3410 T. oratrix Meyr.
Ann. Trans. Mus. III. p. 332 (1913).
3411 T. biselliella Hübn.
Hummel Essais Entom. III. p. 6 (1823).
3412 T. asperata Meyr.
(ined.)

TINEA L.

Syst. Nat. p. 534 (1758).

3414 T. œnopis Meyr.
Proc. Zool. Soc. p. 740 (1908).

3415 T. paraxena Meyr.
Proc. Zool. Soc. Lond. p. 740 (1908).

3416 T. othello Meyr.
Journ. Bomb. Soc. Nat. Hist. 17 p. 988 (1907).

3417 T. homestia Meyr.
Proc. Zool. Soc. Lond. p. 741 (1908).

3418 T. tanystis Meyr.
Proc. Zool. Soc. Lond. p. 741 (1908).

3419 T. vastella Zell.
Lep. Microptera p. 88 (1852).

3420 T. rejectella Wlk.
Cat. XXX. p. 1003 (1864).

3421 T. penetrata Meyr.
Ann. Transv. Mus. III. p. 80 (1911).

3422 T. psacadias Meyr.
Ann. Transv. Mus. III. p. 80 (1911).

3423 T. tephrinistis Meyr.
Ann. Transv. Mus. III. p. 81 (1911).

3424 T. encausta Meyr.
Ann. Transv. Mus. III. p. 81 (1911).

3425 T. adamasta Meyr.
Ann. Transv. Mus. II. p. 27 pl. VIII. f. 7 (1909).

3426 T. pellionella Linn.
Syst. Nat. ed. X. p. 536 (1758).

3427 T. abactella Wlk.
Cat. XXVIII. p. 476 (1863).

3428 T. fuscipunctella Haw.
Lep. Brit. p. 562 (1828).

3429 T. farraginella Zell.
Lep. Microptera p. 90 (1852).

3430 T. dammificella Zell.
Lep. Microptera p. 91 (1852).

3431 T. (?) erinacea Wlk.
Cat. XXVIII. p. 475 (1863).

3432 T. tapetzella Linn.
Syst. Nat. ed. X. p. 536 (1758).

3433 T. granella Linn.
Syst. Nat. ed. X. p. 534 (1758).

3434 T. antiphracta Meyr.
Ann. S.A. Mus. V. p. 362 (1909).

3435 T. sesquitertia Meyr.
Ann. S.A. Mus. V. p. 361 (1909).

3436 T. zebra Wlshm.
Trans. Ent. Soc. Lond. p. 86 pl. IV. f. 24 (1891).

3437 T. suspiciosa Meyr
Ann. S.A. Mus. X. p. 69 (1912).
3438 T. hyalodes Meyr.
Ann. Transv. Mus. III. p. 332 (1913).
3439 T. megaspila Meyr.
Ann. Transv. Mus. III. p. 332 (1913).

BLABOPHANES Zell.
Linn. Ent. 6 p. 100 (1852).
3440 B. longella Wlk.
Cat. XXVIII. p. 479 (1863).
3441 B. rutilicostella Sttn.
Trans. Ent. Soc. Lond. V. p. 221 (1860).
3442 B. speculella Zell.
Lep. Microptera. p. 89 (1852).

STEMAGORIS Meyr.
Ann. Transv. Mus. III. p. 79 (1911).
3443 St. asylæa Meyr.
Ann. Transv. Mus. III. p. 79 (1911).

PICROSPORA Meyr.
Ann. S.A. Mus. X. p. 69 (1912).
3444 P. purgata Meyr.
Ann. Transv. Mus. III. p. 332 (1913).
3445 P. araea Meyr.
Ann. S.A. Mus. X. p. 69 (1912).
3446 P. anastrota Meyr.
Ann. S.A. Mus. X. p. 70 (1912).

SAPHENEUTIS Meyr.
Journ. Bomb. Soc. Nat. Hist. XVIII. p. 155 (1907).
3447 S. granosa Meyr.
Ann. S.A. Mus. X. p. 70 (1912).

PSEUDURGIS Meyr.
Proc. Zool. Soc. Lond. p. 741 (1908).
3448 Ps. tectonica Meyr.
Proc. Zool. Soc. Lond. p. 741 (1908).
3449 Ps. polychorda Meyr.
Ann. Transv. Mus. III. p. 333 (1913).
3450 Ps. scutifera Meyr.
Ann. S.A. Mus. X. p. 70 (1912).
3451 Ps. ochrolichna Meyr.
Ann. S.A. Mus. X. p. 254 (1914).
3452 Ps. sciocolona Meyr.
Ann. S.A. Mus. X. p. 254 (1914).
3453 Ps. leucosema Meyr.
Ann. S.A. Mus. X. p. 254 (1914).
3454 Ps. nephelicta Meyr.
Ann. Transv. Mus. III. p. 333 (1913).

GEPHYRISTIS Meyr.
Ann. Transv. Mus. II. p. 27 (1909).
3455 G. anchiala Meyr.
Ann. Transv. Mus. II. p. 27 pl. VIII. f. 6 (1909).
3456 G. oxystyla Meyr.
Ann. Transv. Mus. III. p. 79 (1911).

STRUTHISCA Meyr.

Journ. Bomb. Soc. Nat. Hist. 16 p. 614 (1905).

3457 S. omichlodes Meyr.
Proc. Zool. Soc. Lond. p. 742 (1908).

3458 S. areata Meyr.
Proc. Zool. Soc. Lond. p. 742 (1908).

3459 S. agitata Meyr.
Ann. Transv. Mus. III. p. 333 (1913).

BARBAROSCARDIA Wlshm.

Trans. Ent. Soc. Lond. p. 84 (1891).

3460 B. fasciata Wlshm.
Trans. Ent. Soc. Lond. p. 84 pl. IV. f. 23 (1891).

3461 B. sceptica Meyr.
Ann. S.A. Mus. V. p. 416 (1910).

THRANITICA Meyr.

Proc. Zool. Soc. Lond. p. 743 (1908).

3462 Th. hemicopa Meyr.
Proc. Zool. Soc. Lond. p. 743 (1908).

MESOPHERNA Meyr.

Proc. Linn. Soc. N.S. Wales (2) VII. p. 515 (1893).

3436 M. incultella Wlk.
Cat. XXX. p. 1003 (1864).

MELASINA Boisd.

Genera et Index methodicus p. 57 (1840).

3464 M. halieutis Meyr.
Proc. Zool. Soc. Lond. p. 743 (1908).

3465 M. stelitis Meyr.
Proc. Zool. Soc. Lond. p. 743 (1908).

3466 M. effervescens Meyr.
Ann. Transv. Mus. III. p. 81 (1911).

3467 M. autoderma Meyr.
Ann. S.A. Mus. X. p. 253 (1914).

3468 M. susurrans Meyr.
Ann. Transv. Mus. III. p. 82 (1911).

3469 M. dermatodes Meyr.
Ann. S.A. Mus. X. p. 253 (1914).

3470 M. expers Meyr.
Ann. Transv. Mus. III. p. 82 (1911).

3471 M. microctenis Meyr.
Ann. S.A. Mus. X. p. 253 (1914).

3472 H. ædifica Meyr.
Proc. Zool. Soc. Lond. p. 744 (1908).

3473 M. paraphrictis Meyr.
Proc. Zool. Soc. Lond. p. 744 (1908).

3474 M. cyclatma Meyr.
Proc. Zool. Soc. Lond. p. 746 (1908).

3475 M. liochra Meyr.
Proc. Zool. Soc. Lond. p. 748 (1908).

3476 M. M. mylica Meyr.
Proc. Zool. Soc. Lond. p. 748 (1908).
3477 M. abacodes Meyr.
Proc. Zool. Soc. Lond. p. 749 (1908).
3478 M. agria Meyr.
Ann. Transv. Mus. II. p. 27 (1909).
3479 M. petrodes Meyr.
Ann. S.A. Mus. X. p. 252 (1914).
3480 M. undulata Meyr.
Ann. Transv. Mus. II. p. 239 (1911).
3481 M. brachyctenis Meyr.
Ann. S.A. Mus. V. p. 364 (1909).
3482 M. prunella Zell.
Lep. Microptera. p. 83-88 (1852).
3483 M. systolaea Meyr.
Proc. Zool. Soc. Lond. p. 747 (1908).
3484 M. circophora Meyr.
Ann. S.A. Mus. V. p. 364 (1909).
3485 M. dissoluta Meyr.
Proc. Zool. Soc. Lond. p. 747 (1908).
3486 M. ostracitis Meyr.
Ann. Transv. Mus. III. p. 334 (1913).
3487 M. animosa Meyr.
ined.
3488 M. amica Meyr.
Proc. Zool. Soc. Lond. p. 748 (1908).
3489 M. numeraria Meyr.
Ann. Transv. Mus. IV. p. 204 (1914).
3490 H. terrestris Meyr.
Ann. Transv. Mus. IV. p. 204 (1914).

PTISANORA Meyr.
Ann. Transv. Mus. III. p. 334 (1913).
3491 Pt. trivialis Meyr.
Ann. Transv. Mus. III. p. 334 (1913).

PHTHOROPŒA Wlshm.
Proc. Zool. Soc. Lond. p. 282 (1896).
3492 Ph. vibrata Meyr.
Ann. Transv. Mus. III. p. 335 (1913).

ATABYRIA Snell.
Tijds. v. Ent. 27 p. 164 (1884).
3493 A. bucephala Snell.
Tijds. v. Ent. 27 p. 164 (1884).

HAPSIFERA Zell.
Isis. p. 33 (1847).
3494 H. pardalea Meyr.
Proc. Zool. Soc. Lond. p. 749 (1908).
3495 H. glareosa Meyr.
Ann. S.A. Mus. X. p. 72 (1912).
3496 H. ochroptila Meyr.
Proc. Zool. Soc. Lond. p. 749 (1908).
3497 H. meliceris Meyr.
Proc. Zool. Soc. Lond. p. 750 (1908).

3498 H. glebata Meyr.
Proc. Zool. Soc. Lond. p. 751 (1908).
3499 H. horridella Wlk.
Cat. XXVIII. p. 474 (1863).

TIQUADRA Wlk.
Cat. XXVIII. p. 519 (1863).
3500 T. goochii. Wlshm.
Trans. Ent. Soc. Lond. p. 234-236 pl. X. f. 10 (1881).

PITHARCHA Meyr.
Proc. Zool. Soc. Lond. p. 751 (1908).
3501 P. chalinæa Meyr.
Proc. Zool. Soc. Lond. p. 751 (1908).

CHLIAROSTOMA Meyr.
Ann. Transv. Mus. III. p. 335 (1913).
3502 Chl. relecta Meyr.
Ann. Transv. Mus. III. p. 335 (1913).

AMYDRIA Clem.
Proc. Ac. Nat. Sc. Phil. p. 256-262 (1859).
3503 A. leontopa Meyr.
Proc. Zool. Soc. Lond. p. 752 (1908).
3504 A. opifica Meyr.
Proc. Zool. Soc. Lond. p. 752 (1908).
3505 A. percastis Meyr.
Proc. Zool. Soc. Lond. p. 753 (1908).
3506 A. poliodes Meyr.
Ann. S.A. Mus. V. p. 362 (1909).
3507 A. fraudulenta Meyr.
Ann. S.A. Mus. X. p. 71 (1912).
3508 A. trophias Meyr.
Proc. Zool. Soc. Lond. p. 753 (1908).
3509 A. verecunda Meyr.
Ann. Transv. Mus. III. p. 83 (1911).
3510 A. loxopa Meyr.
Ann. S.A. Mus. X. p. 255 (1914).
3511 A. rapida Meyr.
Ann. S.A. Mus. V. p. 362 (1909).
3512 A. arctocephala Meyr.
Ann. S.A. Mus. V. p. 363 (1909).
3513 A. caligata Meyr.
Ann. Trans. Mus. III. p. 335 (1913).
3514 A. athleta Meyr.
Ann. S.A. Mus. V. p. 377 (1909).

ACOROSTOMA Meyr.
Ann. S.A. Mus. X. p. 255 (1914).
3515 A. medicata Meyr.
Ann. S.A. Mus X. p. 256 (1914).

CHLOROPHYTIS Meyr.
Ann. S.A. Mus. X. p. 71 (1912).
3516 Chl. secura Meyr.
Ann. S.A. Mus. X. p. 72 (1912).

DASYSES Dürr.
Ind. Mus. Notes V. p. 92 (1903).
3517 D. rugosella Sttn.
Trans. Ent. Soc. Lond. (2) V. p. 113 (1859).

SCARDIA Treit.
Schmett. Eur. VIII. p. 290 (1830).
3518 Sc. paracosma Meyr.
Proc. Zool. Soc. Lond. p. 753 (1908).
3519 Sc. genitalis Meyr.
Ann. Transv. Mus. III. p. 335 (1913).
3520 Sc. saccharata Meyr.
Ann. Transv. Mus. IV. p. 205 (1914).

HYOPRORA Meyr.
Proc. Zool. Soc. Lond. p. 753 (1908).
3521 H. crymodes Meyr.
Proc. Zool. Soc. Lond. p. 754 (1908).

DROSICA Wlk.
Cat. XXVIII. p. 519 (1863).
3522 D. abjectella Wlk.
Cat. XXVIII. p. 519 (1863).

SETOMORPHA Zell.
Lep. Microptera p. 93 (1852).
3523 S. rutella Zell.
Lep. Microptera p. 94 (1852).

MONOPIS Hübn.
Verz. bek. Schmett. p. 401 (1826).
3524 M. crocicapitella Clem.
Proc. Acad. Nat. Sc. Philad. p. 257 (1859).
3525 M. perforata Meyr.
Ann. Transv. Mus. III. p. 80 (1911).
3526 M. monachella Hübn.
Samml. Eur. Schmett. VIII. pl. XXI. f. 143 (?1825).
3527 M. ethelella Newm.
Trans. Ent. Soc. Lond. III. p. 288 (1856).
3528 M. megalodelta Meyr.
Proc. Zool. Soc. Lond. p. 737 (1908).

ADELIDÆ.

ULOMETRA Meyr.
Exot. Micro-lepidoptera I. p. 27 (1912).
3529 U. indigna Meyr.
Exot. Micro-lepidoptera I. p. 28 (1912).

CEROMITIA Zell.
Lep. Microptera. p. 92 (1852).
3530 C. tyrochlora Meyr.
Proc. Zool. Soc. Lond. p. 756 (1908).
3531 C. phæocoma Meyr.
Exot. Micro-lepidoptera. I. p. 28 (1912).

3532 C. elongatella Wlshm.
Trans. Ent. Soc. Lond. p. 244 pl. 11 f. 13 (1881).
3533 C. melanostrota Meyr.
Ann. S.A. Mus. X. p. 72 (1912).
3534 C. somphodes Meyr.
Ann. S.A. Mus. X. p. 73 (1912).
3535 C. phyrsina Meyr.
Ann. Transv. Mus. II. p. 239 (1912).
3536 C. sporæa Meyr.
Proc. Zool. Soc. Lond. p. 756 (1908).
3537 C. ochrotricha Meyr.
Exot. Micro-lepidoptera. I. p. 29 (1912).
3538 C. amphichroa Meyr.
Proc. Zool. Soc. Lond. p. 755 (1908).
3539 C. palyntis Meyr.
Proc. Zool. Soc. Lond. p. 755 (1908).
3540 C. libropis Meyr.
Proc. Zool. Soc. Lond. p. 755 (1908).
3541 C. mellicoma Meyr.
Exot. Microlepidoptera. I. p. 29 (1912).
3542 C. crinigerella Zell.
Linn. Ent. V. p. 347 (1852).
3543 C. nerina Meyr.
Exot. Micro-lepidoptera. I. p. 28 (1912).
3544 C. alternipunctella Wlshm.
Trans. Ent. Soc. Lond. p. 245 pl. 11. f. 14 (1881).
3545 C. transtrifera Meyr.
Exot. Micro-lepidoptera. I. p. 29 (1912).
3546 C. spilodesma Meyr.
Proc. Zool. Soc. Lond. p. 754 (1908).
3547 C. geminata Meyr.
Ann. S.A. Mus. X. p. 256 (1914).
3548 C. stathmodes Meyr.
Proc. Zool. Soc. Lond. p. 754 (1908).
3549 C. melanostrota Meyr.
Ann. S.A. Mus. X. p. 72 (1912).
3550 C. turpis Wlk.
Cat. XXVIII. p. 497 (1863).
3551 C. wahlbergi Zell.
Lep. Microptera. p. 92 (1852).
3552 C. somphodes Meyr.
Ann. S.A. Mus. X. p. 73 (1912).
3553 C. trigoniferella Wlshm.
Trans. Ent. Soc. Lond. p. 246 pl. XI. f. 15 (1881).
3554 C. cuneella Wlshm.
Trans. Ent. Soc. Lond. p. 88 pl. IV. f. 25 (1891).
3555 C. laureata Meyr.
Ann. Transv. Mus. II. p. 239 (1911).
3556 C. natalensis Sttn.
Trans. Ent. Soc. Lond. (2) 5 p. 221 (1860).
3557 C. graptosema Meyr.
Ann. Transv. Mus. IV. p. 205 (1914).

NEMOTOIS Hübn.

Verz. bek. Schmett. p. 416 (1826).

3558 N. humilis Wlshm.

Trans. Ent. Soc. Lond. p. 89 pl. IV. f. 26 (1891).

ADELA Latr.

Gen. Crust. Ins. IV. p. 224 (1796).

3559 A. electella Wlk.

Cat. XXVIII. p. 495 (1863).

The following Micro-lepidoptera have been recorded from South Africa, but as I have not been able to find their positions in the different families, I now give them at the end in alphabetical order:—

ÆCHMIA Treit.

Schmett. Eur. IX. 2 p. 69 (1833).

3560 Æ. bohemani Zell.

Lep. Microptera. p. 116 (1852).

CATAMACTA Meyr.

Trans. N. Zeal. Inst. XLIII. p. 81 (1911).

3563 C. scrutatrix Meyr.

Exot. Micro-lepidoptera I. p. 1 (1912).

DISSOCTENA Stgr.

Stett. ent. Zeit. p. 234 (1859).

3564 D. affinis Wlshm.

Trans. Ent. Soc. Lond. p. 81 pl. IV. f. 21 (1831) (Tineidæ).

EPICHNOPTERYX Hübn.

Verz. p. 399 (1826).

3565 E. transvalica Hmpsn.

A.M.N.H. (8) VI. p. 117 (1910).

EUPLOCAMUS Latr.

Gen. Crust. Ins. IV. p. 223 (1809).

3566 Eu. stupeus. Wllgrn.

Öfv. Vet. Akad. Förh. 32 p. 127-128 (1875) (Tineidæ).

FUMEA Steph.

Ill. Brit. Ent. Haust. II. p. 81 (1829).

3567 F. trimenii Heyl.

C.R. Soc. Ent. Belg. XXXV. p. CCCLXXIV. (1891).

ISCHNOPSIS Wlshm.
Trans. Ent. Soc. Lond. p. 226-237 (1881).
3568 I. angustella Wlshm.
Trans. Ent. Soc. Lond. p. 237 pl. X. f. 11 (1881) (? Cosmopterygidæ).

LASIOCTENA Meyr.
Trans. Ent. Soc. Lond. p. 278 (1887).
3569 L. sisyræa Meyr.
Trans. Ent. Soc. Lond. p. 279 (1887) (Tineidæ).

MICROTHAUMA Wlshm.
Trans. Ent. Soc. Lond. p. 127 pl. VII. f. 87 (1891).
3570 M. metallifera Wlshm.
Trans. Ent. Soc. Lond. p. 127 pl. VI. f. 69 (1891).

OXYMACHÆRIS Wlshm.
Trans. Ent. Soc. Lond. p. 129 pl. VII. f. 89 (1891).
3571 O. zulella Wlshm.
Trans. Ent. Soc. Lond. p. 277 pl. XIII. f. 44 (1881).

PENESTOGLOSSA Rogenh.
in. Feld. Reise Nov. pl. 139 f. 31 (1875).
3572 P. capensis Feld.
Reise Nov. pl. 139 f. 31 (1875).

PHYCODES Guen.
Spec. Gen. VI. p. 389 (1852).
3573 Ph. punctata Wlshm.
Trans. Ent. Soc. Lond. p. 78 pl. III. f. 18 (1891).

PTYCHOXENA Meyr.
Exot. Micr. I. p. 615 (1916).
3574 Pt. tephrantha Meyr.
Exot. Micr. I. p. 616 (1916).

RHŒCOPTERA Meyr.
Ann. S.A. Mus. V. p. 373 (1909).
3575 Rh. gigas Wlshm.
Trans. Ent. Soc. Lond. p. 107 pl. V. f. 43 (1891) (Œcophoridæ).

SERICORIS Treit.
Schmett. Eur. VII. p. 230 (1829).
3576 S. scabellana Zell.
Lep. Microptera. p. 81 (1952).

STEGANOPTYCHA Steph.
Cat. Brit. Ins. p. 176 (1829).
3578 St. infausta Wlshm.
Trans. Ent. Soc. Lond. p. 232 (1881).

HEPIALIDÆ.

DALACA Wlk.

Cat. VII. p. 1559 (1856).

3579 D. ammon Wllgrn.
Wien. ent. Mon. IV. p. 43 (1860).

3580 D. cretata Dist.
A.M.N.H. (6) XX. p. 211 (1897).

3581 D. ibex. Wllgrn.
Wien. ent. Mon. IV. p. 43 (1860).

3582 D. namaqua Wlk.
Cat. VII. p. 1560 (1856).

3583 D. hololeuca Hmpsn.
A.M.N.H. (8) VI. p. 160 (1910).

3584 D. albistriata Hmpsn.
A.M.N.H. (8) VI. p. 159 (1910).

3585 D. albirivula Hmpsn.
A.M.N.H. (8) VI. p. 159 (1910).

3586 D. leucocyma Hmpsn.
A.M.N.H. (8) VI. p. 159 (1910).

3587 D rufescens Hmpsn.
A.M.N.H. (8) VI. p. 158 (1910).

3588 D. furva Hmpsn.
A.M.N.H. (8) VI. p. 158 (1910).

3589 D. metaleuca Hmpsn.
A.M.N.H. (8) VI. p. 158 (1910).

3590 D. tumidifascia Hmpsn.
A.M.N.H. (8) VI. 157 (1910).

3591 D. goniophora Hmpsn.
A.M.N.H. (8) VI. 157 (1910).

3592 D. rhodesiensis Hmpsn.
A.M.N.H. (8) VI. 157 (1910).

3593 D. fuscescens Hmpsn.
A.M.N.H. (8) VI. p. 156 (1910).

4594 D. exul. H.-S.
Aussereur. Schmett. 1 t. 10 f. 43 (1855).

LETO Hübn.

Verz. bek. Schmett. p. 197 (1822).

3595 L. venus Stoll.
Pap. Exot. 3 t. 286 f. C, D. (1780).

PHASSUS Wlk.

Cat. VII. p. 1566 (1856).

3596 Ph. tessellatus H.-S.
Aus. Eur. Schmett. p. 147 (1854).

GORGOPIS Hübn.

Verz. Bek. Schmett. p. 198 (1822).

3597 G. bacotii Quail.
Trans. Ent. Soc. Lond. p. 421 pl. V. f. 1 (1900).

3598 G. butleri Dew.
Nova Acta Deuts. Akad. p. 64 pl. II. f. 25 (1881).
3599 G. caffra Wlk.
Cat. VII. p. 1565 (1856).
3600 G. libania Stoll.
Pap. Exot. IV. pl. 356 f. F. (1782).
3601 G. zellerii Dew.
Nova Acta Deut. Akad. p. 64 pl. II. f. 2? (1881).
3602 G. plurimaculata Warr.
Ann. S.A. Mus. X. p. 507 pl. XLI. f. 26 (1914)
3603 G. albiplumis Warr.
Ann. S.A. Mus. X. p. 506 XLI. f. 27 (1914).
3604 G. intervallata Warr.
Ann. S.A. Mus. X. p. 507 pl. XLI. f. 29 (1914).
3605 G. olivaceonotata Warr.
Ann. S.A. Mus. X. p. 506 pl. XLI. f. 28 (1914)

PTYCHOLOMA Feld.
Reise Nov. pl. 82 f. 11 (1874).
3606 Pt. aurifaber Feld.
Reise Nov. pl. 82 f. 11 (1874).
3607 Pt. antarcticus Wllgrn.
Wien. ent. Mon. IV. p. 43 (1860).

INDEX.

Abacistis 198
Abrostola 46
Acantharctia 11
Acanthodelta 43
Acantholipes 49
Acanthonyx 40
Acanthopsyche 125
Achæa 41
Acheronta 74
Acidaliastis 94
Aclonophlebia 70
Acontesis 93
Acontia 37
Acorostoma 213
Acrapex 30
Acrasia 105
Acripia 36
Acrobasis 147
Acrocercops 200
Acrolepia 204
Acronycta 24
Actenia 155
Adaina 168
Adela 216
Adisura 15
Adrallia 135
Æchmia 216
Ægeria 169
Ægocera 14
Æoloscelis 191
Afrophyla 87
Agathodes 160
Agdistis 169
Aglossa 152
Aglossodes 155
Aglossosia 8
Agrotis 16
Alelimma 65
Alispa 150
Alispoides 150
Alloclita 194
Allochrostes 94
Altha 136
Alucita 167
Alytarchia 74
Amalthina 200
Amata 3
Ambala 145
Ambia 156
Amphidrima 26
Amsacta 11
Amydria 213
Amyna 59
Anacampsis 179
Anacosymbia 95
Anadiasta 129
Anaphe 84
Anaphosia 8
Anarsia 185
Ancylis 173
Ancylosis 151
Ancylolomia 143
Androlymnia 29
Androzeugma 94
Anerastia 145
Anomœotes 140
Anorthosia 187
Antarchæa 53
Antarctia 12
Antharmostes 89
Anthemoctena 105
Antheua 81
Anthozela 176
Anthrocera 138
Antigastra 163
Antiophlebia 46
Anua 40
Aphilopota 109
Apisa 4
Apluda 136
Apocheima 109
Apoda 135
Apoprogones 38
Araea 24
Arbela 126
Arbelodes 126
Archernis 162
Archichlora 88
Aretiocossus 128
Arcyophora 36
Arenostola 30
Argema 120
Argyractis 156
Argyresthia 197
Argyrographa 92
Argyrophora 105

Argyroploce 175
Argyrotoxa 172
Ariathisa 28
Arichalca 138
Aristotelia 178
Arniocera 140
Ascotis 110
Aspidifrontia 19
Aspilates 117
Aspilatopsis 107
Asura 9
Atabyria 212
Athetis 26
Athletes 122
Atychia 176
Atrasana 85
Audea 37
Augasma 202
Austrosetia 170
Authadistis 48
Axiodes 108
Azygophleps 127

Bactra 174
Balaera 4
Banisana 52
Bantuana 82
Barbaroscardia 211
Bareia 49
Barrama 87
Basiothia 78
Batocnema 75
Batrachedra 202
Bazisa 66
Bedellia 208
Beralade 132
Biafra 144
Bicelluphora 67
Biclavigera 108
Blabophanes 210
Blastobasis 192
Blenina 35
Boarmia 111
Bocchoris 158
Bombycomorpha 132
Bombycopsis 133
Borkhausenia 194
Borolia 19
Bostra 154
Botyodes 159
Bracharoa 67
Brachartona 140
Brachionycha 83
Brachmia 183
Brachylia 127

Bradina 157
Brenthia 203
Brephia 146
Brevipecten 53
Brihaspa 144
Brithys 18
Bucculatrix 205
Bryophila 40
Bryothripa 35
Bunæa 121

Cacœcia 171
Cacophyia 195
Cænarthria 119
Caffristis 21
Calamia 31
Calamistis 30
Calesia 48
Calliodes 39
Calloratis 118
Callopistria 51
Callyna 32
Calpe 50
Calpiformis 23
Cambogia 105
Campsiceras 91
Camptogramma 100
Candiope 147
Canthelea 147
Caphara 134
Carcinopodia 8
Cardiosace 61
Caripodia 8
Carposina 170
Cartaletis 87
Cataclysta 156
Catalebeda 131
Catamacta 216
Catamecia 29
Catascia 110
Catephia 47
Catochria 86
Celama 5
Celerio 78
Celidomphax 91
Centrarthra 25
Centroctena 79
Centrogone 29
Cephonodes 76
Ceratopacha 132
Cerocala 44
Ceromitia 214
Cerura 85
Cerynea 56
Ceryx 3

Cetola ... 24
Chadisra ... 85
Chalcidoptera ... 158
Chalciope ... 43
Chalia ... 125
Characoma ... 34
Charidea ... 21
Charilina ... 14
Charltona ... 143
Chasmina ... 32
Chelaria ... 184
Cheroscelis ... 89
Chilo ... 143
Chionema ... 8
Chiarostoma ... 213
Chlorerythra ... 99
Chloridea ... 15
Chlorissa ... 90
Chloroclystis ... 103
Chlorocoma ... 91
Chlorophytis ... 213
Chlorosterrha ... 93
Chlorozada ... 35
Chlumetia ... 33
Chogada ... 111
Cholotis ... 189
Chondrostegoides ... 134
Choreutis ... 204
Chryozonata ... 56
Chrysocraspeda ... 100
Chrysocyma ... 9
Chrysopoloma ... 134
Chrysotypus ... 127
Chusaria ... 65
Chytonyx ... 24
Cimola ... 66
Cinabra ... 123
Cirina ... 121
Cirphis ... 19
Cirrhœdia ... 52
Cirrodes ... 29
Clania ... 124
Cledeobia ... 155
Cleora ... 111
Cleroptila ... 502
Cnemidolophus ... 194
Cnephasia ... 172
Cnodifrontia ... 51
Coccothera ... 174
Cœlonia ... 75
Cœnina ... 116
Cœnobasis ... 136
Cœnotephria ... 101
Cœsyra ... 194
Coleophora ... 202
Collix ... 102
Cometaster ... 39
Comibæna ... 88
Comostolopsis ... 93
Conchylia ... 104
Concoades ... 134
Conicofrontia ... 31
Conolophia ... 87
Conservula ... 23
Constantia ... 155
Copifrontia ... 29
Copobathra ... 206
Coptoproctis ... 207
Corgatha ... 57
Corium ... 87
Cortyta ... 44
Coryphodema ... 127
Cosmophila ... 52
Cosmopteryx ... 188
Cosmorrhyncha ... 175
Cossus ... 127
Crambus ... 142
Crambometra ... 105
Crameria ... 139
Craniophora ... 24
Craspia ... 132
Craterestra ... 18
Creaga ... 68
Creatonotus ... 11
Cretonia ... 57
Criophthona ... 163
Criticonoma ... 208
Crobylophora ... 206
Crocidolomia ... 161
Crocidophora ... 165
Cropera ... 68
Crothæma ... 135
Cryptolechia ... 195
Cryptothripa ... 34
Ctenolita ... 138
Ctenosia ... 6
Ctenusa ... 39
Cucullia ... 20
Culladia ... 142
Cuneisigna ... 43
Cusiala ... 109
Cybolomia ... 163
Cyclopera ... 32
Cycloponympha ... 205
Cydia ... 176
Cyligramma ... 38
Cymaroa ... 72
Cyrtogone ... 122
Cyrtojana ... 79
Cytothymia ... 32

Dalaca 218
Daseochaeta 24
Dasycampa 68
Dasychira 68
Dasypolia 22
Dasyses 214
Datana 86
Daulia 156
Deilemera 74
Deilephila 76
Delta 25
Demobrotis 208
Dendrolimus 134
Depressaria 153
Dermaleipa 40
Derrioides 107
Desmeocraera 83
Deuterocopus 167
Diacrisia 40
Diacrotricha 166
Dancura 138
Diaphone 19
Diasemia 163
Dicanica 208
Dichocrosis 159
Dichomeris 186
Dichroma 92
Didia 146
Digama 73
Dinara 83
Diocosma 186
Dionychopus 12
Diota 74
Diparopsis 23
Diplonyx 8
Diptychis 104
Dirades 124
Discalma 114
Discofrontia 145
Discomiosis 95
Dissoctena 216
Distieta 63
Ditrachyptera 147
Dolosis 93
Dragmatucha 183
Drepanogynis 106
Drosica 214
Duomitus 128
Duponchelia 156
Durbana 118
Dyscia 107
Dysmilichia 28
Dysodia 141
Dysphylia 146
Earias 35
Eboda 172
Eccopsis 175
Ecpsymatoge 102
Ectoeheli 21
Ectolopha 29
Ectropa 135
Ectropis 110
Egnasia 63
Egybolis 38
Elachista 201
Elaeodes 44
Elousina 151
Elophos 110
Emathendes 144
Empusada 20
Encolpotis 183
Endotricha 152
Enicostoma 194
Enmonodia 39
Entephria 157
Entomogramma 39
Eochra 122
Epamaiha 84
Epermenia 197
Ephestia 151
Ephysteris 182
Epicephala 200
Epichnopteryx 216
Epichorista 171
Epicleta 99
Epicosymbia 95
Epiphora 120
Epiphractis 199
Epiphthora 179
Epiplema 124
Epipyrops 137
Epirrhoë 102
Episparis 63
Epistomotis 204
Epithectis 179
Epitoxis 4
Epizygaena 140
Eporyeta 196
Ereta 158
Erechthiodes 189
Eretmocera 189
Eriogaster 133
Eriopus 23
Eromene 143
Essina 165
Estigmene 11
Ethiopica 28
Ethioterpia 29
Ethmia 207

Etiella 149
Eublemma 54
Eublemmistis 53
Euchloron 78
Euchromia 4
Euclasta 161
Eucleodora 193
Euclidisema 43
Eucosma 173
Eucrostes 94
Eudemis 173
Euexia 116
Eugoa 10
Eulechria 192
Eulocastra 61
Eulophonotus 127
Eulymnia 29
Eulype 102
Eumichtis 21
Euonychodes 40
Eupagia 108
Euphiusa 42
Euphyia 100
Eupithecia 103
Euplexia 22
Euplocamus 216
Euproctis 71
Eurhodope 146
Eurosia 8
Eurrhyparodes 158
Eurycerota 144
Eustrotia 60
Eutelia 33
Euterpiodes 32
Eutimia 84
Eutomis 3
Eutorna 193
Euxoa 16
Euzophera 149
Exanthica 198
Exaulistis 198
Exophila 51

Facidia 47
Fidonia 117
Filodes 159
Fodina 49
Fumea 216

Galleria 142
Gastroplakæis 132
Gavara 137
Gelechia 180
Gephyristis 210
Getulia 149
Glossotrophia 98
Glyphipteryx 203
Glyphodes 160
Gnophos 110
Gnorimoschema 182
Gonanticlea 101
Gonimbrasia 120
Goniocalpe 36
Gonodontis 115
Gonometa 130
Goodia 123
Gorgopis 218
Gracilaria 201
Grammarctia 12
Grammodes 43
Grammoscelis 22
Graphania 19
Gyalomia 120
Gymnelema 128
Gymnogramma 198
Gynanisa 122
Gypsosaris 204

Hadena 18
Hadenella 25
Hadjina 28
Haggardia 108
Haplopacha 130
Hapsifera 212
Harpella 193
Hebdomophruda 106
Hednophora 195
Heliophisma 41
Hellula 161
Hemerophila 109
Hemijana 81
Hemistola 93
Heniocha 122
Heosphora 145
Herculia 153
Herse 74
Hespagarista 14
Heterocrita 89
Heterographis 150
Heterolepis 135
Heterorachis 91
Heterostegane 120
Hibrildis 66
Hiccoda 57
Hieroxestis 206
Hippotion 78
Hollandella 126
Holocera 123
Holocryptis 56
Homæa 40

Homaloxestis ... 183
Homochira ... 71
Homœomeria ... 73
Homœosoma ... 151
Hoplistopus ... 75
Hoplitis ... 85
Hoplojana ... 81
Hoplotarache ... 61
Horisme ... 102
Hosidia ... 146
Hyblæa ... 66
Hydrelia ... 105
Hydrillodes ... 65
Hymenia ... 165
Hymenoptychis ... 157
Hyoprora ... 214
Hyostomodes ... 113
Hypagoptera ... 7
Hypanua ... 41
Hypena ... 64
Hyperæschra ... 86
Hypercallia ... 193
Hyphantria ... 11
Hypocala ... 50
Hypogryphia ... 150
Hyponomeuta ... 199
Hypoplexia ... 23
Hypotacha ... 38
Hypotia ... 156
Hypotype ... 21
Hypsa ... 73
Hypsotropa ... 145

Iambia ... 24
Ichthyura ... 82
Idioglossa ... 189
Idiophantis ... 179
Idiopteryx ... 195
Idiotephra ... 110
Ilema ... 6
Ilemodes ... 10
Illa ... 169
Imbrasia ... 121
Induna ... 97
Inöus ... 86
Iriothyrsa ... 203
Ischnopsis ... 217
Ischnurges ... 162
Isocrita ... 198
Isolopha ... 151
Isopleria ... 95
Isturgia ... 117

Jana ... 81
Janomima ... 79

Labanda ... 46
Lacera ... 47
Lacipa ... 67
Lælia ... 69
Læliopsis ... 132
Lamoria ... 141
Lamprosia ... 7
Laodamia ... 149
Laphygma ... 25
Larentia ... 101
Lasiocampa ... 133
Lasiochlora ... 92
Lasioctena ... 217
Laspeyresia ... 176
Lebeda ... 131
Lebedodes ... 125
Lecithocera ... 182
Leiorhynx ... 65
Leipoxais ... 132
Lenodora ... 152
Leocyma ... 37
Lepidogma ... 151
Lepidopalpus ... 66
Lepiodes ... 102
Lepista ... 5
Lepocnemis ... 204
Leptoclanis ... 75
Lepyrodes ... 161
Leto ... 218
Leucinodes ... 161
Leucochlæna ... 21
Leucoptera ... 207
Leucostrophus ... 77
Leucovis ... 33
Lichenopteryx ... 79
Ligdia ... 118
Likoma ... 76
Limnœcia ... 189
Lithacodia ... 60
Lithocolletis ... 200
Lithostege ... 104
Lobesia ... 172
Lobobunæa ... 121
Lophilema ... 6
Lophocrama ... 35
Lophocyttara ... 56
Lophodonta ... 86
Lophoptera ... 34
Lophopteryx ... 86
Lophorrhachia ... 89
Lophoruza ... 56
Lophostethus ... 76
Lophostola ... 93
Lophotarsia ... 25
Loryma ... 155

Loxofidonia 102
Loxopora 117
Ludia 123
Luma 157
Lycaugidia 105
Lycophotia 17
Lygropia 165
Lymantria 70
Lyonetia 207
Lysceia 7
Lytrophila 198

Mabillia 146
Macalla 151
Macaria 113
Machlotricha 186
Macna 152
Macroglossum 77
Macroplectra 136
Macrosia 6
Macrotinactis 167
Mænas 10
Magulaba 63
Magusa 22
Malamblia 140
Manatha 125
Marasmarcha 168
Marasmia 158
Marathyssa 34
Marmaroplegma 79
Marshalliana 126
Maruca 162
Matopa 24
Mauna 105
Maurilia 35
Mecodina 48
Mecyna 163
Megacraspedus 178
Megalodes 53
Megasis 149
Megathripa 35
Melanalis 155
Melanocera 122
Melanthia 100
Melasina 211
Melebæas 85
Meliaba 46
Meliana 20
Melinoëssa 119
Melissoblaptes 165
Melittia 169
Meneclia 10
Mendesia 202
Meneptera 61
Mesocelis 133
Mesogenea 48
Mesopherna 211
Metachanda 187
Metacineta 88
Metadula 129
Metallochlora 90
Metapioplasta 62
Metarbela 126
Metarbelodes 126
Metarctia 4
Metasia 163
Metœcis 147
Metzneria 177
Miantochora 116
Micragrotis 15
Micraroa 71
Micrilema 8
Microcolona 190
Microligia 105
Microloxia 92
Microschismus 165
Microsphinx 77
Microthauma 217
Microthrix 148
Miltochrista 9
Mimasura 61
Mimleucania 26
Mimoclysta 102
Miniodes 40
Mionides 24
Miresa 137
Mixocera 94
Mocis 43
Mompha 190
Monda 125
Monopis 214
Murgisca 152
Mussidia 147
Myelois 146
Myrioblephara 110
Myrrhinitis 201

Naarda 65
Nacoleia 159
Nadiasa 130
Namangana 29
Naroma 72
Narosa 137
Nassunia 118
Natada 137
Neaxestis 36
Negera 141
Negeta 36
Nemotois 216
Neobostra 154

Neochrostis 57
Neostege 160
Nephantis 196
Nephele 76
Nephopteryx 147
Nepticula 204
Neromia 90
Netrocera 170
Neurosymploca 139
Neurotoca 90
Noctuelia 165
Nodaria 65
Nola 5
Nomophila 162
Noorda 163
Nopia 116
Nosophora 159
Nothabraxas 117
Nothris 185
Notoxantha 82
Nudaurelia 121
Nyctipao 38
Nymphula 156

Obolcola 117
Obtusipalpis 143
Ochrocalama 30
Ochrostigma 85
Ocinara 124
Oc'naropsis 134
Ocystola 194
Odenestis 133
Odites 196
Odontestra 18
Odontocheilopteryx 132
Odontosida 77
Œcophora 193
Œdebasis 46
Œdematopoda 189
Œderastria 59
Ogoa 66
Oinophila 206
Olapa 66
Oligia 23
Oligochroa 148
Oligochroides 149
Oligographa 73
Olyra 133
Omizodes 116
Omocena 138
Omphacodes 93
Omphaloceps 14
Omphalucha 109
Omphax 91
Ophideres 50

Opogona 206
Opostega 205
Opsaroa 9
Oreinobia 73
Orgyia 67
Orgyiodes 117
Oria 31
Orna 139
Orneodes 165
Ornithopsyche 71
Ortholitha 101
Orthonama 100
Oruza 56
Osica 83
Osteodes 114
Ovios 32
Oxymachæris 217
Oxyptilus 166
Ozarba 57
Ozola 87

Pachymeta 130
Pachypasa 130
Pachyrabda 190
Pachyzancla 162
Pacidara 33
Pagyda 158
Paida 14
Pais 14
Palæaspilates 99
Palætheta 197
Pamplusia 175
Panagropsis 87
Panicotricha 184
Pansa 82
Pantoctenia 137
Parachalciope 43
Paracl'psis 116
Paracrocota 117
Paracroria 25
Paractenia 153
Paradasena 34
Paragathia 88
Paralebeda 125
Parallelia 42
Paralogistis 191
Paraona 7
Paraphomia 142
Paraprasina 92
Parapsectris 182
Parasa 136
Parasyntomis 140
Paraspistes 187
Parathermes 50
Parathystas 189

Parathuerta 32
Paraxestis 36
Parazelota 198
Pardasena 34
Pareclipsis 116
Pareetopa 201
Parexaula 197
Paristhmia 183
Paromphale 28
Paroruza 56
Paryphanta 137
Paschiodes 162
Pasteosia 7
Patissa 144
Paurophleps 9
Pauroptila 190
Pectinigera 145
Penestoglossa 217
Penisa 59
Periscyma 44
Peridela 112
Perigea 23
Perizoma 101
Peronea 172
Perusiopsis 117
Petelia 120
Petovia 87
Petrodava 115
Pachyrhabda 190
Phalera 83
Phalerodes 30
Pharmacis 170
Phasicnecus 81
Phassus 218
Phiala 80
Philenora 9
Philobota 195
Philudoria 134
Phlegetonia 33
Phlyctænodes 162
Phœnicocampa 116
Photodotus 179
Phragmatiphila 30
Phragmatobia 10
Phragmatœcia 127
Phryganopsis 6
Phthinostoma 202
Phthorimæa 182
Phthoropœa 212
Phycodes 217
Phyllalia 80
Phyllaliodes 84
Phyllobrostis 207
Phyllocnistis 207
Phyllophila 57
Phytometra 45
Pierospora 210
Piesmopoda 147
Piletocera 157
Pilocrosis 159
Pilotocoma 207
Pingasa 88
Ponca 163
Pirga 67
Pisoraca 99
Pitharcha 213
Pithyllis 155
Pitthea 74
Plateoplia 115
Platyja 49
Platybathra 204
Platypepla 115
Platyptilia 166
Platysphinx 75
Platytes 142
Plecoptera 53
Plecopterodes 44
Plegopteryx 116
Pleurona 51
Plexippica 199
Plusiodonta 50
Plusiopalpa 45
Plutella 204
Pogononeura 148
Pogonotropha 150
Polia 18
Poliana 75
Polienus 86
Poloma 79
Polychrosis 174
Polydesma 48
Polyhymno 178
Polymona 70
Polyocha 144
Polyptychus 76
Polystroma 100
Polythlipta 161
Porosagrotis 15
Porotica 203
Porthesia 72
Poujadia 145
Prædora 75
Prasinocyma 89
Pretoria 148
Prionofrontia 46
Pristarthria 148
Probalintha 135
Problepsis 95
Procanthia 12
Procometis 196

Proconis 48
Procrateria 28
Procypha 115
Prodenia 25
Promalactis 192
Proruaca 48
Prosaris 153
Prosarotra 194
Proschaliphora 12
Prosomphax 91
Protarache 57
Proterozeuxis 141
Proxenus 28
Psalis 70
Psecadia 207
Pselnophorus 167
Pseudaglossa 63
Pseudapheha 122
Pseudoclanis 75
Pseudomænas 106
Pseudometa 131
Pseudomicrodes 60
Pseudonaclia 4
Pseudurgis 210
Psichotoë 3
Psilocera 115
Psilocladia 115
Psycharium 135
Psyche 125
Pteredoa 72
Pterocerota 66
Pterophorus 168
Ptilothyris 183
Ptisanora 212
Ptycholoma 219
Ptychopoda 98
Ptychoxena 217
Pusiola 6
Pycnostola 177
Pydna 82
Pygetera 73
Pyralis 152
Pyrausta 164
Pyroderces 188

Racotis 110
Raghuva 14
Ramesa 83
Ramesodes 30
Raparna 52
Redoa 67
Repena 73
Rethona 86
Rhadinomphax 92
Rhæsena 64
Rhanidophora 50
Rhinobombyx 124
Rhizotype 21
Rhodafra 78
Rhodesia 92
Rhodochlæna 21
Rhodochrysa 146
Rhodogastria 13
Rhodometra 104
Rhodoneura 141
Rhodophthitus 118
Rhodotarache 63
Rhœcoptera 217
Rhynchina 64
Rhynchopaschia 151
Rhyncodes 37
Rhypopteryx 72
Rigima 84
Risoba 35
Rœselia 5
Rothia 13

Sacada 153
Salebria 148
Saliunca 138
Saliuncella 138
Saluria 145
Sameodes 161
Sapheneutis 210
Sarmatia 51
Saropla 192
Sauris 104
Scalmicauda 82
Scardamia 118
Scardia 214
Schematistis 184
Sceliodes 164
Schistissa 79
Schœnobius 144
Sciapteron 169
Scirpophaga 144
Scoparia 157
Scopula 95
Scrancia 83
Scythris 191
Scythropia 200
Secusio 13
Seirarctia 12
Selagena 126
Selenistis 32
Selepa 34
Semioptila 140
Sena 134
Sericoris 217
Serrodes 47

Sesamia 31
Setoctena 37
Setomorpha 214
Siccia 9
Sicyodes 107
Sidemia 23
Simæthis 203
Simyra 124
Sindris 154
Sitotroga 177
Soloë 74
Somara 137
Somatina 95
Somera 85
Sozusá 6
Speiredonia 39
Sphenarchus 166
Sphinctocera 146
Sphingomorpha 47
Sphingonæpiopsis 77
Spilonota 173
Spiramiopsis 80
Spodoptera 25
Stagmatophora 188
Stathmopoda 190
Staudingeria 150
Stauropus 84
Stegania 119
Steganoptycha 217
Stegasta 182
Stegothyris 156
Stemagoris 210
Stemmatophora 153
Stenia 157
Stenoma 197
Stenophatma 134
Stenopterygia 22
Stenoptilia 169
Stibolepis 81
Stictoptera 34
Stomafrontia 25
Stomphastis 200
Strenophila 187
Striphnopteryx 79
Strobisia 184
Struthisca 211
Surattha 143
Susica 136
Syfanoidea 14
Sylepta 160
Symbatica 187
Symmoca 186
Syncalama 30
Syndromodes 92
Syngamia 158
Syngrapha 45
Synoria 149
Syntomis 3

Tæda 135
Tagoropsis 123
Talis 143
Tarache 62
Taragama 129
Tascia 138
Tathorynchus 51
Tavia 47
Tegostoma 164
Tegulifera 153
Telphusa 179
Temelucha 204
Temnora 77
Tephrina 112
Teracotona 12
Teragra 126
Terastia 162
Tetracme 65
Thalassodes 89
Thalatha 24
Thaumetopœa 138
Theretra 78
Thermesia 49
Thliptoceras 161
Thosea 137
Thranitica 211
Thriophora 181
Thumatha 9
Thyatirina 61
Thyestarcha 199
Thymosopha 182
Thyretes 1
Tigrioides 5
Timora 15
Tinea 209
Tineola 208
Tinthia 169
Tiquadra 213
Tischeria 208
Tissanga 82
Titanoptilus 166
Tolna 41
Tortrix 171
Toxocampa 53
Trabala 131
Trachea 22
Trachonitis 147
Trachydora 190
Trachypteryx 149
Traminda 99
Trichæta 3

Trichiura 129
Trichocossus 128
Trichophaga 208
Trichophiala 80
Trichopisthia 131
Trichoptilus 166
Trichotaphe 185
Trilocha 124
Triphassa 153
Trochastica 199
Trymalitis 177
Tuerta 14
Tugela 142
Tumidifrontia 29
Tyndis 155

Ulochlæna 21
Ulometra 214
Ulopeza 159
Ulothrichopus 38
Uncula 57
Urapteroides 124
Urbania 150
Urota 123
Usta 123
Utetheisa 13

Veniliodes 118
Victoria 88
Westermannia 36

Xanthetis 9
Xanthoptera 53
Xanthorhoë 100
Xanthospilopteryx 13
Xanthozona 59
Xenimpia 116
Xenochlorodes 94
Xenophanta 187
Xyleutis 128
Xylomania 18
Xylopteryx 109
Xyloricta 196
Xyrosaris 199

Ypsolophus 186

Zamarada 119
Zana 83
Zebronia 157
Zerenopsis 118
Zethes 63
Zeuzera 128
Zinckenia 158
Zitha 154
Zutulba 139
Zygæna 140
Zygophyxia 98

4 3047 (1)

SMITHSONIAN INSTITUTION LIBRARIES
3 9088 00722 7366